

CloseSocket(sockfd);

#if defined(OPENSSL\_EXTRA) || defined(WOLFSSL\_WPAS\_SMALL)

#ifndef NO\_SESSION\_CACHE
 if (resumeSession) {

```
/* test re-use of wolfSSL session via wolfSSL clear */
         wolfSSL_clear(ssl);
         sslResume = ssl;
    #else
         sslResume = wolfSSL_new(ctx);
     #endif
         if (sslResume == NULL) {
             wolfSSL_CTX_free(ctx); ctx = NULL;
             err_sys("unable to get SSL object");
diff --git a/examples/server/server.c b/examples/server/server.c
index 049986b97..b1e4fcf18 100644
--- a/examples/server/server.c
+++ b/examples/server/server.c
@@ -2764,7 +2764,9 @@ THREAD_RETURN WOLFSSL_THREAD server_test(void* args)
         SetupPkCallbacks(ctx);
 #endif
    ssl = SSL_new(ctx);
    if (ssl == NULL) {
         ssl = SSL_new(ctx);
    }
     if (ssl == NULL)
         err_sys_ex(catastrophic, "unable to create an SSL object");
@@ -3515,7 +3517,13 @@ THREAD_RETURN WOLFSSL_THREAD server_test(void* args)
         wolfSSL_PrintStatsConn(&ssl_stats);
 #endif
     #if defined(OPENSSL_EXTRA) || defined(WOLFSSL_WPAS_SMALL)
         /* test re-use of wolfSSL session via wolfSSL_clear */
+
         wolfSSL_clear(ssl);
    #else
         SSL_free(ssl); ssl = NULL;
    #endif
         CloseSocket(clientfd);
@@ -3531,6 +3539,8 @@ THREAD_RETURN WOLFSSL_THREAD server_test(void* args)
     } /* while(1) */
    SSL_free(ssl); ssl = NULL;
     WOLFSSL_TIME(cnt);
     (void)cnt;
```

## Checklist

ad	ded	tests
----	-----	-------

updated/added doxygen

<ul><li>updated appropriate READMEs</li><li>Updated manual and documentation</li></ul>				
A	SparkiDev self-assigned this on Aug 14			
A	A dgarske assigned dgarske and unassigned SparkiDev on Aug 15			
0	dgarske changed the title wolfSSL_clear: fixups Fixes to better handle re-use of a WOLFSSL object via wolfSSL_clear on Aug 15			
타	dgarske force-pushed the wolfssl_clear branch from 7c1a8cd to 4f2acc3 3 months ago	Compare		
dg	parske commented on Aug 15	Contributor		
An	./examples/server/server -v 4 -l TLS13-AES128-GCM-SHA256 -r -2 ./examples/client/client -v 4 -l TLS13-AES128-GCM-SHA256 -r -0 -2			
	dgarske force-pushed the wolfssl_clear branch from 4f2acc3 to b278fd7 3 months ago	Compare		
٨	dgarske assigned cconlon on Aug 16			
•	dgarske requested a review from cconlon 3 months ago			
-0-	Fixes to better handle re-use of a WOLFSSL object via wolfSSL_clear.	<b>✓</b> 7435402		
	dgarske force-pushed the wolfssl_clear branch from b278fd7 to 7435402 3 months ago	Compare		
A	dgarske removed their assignment on Aug 17			

cconlon approved these changes on Aug 17

**View changes** 



cconlon merged commit 91a49da into wolfSSL:master on Aug 17

View details

27 checks passed

maxammann approved these changes on Aug 18

**View changes** 



maxammann left a comment

Looks good to me!

Reviewers



cconlon



maxammann

**Assignees** 



🎒 cconlon

Labels

None yet

**Projects** 

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

4 participants









