

Login Block IPs <= 1.0.0 - IP Spoofing Bypass

Description

The function `check_is_login_page()` uses headers for the IP check, which can be easily spoofed.

Proof of Concept

Set `HTTP_CLIENT_IP` to bypass blocks / use allowed IP addresses.

Affects Plugins

 **login-block-ips**

No known fix - plugin closed ×

References

CVE

[CVE-2022-1579](#)

Classification

Type

Miscellaneous

Original Researcher

Daniel Ruf

Submitter

Daniel Ruf

Submitter website

<https://daniel-ruf.de>

Verified

Yes

WPVDB ID

[6f3d40fa-458b-44f0-9407-763e80b29668](#)

Timeline

Publicly Published

2022-10-28 (about 28 days ago)

Added

2022-10-28 (about 28 days ago)

Last Updated

2022-10-28 (about 28 days ago)

Our Other Services

[WPScan WordPress Security Plugin](#)

Vulnerabilities

[WordPress](#)

[Plugins](#)

[Themes](#)

[Our Stats](#)

[Submit vulnerabilities](#)

About

[How it works](#)

[Pricing](#)

[WordPress plugin](#)

[News](#)

[Contact](#)

For Developers

[Status](#)

[API details](#)

[CLI scanner](#)

Other



[Terms of service](#)

[Submission terms](#)

[Disclosure policy](#)

In partnership with Jetpack

An [end](#) endeavor

[Work With Us](#)