



Nama: Gilang Anggi Wisnu Brata



NIM/Kelas: L200170011/A

Modul ke-: 12



Test PC Net 1





Test PC Net 1

The screenshot shows a Cisco Packet Tracer workspace with a network topology. A central 2950-24 Switch1 is connected to three devices: Server-PT c.com, PC-PT NET 1, and PC-PT Workstation NET 3. A Command Prompt window is open, displaying the results of a ping test to 192.168.2.3 and 192.168.3.3.

```
Command Prompt
C:\>ping 192.168.2.3

Pinging 192.168.2.3 with 32 bytes of data:
Reply from 192.168.2.3: bytes=32 time<1ms TTL=127
Reply from 192.168.2.3: bytes=32 time<1ms TTL=127
Reply from 192.168.2.3: bytes=32 time=14ms TTL=127
Reply from 192.168.2.3: bytes=32 time=2ms TTL=127

Ping statistics for 192.168.2.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 14ms, Average = 4ms
C:\>ping 192.168.3.3

Pinging 192.168.3.3 with 32 bytes of data:
Reply from 192.168.3.3: bytes=32 time<1ms TTL=127
Reply from 192.168.3.3: bytes=32 time<1ms TTL=127
Reply from 192.168.3.3: bytes=32 time<1ms TTL=127
Reply from 192.168.3.3: bytes=32 time<1ms TTL=127

Ping statistics for 192.168.3.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\>
```

Test PC Net 2

The screenshot shows a more complex network topology in Cisco Packet Tracer. A central 1841 Router0 is connected to three 2950-24 switches: Switch0, Switch1, and Switch2. Switch0 is connected to PC-PT NET 1 and Server-PT a.com. Switch1 is connected to Server-PT c.com, PC-PT Workstation NET 3, and Router0. Switch2 is connected to Server-PT b.com, PC-PT Workstation NET 2, and Router0. A Web Browser window is open, displaying the Cisco Packet Tracer website.

```
Web Browser
URL: http://a.com
Go Stop

A.com

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.

Quick Links:
A small page
Copyrights
Image page
Image
```

Cisco Packet Tracer - E:\200170011.pkt

File Edit Options View Tools Extensions Help

Logical Physical x: 1029, y: 433

Workstation NET 2

Physical Config Desktop Programming Attributes

Web Browser

< > URL http://b.com Go Stop

B.com

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.

Quick Links:

- [A small page](#)
- [Copyrights](#)
- [Image page](#)
- [Image](#)

< >

☐ Top

Time: 00:28:50

Realtime Simulation

(Select a Device to Drag and Drop to the Workspace)

Cisco Packet Tracer - E:\200170011.pkt

File Edit Options View Tools Extensions Help

Logical Physical x: 1029, y: 706

Workstation NET 2

Physical Config Desktop Programming Attributes

Web Browser

< > URL http://C.com Go Stop

C.com

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.

Quick Links:

- [A small page](#)
- [Copyrights](#)
- [Image page](#)
- [Image](#)

< >

☐ Top

Time: 00:29:29

Realtime Simulation

(Select a Device to Drag and Drop to the Workspace)

Test ping Net 2

Cisco Packet Tracer - E:\200170011.pkt

File Edit Options View Tools Extensions Help

Logical Physical x 1226 y 655

Workstation NET 2

Physical Config Desktop Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.3

Pinging 192.168.1.3 with 32 bytes of data:

Reply from 192.168.1.3: bytes=32 time=5ms TTL=127
Reply from 192.168.1.3: bytes=32 time<1ms TTL=127
Reply from 192.168.1.3: bytes=32 time<1ms TTL=127
Reply from 192.168.1.3: bytes=32 time=3ms TTL=127

Ping statistics for 192.168.1.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 5ms, Average = 2ms

C:\>ping 192.168.2.3

Pinging 192.168.2.3 with 32 bytes of data:

Reply from 192.168.2.3: bytes=32 time<1ms TTL=127
Reply from 192.168.2.3: bytes=32 time<1ms TTL=127
Reply from 192.168.2.3: bytes=32 time=1ms TTL=127
Reply from 192.168.2.3: bytes=32 time<1ms TTL=127

Ping statistics for 192.168.2.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>
```

Time: 00:25:10

Realtime Simulation

(Select a Device to Drag and Drop to the Workspace)

Test PC Net 3

Cisco Packet Tracer - E:\200170011.pkt

File Edit Options View Tools Extensions Help

Logical Physical x 512 y 347

Workstation NET 3

Physical Config Desktop Programming Attributes

Web Browser

< > URL: Go Stop

A.com

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.



Quick Links:

- [A small page](#)
- [Copyrights](#)
- [Image page](#)
- [Image](#)

Time: 00:20:46

Realtime Simulation

(Select a Device to Drag and Drop to the Workspace)



Test ping PC Net 3

Cisco Packet Tracer - E:\200170011.pkt

File Edit Options View Tools Extensions Help

Logical Physical 519, y: 121

Workstation NET 3

Physical Config Desktop Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.3

Pinging 192.168.1.3 with 32 bytes of data:

Reply from 192.168.1.3: bytes=32 time<1ms TTL=127
Reply from 192.168.1.3: bytes=32 time<1ms TTL=127
Reply from 192.168.1.3: bytes=32 time<1ms TTL=127
Reply from 192.168.1.3: bytes=32 time<1ms TTL=127

Ping statistics for 192.168.1.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.3.3

Pinging 192.168.3.3 with 32 bytes of data:

Reply from 192.168.3.3: bytes=32 time<1ms TTL=127
Reply from 192.168.3.3: bytes=32 time<1ms TTL=127
Reply from 192.168.3.3: bytes=32 time<1ms TTL=127
Reply from 192.168.3.3: bytes=32 time<1ms TTL=127

Ping statistics for 192.168.3.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>
```

PC-PT NET1

Server-PT c.com

PC-PT Workstation NET 3

2950-24 Switch1

Time: 00:16:42

Realtime Simulation

(Select a Device to Drag and Drop to the Workspace)