



Nama : Helmi Lutfian



NIM : L200170055

Kelas : B

Modul : 4


Modul 4 kegiatan 1







No	Variable	Nilai Vlan 10	Nilai Vlan 20	Nilai Vlan 30
1	Nomer Vlan	10	20	30
2	Nomer Vlan	Zodiak1	Zodiak2	Zodiak3
3	Port	Fa 0/1, Fa 0/4	Fa 0/2, Fa 0/5	Fa 0/3, Fa 0/6
4	Status	Active	Active	Active

Kegiatan 2





modul 4 B - Word (Product Activation Failed)

AILINGS REVIEW VIEW NITRO PRO 10

Hot Apps for Office Online Video Hyperlink Bookmark Cross-reference Comment Header Footer Page Number

Switch0

Physical Config CLI Attributes

IOS Command Line Interface

```
Switch(config)#^Z
Switch#
%SYS-5-CONFIG_I: Configured from console by console

Switch#conf term
Enter configuration commands, one per line. End with
CNTL/Z.
Switch(config)#int fa 0/7
Switch(config-if)#switchport mode trunk

Switch(config-if)#
%LINEPROTO-5-UPDOWN: Line protocol on Interface
FastEthernet0/7, changed state to down

%LINEPROTO-5-UPDOWN: Line protocol on Interface
FastEthernet0/7, changed state to up

Switch(config-if)#exit
Switch(config)#^Z
Switch#
%SYS-5-CONFIG_I: Configured from console by console
```

Ctrl+F6 to exit CLI focus

Copy Paste

Top

modul 4 B - Word (Product Activation Failed)

AILINGS REVIEW VIEW NITRO PRO 10

Hot Apps for Office Online Video Hyperlink Bookmark Cross-reference Comment Header Footer Page Number

Switch0

Physical Config CLI Attributes

IOS Command Line Interface

```
%SYS-5-CONFIG_I: Configured from console by console

Switch#show int fa 0/7 switchport
Name: Fa0/7
Switchport: Enabled
Administrative Mode: trunk
Operational Mode: trunk
Administrative Trunking Encapsulation: dot1q
Operational Trunking Encapsulation: dot1q
Negotiation of Trunking: On
Access Mode VLAN: 1 (default)
Trunking Native Mode VLAN: 1 (default)
Voice VLAN: none
Administrative private-vlan host-association: none
Administrative private-vlan mapping: none
Administrative private-vlan trunk native VLAN: none
Administrative private-vlan trunk encapsulation: dot1q
Administrative private-vlan trunk normal VLANs: none
Administrative private-vlan trunk private VLANs: none
Operational private-vlan: none
Trunking VLANs Enabled: All
Pruning VLANs Enabled: 2-1001
Portsecurity: Disabled
```

Ctrl+F6 to exit CLI focus

Copy Paste

Top

