

Nama : faras afifni zakki

NIM : L200170069

Kelas : b



Modul : 4


Modul 4

Kegiatan 1

The screenshot displays the Cisco Packet Tracer interface. On the left, a network topology is shown with a central switch connected to six PCs: Leo, Aries, Virgo, Libra, Taurus, and Scorpio. On the right, the CLI window for Switch0 is open, showing the following configuration:



```
Switch>en
Switch>conf term
Enter configuration commands, one per line. End with CNTL/Z.
Switch(config)#vlan 10
Switch(config-vlan)#name zodiak1
Switch(config-vlan)#exit
Switch(config)#vlan 20
Switch(config-vlan)#name zodiak2
Switch(config-vlan)#exit
Switch(config)#vlan 30
Switch(config-vlan)#name zodiak3
Switch(config-vlan)#exit
Switch(config)#
Switch(config)#interface FastEthernet0/1
Switch(config-if)#swi
Switch(config-if)#switchport ac
Switch(config-if)#switchport access
% Incomplete command.
Switch(config-if)#swi
Switch(config-if)#switchport ac
Switch(config-if)#switchport mode access
Switch(config-if)#sw
Switch(config-if)#switchport access vlan 10
Switch(config-if)#in
Switch(config-if)#int
Switch(config-if)#interface Fast
Switch(config-if)#interface fastEthernet 0/4
Switch(config-if)#sw
Switch(config-if)#switchport mode acc
Switch(config-if)#switchport mode access
Switch(config-if)#sw
Switch(config-if)#switchport acc
Switch(config-if)#switchport access vlan 10
Switch(config-if)#exit
Switch(config)#
```










No	Variable	Nilai Vlan 10	Nilai Vlan 20	Nilai Vlan 30
1	Nomer Vlan	10	20	30
2	Nomer Vlan	Zodiak1	Zodiak2	Zodiak3
3	Port	Fa 0/1, Fa 0/4	Fa 0/2, Fa 0/5	Fa 0/3, Fa 0/6
4	Status	Active	Active	Active



Kegiatan 2



















Physical Config **Desktop** Programming Attributes

Command Prompt X

```
Packet Tracer PC Command Line 1.0
C:\>ping 172.21.2.3

Pinging 172.21.2.3 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 172.21.2.3:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 172.21.1.1

Pinging 172.21.1.1 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 172.21.1.1:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>|
```

☐ Top