

Nama : Avifah hasna

NIM : L200170072

Screenshot of RapidMiner Studio Free 9.0.003 showing the Results view.

The title bar reads: <new process> - RapidMiner Studio Free 9.0.003 @ LABSI-11-PC

The menu bar includes: File, Edit, Process, View, Connections, Cloud, Settings, Extensions, Help.

The toolbar contains icons for Data, Statistics, Charts, Advanced Charts, and Annotations.

The main area displays the "ExampleSet (/Local Repository/cuacaa)" tab, which shows a table of 14 examples with 5 attributes: Row No., Bermain_Te..., Cuaca, Suhu, Kelembaban..., and Berangin.

Row No.	Bermain_Te...	Cuaca	Suhu	Kelembaban...	Berangin
1	TIDAK	Cerah	85	85	TIDAK
2	TIDAK	Cerah	80	90	YA
3	YA	Mendung	83	86	TIDAK
4	YA	Hujan	70	96	TIDAK
5	YA	Hujan	68	80	TIDAK
6	TIDAK	Hujan	65	70	YA
7	YA	Mendung	64	65	YA
8	TIDAK	Cerah	72	95	TIDAK
9	YA	Cerah	69	70	TIDAK
10	YA	Hujan	75	80	TIDAK
11	YA	Cerah	75	70	YA
12	YA	Mendung	72	90	YA
13	YA	Mendung	81	75	TIDAK
14	TIDAK	Hujan	71	91	YA

Filter (14 / 14 examples): all

Calculating result: Advanced Charts

System status: IN 12:39 21/11/2019

Screenshot of RapidMiner Studio Free 9.0.003 showing the Process view.

The title bar reads: <new process*> - RapidMiner Studio Free 9.0.003 @ LABSI-11-PC

The menu bar includes: File, Edit, Process, View, Connections, Cloud, Settings, Extensions, Help.

The toolbar contains icons for Data, Statistics, Charts, Advanced Charts, and Annotations.

The left sidebar shows the Operators palette with "cross validation" selected, and the Repository pane listing various datasets and processes.

The central workspace displays a process flow:



```
graph LR; Retrieve[Retrieve cuacaa] --> CV{Cross Validation}; CV --> Out[Output];
```


The "Process" tab is active, and the "Parameters" tab shows the following configuration:

loggerverbosity	init
logfile	[empty]
resultfile	[empty]
random seed	2001
send mail	never
encoding	SYSTEM


Buttons at the bottom include: Set Role (37%), Select Attributes (33%), Apply Model (23%), Hide advanced parameters, and Change compatibility (9.0.003).



System status: IN 12:49 21/11/2019








Aturan









The screenshot shows the RapidMiner Studio interface with three result tabs: "ExampleSet (Nominal|Binomial)", "ExampleSet (/Local Repository/caaa)", and "AssociationRules (Create Association Rules)". The "AssociationRules" tab is active, displaying a table of frequent item sets.

	No. of Sets: 26	Total Max. Size: 4	Size	Support	Item 1	Item 2	Item 3	Item 4
Data			1	0.500	Kelembaban_udara			
Annotations			1	0.429	Berangin			
	Min. Size:	1	1	0.429	Suhu			
	Max. Size:	4	1	0.357	Cuaca = Cerah			
	Contains Item:		1	0.357	Cuaca = Hujan			
			1	0.286	Cuaca = Mendung			
			2	0.214	Kelembaban_udara	Berangin		
			2	0.214	Kelembaban_udara	Suhu		
			2	0.143	Kelembaban_udara	Cuaca = Cerah		
			2	0.143	Kelembaban_udara	Cuaca = Hujan		
			2	0.143	Kelembaban_udara	Cuaca = Mendung		
			2	0.143	Berangin	Suhu		
			2	0.143	Berangin	Cuaca = Cerah		
			2	0.143	Berangin	Cuaca = Hujan		
			2	0.143	Berangin	Cuaca = Mendung		

Association rules

- Table view

Result History

AssociationRules (Create Association Rules)

Show rules matching: all of these conclusions: Suhu, Cuaca = Cerah

Premises Conclusion Support Confidence LaPlace Gain

Berangin, Suhu	Cuaca = Cerah	0.143	1	1	-0.143
Berangin, Cuaca = Cerah	Suhu	0.143	1	1	-0.143
Kelembaban_udara, Berangin, Suhu	Cuaca = Cerah	0.071	1	1	-0.071
Kelembaban_udara, Berangin, Cuaca = Cerah	Suhu	0.071	1	1	-0.071

Min. Criterion: confidence
Min. Criterion Value:

- Graph view

Result History


AssociationRules (Create Association Rules)

Zoom ISOM
Node Labels Edge Labels
Filter Show rules matching: all of these conclusions: Suhu, Cuaca = Cerah


Rule 1 (0.143 / 1.000) Rule 2 (0.143 / 1.000) Rule 3 (0.071 / 1.000) Rule 4 (0.071 / 1.000)

Kelembaban_udara Suhu Cuaca = Cerah Berangin

Exampleset



Tugas



RapidMiner Studio Free 9.0.003 @ LABSI-01-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model

Find data, operators... etc. All Studio

Result History ExampleSet (/Local Repository/datekolah) ExampleSet (/Local Repository/sekolah) ExampleSet (/Local Repository/caaa)


Filter (20 / 20 examples): all


Data Statistics Charts Advanced Charts Annotations

ExampleSet (20 examples, 1 special attribute, 5 regular attributes)


Row No.	Lama_Studi	Jurusan_S...	Gender	Asal_Sekolah	Rerata_SKS	Asisten
3	TERLAMBAT	LAIN	PRIA	SURAKARTA	19	TIDAK
4	TERLAMBAT	IPA	PRIA	LUAR	17	TIDAK
5	TEPAT	IPA	WANITA	SURAKARTA	17	TIDAK
6	TEPAT	IPA	WANITA	LUAR	18	YA
7	TERLAMBAT	IPA	PRIA	SURAKARTA	18	TIDAK
8	TEPAT	IPA	PRIA	SURAKARTA	19	TIDAK
9	TERLAMBAT	IPS	PRIA	LUAR	18	TIDAK
10	TEPAT	LAIN	WANITA	SURAKARTA	18	TIDAK
11	TEPAT	IPA	WANITA	SURAKARTA	19	TIDAK
12	TEPAT	IPS	PRIA	SURAKARTA	20	TIDAK
13	TEPAT	IPS	PRIA	SURAKARTA	19	TIDAK
14	TEPAT	IPA	PRIA	SURAKARTA	19	TIDAK
15	TEPAT	IPA	PRIA	LUAR	22	YA
16	TERLAMBAT	LAIN	PRIA	SURAKARTA	16	TIDAK
17	TEPAT	IPS	PRIA	LUAR	20	TIDAK
18	TEPAT	LAIN	PRIA	LUAR	23	YA
19	TEPAT	IPA	PRIA	SURAKARTA	21	YA

IN 13:54 21/11/2019







Performance vector







Rule model



2.







Fp-growth

RapidMiner Studio Free 9.0.003 @ LABSI-01-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model Find data, operators...etc All Studio

Result History FrequentItemSets (FP-Growth) AssociationRules (Create Association Rules) ExampleSet (Nominal to Binomial)

No. of Sets: 13 Total Max. Size: 2

Min. Size: 1 Max. Size: 2 Contains Item: Update View

Size	Support	Item 1	Item 2
1	0.750	Gender	
1	0.500	Jurusan_SMA = IPA	
1	0.300	Asal_Sekolah	
1	0.300	Jurusan_SMA = IPS	
1	0.250	Asisten	
1	0.250	Rerata_SKS	
1	0.200	Jurusan_SMA = LAIN	
2	0.350	Gender	Jurusan_SMA = IPA
2	0.250	Gender	Asal_Sekolah
2	0.250	Gender	Jurusan_SMA = IPS
2	0.200	Gender	Asisten
2	0.250	Gender	Rerata_SKS
2	0.200	Jurusan_SMA = IPA	Asisten

14:07 21/11/2019

Create association rules

RapidMiner Studio Free 9.0.003 @ LABSI-01-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model Find data, operators...etc All Studio

Result History FrequentItemSets (FP-Growth) AssociationRules (Create Association Rules) ExampleSet (Nominal to Binomial)


Show rules matching all of these conclusions: Gender Jurusan_SMA = IPA

No.	Premises	Conclusion	Support	Confidence	LaPlace
3	Asal_Sekolah	Gender	0.250	0.833	0.962
4	Jurusan_SMA = IPS	Gender	0.250	0.833	0.962
5	Rerata_SKS	Gender	0.250	1	1

Min. Criterion: confidence Min. Criterion Value:

14:08 21/11/2019

Grafik





Bin 1



1.

The screenshot shows the RapidMiner Studio Free interface with the following details:

- Top Bar:** File, Edit, Process, View, Connections, Cloud, Settings, Extensions, Help.
- Toolbars:** Standard (File, Open, Save, Print, etc.) and Find data, operators...etc.
- Left Sidebar:** Repository (Import Data, Local Repository (LABSI-02), Cloud Repository (disconnected)), Operators (utility, Utility (1), Utility (4), Subprocess, Execute Process).
- Central Area:** A dialog titled "Import Data - Format your columns." showing a table of data. The table has columns: Jurusan_S... (polynomial), Gender (polynomial), Asal_Sekolah (polynomial), Rerata_SKS (integer), Asisten (binomial), and Lama_Studi (binomial_id). The data rows are as follows:



	Jurusan_S...	Gender	Asal_Sekolah	Rerata_SKS	Asisten	Lama_Studi
1	IPS	WANITA	SURAKARTA	18	TIDAK	TERLAMBAT
2	IPA	PRIA	SURAKARTA	19	YA	TEPAT
3	LAIN	PRIA	SURAKARTA	19	TIDAK	TERLAMBAT
4	IPA	PRIA	LUAR	17	TIDAK	TERLAMBAT
5	IPA	WANITA	SURAKARTA	17	TIDAK	TEPAT
6	IPA	WANITA	LUAR	18	YA	TEPAT
7	IPA	PRIA	SURAKARTA	18	TIDAK	TERLAMBAT
8	IPA	PRIA	SURAKARTA	19	TIDAK	TEPAT
9	IPS	PRIA	LUAR	18	TIDAK	TERLAMBAT
10	LAIN	WANITA	SURAKARTA	18	TIDAK	TEPAT
11	IPA	WANITA	SURAKARTA	19	TIDAK	TEPAT
12	IPS	PRIA	SURAKARTA	20	TIDAK	TERLAMBAT
13	IPS	DDIA	SUDAKARTA	10	TIDAK	TERLAMBAT
- Right Sidebar:** Process (init), advanced parameters, process compatibility (9.0.003), process description.
- Bottom:** Taskbar with various icons and system status: 13:47, 21/11/2019.







2.

a.





RapidMiner Studio Free 9.0.003 @ LABSI-02-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model Find data, operators...etc All Studio

Result History ExampleSet (/Local Repository/trainingsekolah) ExampleSet (/Local Repository/training) ExampleSet (/Local Repository/datatrainnings)

Repository Import Data Training Resources (connected) Samples Community Samples (connected) DB Local Repository (LABSI-02) Connections (LABSI-02) data (LABSI-02) processes (LABSI-02) data_training (LABSI-02 - v1, 11/2) datatrainnings (LABSI-02 - v1, 11/2) training (LABSI-02 - v1, 11/2/19 1) Cloud Repository (disconnected)

Data Statistics Charts Advanced Charts Annotations

ExampleSet (20 examples, 1 special attribute, 7 regular attributes) Filter (20 / 20 examples): all

Row No.	Lama_Studi	Jurusan_S...	Jurusan_S...	Jurusan_S...	Rerata_SKS	Gender	Asal_Sekolah	Asisten
1	TERLAMBAT	true	false	false	range1 [-∞ - 19.500]	WANITA	SURAKARTA	TIDAK
2	TEPAT	false	true	false	range1 [-∞ - 19.500]	PRIA	SURAKARTA	YA
3	TERLAMBAT	false	false	true	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK
4	TERLAMBAT	false	true	false	range1 [-∞ - 19.500]	PRIA	LUAR	TIDAK
5	TEPAT	false	true	false	range1 [-∞ - 19.500]	WANITA	SURAKARTA	TIDAK
6	TEPAT	false	true	false	range1 [-∞ - 19.500]	WANITA	LUAR	YA
7	TERLAMBAT	false	true	false	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK
8	TEPAT	false	true	false	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK
9	TERLAMBAT	true	false	false	range1 [-∞ - 19.500]	PRIA	LUAR	TIDAK
10	TEPAT	false	false	true	range1 [-∞ - 19.500]	WANITA	SURAKARTA	TIDAK
11	TEPAT	false	true	false	range1 [-∞ - 19.500]	WANITA	SURAKARTA	TIDAK
12	TEPAT	true	false	false	range2 [19.500 - ∞]	PRIA	SURAKARTA	TIDAK
13	TEPAT	true	false	false	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK
14	TEPAT	false	true	false	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK
15	TEPAT	false	true	false	range2 [19.500 - ∞]	PRIA	LUAR	YA
16	TERLAMBAT	false	false	true	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK

IN 13:59 21/11/2019

RapidMiner Studio Free 9.0.003 @ LABSI-02-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model Find data, operators...etc All Studio

Result History ExampleSet (/Local Repository/trainingsekolah) ExampleSet (/Local Repository/training) ExampleSet (/Local Repository/datatrainnings)

Repository Import Data Training Resources (connected) Samples Community Samples (connected) DB Local Repository (LABSI-02) Connections (LABSI-02) data (LABSI-02) processes (LABSI-02) data_training (LABSI-02 - v1, 11/2) datatrainnings (LABSI-02 - v1, 11/2) training (LABSI-02 - v1, 11/2/19 1) Cloud Repository (disconnected)



Data Statistics Charts Advanced Charts Annotations

ExampleSet (20 examples, 1 special attribute, 7 regular attributes) Filter (20 / 20 examples): all

Row No.	Lama_Studi	Jurusan_S...	Jurusan_S...	Jurusan_S...	Rerata_SKS	Gender	Asal_Sekolah	Asisten
5	TEPAT	false	true	false	range1 [-∞ - 19.500]	WANITA	SURAKARTA	TIDAK
6	TEPAT	false	true	false	range1 [-∞ - 19.500]	WANITA	LUAR	YA
7	TERLAMBAT	false	true	false	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK
8	TEPAT	false	true	false	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK
9	TERLAMBAT	true	false	false	range1 [-∞ - 19.500]	PRIA	LUAR	TIDAK
10	TEPAT	false	false	true	range1 [-∞ - 19.500]	WANITA	SURAKARTA	TIDAK
11	TEPAT	false	true	false	range1 [-∞ - 19.500]	WANITA	SURAKARTA	TIDAK
12	TEPAT	true	false	false	range2 [19.500 - ∞]	PRIA	SURAKARTA	TIDAK
13	TEPAT	true	false	false	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK
14	TEPAT	false	true	false	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK
15	TEPAT	false	true	false	range2 [19.500 - ∞]	PRIA	LUAR	YA
16	TERLAMBAT	false	false	true	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK
17	TEPAT	true	false	false	range2 [19.500 - ∞]	PRIA	LUAR	TIDAK
18	TEPAT	false	false	true	range2 [19.500 - ∞]	PRIA	LUAR	YA
19	TEPAT	false	true	false	range2 [19.500 - ∞]	PRIA	SURAKARTA	YA
20	TERLAMBAT	true	false	false	range1 [-∞ - 19.500]	PRIA	SURAKARTA	TIDAK

IN 13:59 21/11/2019

b.



RapidMiner Studio Free 9.0.003 @ LABSI-02-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model Find data, operators...etc All Studio

Result History FrequentItemSets (FP-Growth) AssociationRules (Create Association Rules)

Data Annotations

No. of Sets: 55 Total Max. Size: 5

Min. Size: 1 Max. Size: 5 Contains Item: Update View

Size	Support	Item 1	Item 2	Item 3	Item 4	Item 5
1	0.750	Gender				
1	0.500	Jurusan_SMA = ...				
1	0.300	Asal_Sekolah				
1	0.300	Jurusan_SMA = ...				
1	0.250	Asisten				
1	0.250	Rerata_SKS				
1	0.200	Jurusan_SMA = ...				
2	0.350	Gender	Jurusan_SMA = I...			
2	0.250	Gender	Asal_Sekolah			
2	0.250	Gender	Jurusan_SMA = I...			
2	0.200	Gender	Asisten			
2	0.250	Gender	Rerata_SKS			
2	0.150	Gender	Jurusan_SMA = ...			
2	0.150	Jurusan_SMA = ...	Asal_Sekolah			

Repository Import Data

irces (connected)
amples (connected)
ry (LABSI-02)
s (LABSI-02)
)2)
LABSI-02)
ng (LABSI-02 - v1, 11/21/19 12:56 PM - 527 bytes)
gs (LABSI-02 - v1, 11/21/19 1:53 PM - 674 bytes)
BSI-02 - v1, 11/21/19 1:26 PM - 527 bytes)
ry (disconnected)

14:06 21/11/2019

RapidMiner Studio Free 9.0.003 @ LABSI-02-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model Find data, operators...etc All Studio

Result History FrequentItemSets (FP-Growth) AssociationRules (Create Association Rules)

Data Annotations

No. of Sets: 55 Total Max. Size: 5

Min. Size: 1 Max. Size: 5 Contains Item: Update View

Size	Support	Item 1	Item 2	Item 3	Item 4	Item 5
1	0.150	Jurusan_SMA = ...	Asal_Sekolah			
2	0.200	Jurusan_SMA = ...	Asisten			
2	0.100	Jurusan_SMA = ...	Rerata_SKS			
2	0.100	Asal_Sekolah	Jurusan_SMA = I...			
2	0.150	Asal_Sekolah	Asisten			
2	0.150	Asal_Sekolah	Rerata_SKS			
2	0.050	Asal_Sekolah	Jurusan_SMA = ...			
2	0.100	Jurusan_SMA = ...	Rerata_SKS			
2	0.150	Asisten	Rerata_SKS			
2	0.050	Asisten	Jurusan_SMA = ...			
2	0.050	Rerata_SKS	Jurusan_SMA = ...			
3	0.100	Gender	Jurusan_SMA = I...	Asal_Sekolah		
3	0.150	Gender	Jurusan_SMA = I...	Asisten		
3	0.100	Gender	Jurusan_SMA = I...	Rerata_SKS		
3	0.100	Gender	Asal_Sekolah	Jurusan_SMA = ...		

Repository Import Data

irces (connected)
amples (connected)
ry (LABSI-02)
s (LABSI-02)
)2)
LABSI-02)
ng (LABSI-02 - v1, 11/21/19 12:56 PM - 527 bytes)
gs (LABSI-02 - v1, 11/21/19 1:53 PM - 674 bytes)
BSI-02 - v1, 11/21/19 1:26 PM - 527 bytes)
ry (disconnected)

14:07 21/11/2019

RapidMiner Studio Free 9.0.003 @ LABSI-02-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model Find data, operators...etc All Studio

Result History FrequentItemSets (FP-Growth) AssociationRules (Create Association Rules)

Data Annotations

No. of Sets: 55 Total Max. Size: 5

Min. Size: 1 Max. Size: 5 Contains Item: Update View

Size	Support	Item 1	Item 2	Item 3	Item 4	Item 5
3	0.100	Gender	Asal_Sekolah	Jurusan_SMA = ...		
3	0.100	Gender	Asal_Sekolah	Asisten		
3	0.150	Gender	Asal_Sekolah	Rerata_SKS		
3	0.050	Gender	Asal_Sekolah	Jurusan_SMA = ...		
3	0.100	Gender	Jurusan_SMA = ...	Rerata_SKS		
3	0.150	Gender	Asisten	Rerata_SKS		
3	0.050	Gender	Asisten	Jurusan_SMA = ...		
3	0.050	Gender	Rerata_SKS	Jurusan_SMA = ...		
3	0.100	Jurusan_SMA = ...	Asal_Sekolah	Asisten		
3	0.050	Jurusan_SMA = ...	Asal_Sekolah	Rerata_SKS		
3	0.100	Asal_Sekolah	Jurusan_SMA = ...	Rerata_SKS		
3	0.100	Asal_Sekolah	Asisten	Rerata_SKS		
3	0.050	Asal_Sekolah	Asisten	Jurusan_SMA = ...		
3	0.050	Asal_Sekolah	Rerata_SKS	Jurusan_SMA = ...		
3	0.100	Jurusan_SMA = ...	Asisten	Rerata_SKS		
3	0.050	Asal_Sekolah	Jurusan_SMA = ...	Rerata_SKS		
3	0.100	Asal_Sekolah	Asisten	Rerata_SKS		
3	0.050	Asal_Sekolah	Asisten	Jurusan_SMA = ...		
3	0.050	Asal_Sekolah	Rerata_SKS	Jurusan_SMA = ...		

Repository Import Data

irces (connected)
amples (connected)
ry (LABSI-02)
s (LABSI-02)
)2)
LABSI-02)
ng (LABSI-02 - v1, 11/21/19 12:56 PM - 527 bytes)
gs (LABSI-02 - v1, 11/21/19 1:53 PM - 674 bytes)
BSI-02 - v1, 11/21/19 1:26 PM - 527 bytes)
ry (disconnected)

14:07 21/11/2019

RapidMiner Studio Free 9.0.003 @ LABSI-02-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model Find data, operators...etc All Studio

Result History FrequentItemSets (FP-Growth) AssociationRules (Create Association Rules)

Data Annotations

No. of Sets: 55 Total Max. Size: 5

Min. Size: 1 Max. Size: 5 Contains Item: Update View



Size	Support	Item 1	Item 2	Item 3	Item 4	Item 5
3	0.050	Asal_Sekolah	Rerata_SKS	Jurusan_SMA = ...		
3	0.050	Asisten	Rerata_SKS	Jurusan_SMA = ...		
4	0.050	Gender	Jurusan_SMA = ...	Asal_Sekolah	Asisten	
4	0.050	Gender	Jurusan_SMA = ...	Asal_Sekolah	Rerata_SKS	
4	0.100	Gender	Jurusan_SMA = ...	Asisten	Rerata_SKS	
4	0.050	Gender	Asal_Sekolah	Jurusan_SMA = ...	Rerata_SKS	
4	0.100	Gender	Asal_Sekolah	Asisten	Rerata_SKS	
4	0.050	Gender	Asal_Sekolah	Asisten	Jurusan_SMA = ...	
4	0.050	Gender	Asal_Sekolah	Rerata_SKS	Jurusan_SMA = ...	
4	0.050	Gender	Asisten	Rerata_SKS	Jurusan_SMA = ...	
4	0.050	Gender	Rerata_SKS	Jurusan_SMA = ...		
4	0.050	Asisten	Rerata_SKS	Jurusan_SMA = ...		
4	0.050	Jurusan_SMA = ...	Asal_Sekolah	Asisten	Rerata_SKS	
4	0.050	Asal_Sekolah	Asisten	Rerata_SKS	Jurusan_SMA = ...	
5	0.050	Gender	Jurusan_SMA = ...	Asal_Sekolah	Asisten	Rerata_SKS
5	0.050	Gender	Asal_Sekolah	Asisten	Rerata_SKS	Jurusan_SMA = ...

Repository Import Data


irces (connected)
amples (connected)
ry (LABSI-02)
s (LABSI-02)
)2)
LABSI-02)
ng (LABSI-02 - v1, 11/21/19 12:56 PM - 527 bytes)
gs (LABSI-02 - v1, 11/21/19 1:53 PM - 674 bytes)
BSI-02 - v1, 11/21/19 1:26 PM - 527 bytes)
ry (disconnected)

14:07 21/11/2019





c. Bin 1



RapidMiner Studio Free 9.0.003 @ LABSI-02-PC

Result History

	No. of Sets: 55	Size	Support	Item 1	Item 2	Item 3	Item 4	Item 5
Data	Total Max. Size: 5	1	0.750	Gender				
Annotations	Min. Size: 1	1	0.500	Jurusan_SMA = ...				
	Max. Size: 5	1	0.300	Asal_Sekolah				
	Contains Item:	1	0.300	Jurusan_SMA = ...				
		1	0.250	Asisten				
		1	0.250	Rerata_SKS				
		1	0.200	Jurusan_SMA = ...				
		2	0.350	Gender	Jurusan_SMA = i...			
		2	0.250	Gender	Asal_Sekolah			
		2	0.250	Gender	Jurusan_SMA = i...			
		2	0.200	Gender	Asisten			
		2	0.250	Gender	Rerata_SKS			
		2	0.150	Gender	Jurusan_SMA = ...			
		2	0.150	Jurusan_SMA = ...	Asal_Sekolah			

Repository

Import Data

ExampleSet (/Local Repository/trainingsekolah) ExampleSet (/Local Repository/training) ExampleSet (/Local Repository/datalistrainings)

Help

14:09
21/11/2019

RapidMiner Studio Free 9.0.003 @ LABSI-02-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model

Find data, operators... etc. All Studio

Result History FrequentItemSets (FP-Growth) AssociationRules (Create Association Rules)

Size	Support	Item 1	Item 2	Item 3	Item 4	Item 5
2	0.250	Gender	Jurusan_SMA = ...			
2	0.200	Gender	Asisten			
2	0.250	Gender	Rerata_SKS			
2	0.150	Gender	Jurusan_SMA = ...			
2	0.150	Jurusan_SMA = ...	Asal_Sekolah			
2	0.200	Jurusan_SMA = ...	Asisten			
2	0.100	Jurusan_SMA = ...	Rerata_SKS			
2	0.100	Asal_Sekolah	Jurusan_SMA = ...			
2	0.150	Asal_Sekolah	Asisten			
2	0.150	Asal_Sekolah	Rerata_SKS			
2	0.050	Asal_Sekolah	Jurusan_SMA = ...			
2	0.100	Jurusan_SMA = ...	Rerata_SKS			
2	0.150	Asisten	Rerata_SKS			
2	0.050	Asisten	Jurusan_SMA = ...			

Data Annotations

No. of Sets: 55 Total Max. Size: 5

Min. Size: 1 Max. Size: 5 Contains Item: Update View

Repository

Import Data

ources (connected)
amples (connected)
ry (LABSI-02)
s (LABSI-02)
y2)
LABSI-02)
ing (LABSI-02 - v1, 11/21/19 12:56 PM - 527 bytes
gs (LABSI-02 - v1, 11/21/19 1:53 PM - 874 bytes
BSI-02 - v1, 11/21/19 1:26 PM - 527 bytes
ry (disconnected)

RapidMiner Studio Free 9.0.003 @ LABSI-02-PC

File Edit Process View Connections Cloud Settings Extensions Help

Views: Design Results Turbo Prep Auto Model

Find data, operators... etc. All Studio

Result History FrequentItemSets (FP-Growth) AssociationRules (Create Association Rules)

Size	Support	Item 1	Item 2	Item 3	Item 4	Item 5
2	0.100	Jurusan_SMA = ...	Rerata_SKS			
2	0.150	Asisten	Rerata_SKS			
2	0.050	Asisten	Jurusan_SMA = ...			
2	0.050	Rerata_SKS	Jurusan_SMA = ...			
3	0.100	Gender	Jurusan_SMA = ...	Asal_Sekolah		
3	0.150	Gender	Jurusan_SMA = ...	Asisten		
3	0.100	Gender	Jurusan_SMA = ...	Rerata_SKS		
3	0.100	Gender	Asal_Sekolah	Jurusan_SMA = ...		
3	0.100	Gender	Asal_Sekolah	Asisten		
3	0.150	Gender	Asal_Sekolah	Rerata_SKS		
3	0.050	Gender	Asal_Sekolah	Jurusan_SMA = ...		
3	0.100	Gender	Jurusan_SMA = ...	Rerata_SKS		
3	0.150	Gender	Asisten	Rerata_SKS		
3	0.050	Gender	Asisten	Jurusan_SMA = ...		

Data Annotations

No. of Sets: 55 Total Max. Size: 5

Min. Size: 1 Max. Size: 5 Contains Item: Update View

Repository

Import Data

ources (connected)
amples (connected)
ry (LABSI-02)
s (LABSI-02)
y2)
LABSI-02)
ing (LABSI-02 - v1, 11/21/19 12:56 PM - 527 bytes
gs (LABSI-02 - v1, 11/21/19 1:53 PM - 874 bytes
BSI-02 - v1, 11/21/19 1:26 PM - 527 bytes
ry (disconnected)



Screenshot of RapidMiner Studio Free 9.0.003 showing the "FrequentItemSets (FP-Growth)" results table.

The table displays frequent item sets with the following columns: Size, Support, Item 1, Item 2, Item 3, Item 4, and Item 5.

Size	Support	Item 1	Item 2	Item 3	Item 4	Item 5
3	0.050	Gender	Rerata_SKS	Jurusan_SMA = ...		
3	0.100	Jurusan_SMA = ...	Asal_Sekolah	Asisten		
3	0.050	Jurusan_SMA = ...	Asal_Sekolah	Rerata_SKS		
3	0.100	Jurusan_SMA = ...	Asisten	Rerata_SKS		
3	0.050	Asal_Sekolah	Jurusan_SMA = ...	Rerata_SKS		
3	0.100	Asal_Sekolah	Asisten	Rerata_SKS		
3	0.050	Asal_Sekolah	Asisten	Jurusan_SMA = ...		
3	0.050	Asisten	Rerata_SKS	Jurusan_SMA = ...		
4	0.050	Gender	Jurusan_SMA = ...	Asal_Sekolah	Asisten	
4	0.050	Gender	Jurusan_SMA = ...	Asal_Sekolah	Rerata_SKS	
4	0.100	Gender	Jurusan_SMA = ...	Asisten	Rerata_SKS	
4	0.050	Gender	Asal_Sekolah	Jurusan_SMA = ...	Rerata_SKS	
4	0.100	Gender	Asal_Sekolah	Asisten	Rerata_SKS	
4	0.050	Gender	Asal_Sekolah	Jurusan_SMA = ...	Rerata_SKS	
4	0.050	Gender	Asisten	Rerata_SKS		
4	0.100	Gender	Asisten	Rerata_SKS		
5	0.050	Gender	Asal_Sekolah	Asisten	Rerata_SKS	Jurusan_SMA = ...
5	0.050	Gender	Asal_Sekolah	Asisten	Rerata_SKS	Jurusan_SMA = ...

Screenshot of RapidMiner Studio Free 9.0.003 showing the "FrequentItemSets (FP-Growth)" results table.

The table displays frequent item sets with the following columns: Size, Support, Item 1, Item 2, Item 3, Item 4, and Item 5.

Size	Support	Item 1	Item 2	Item 3	Item 4	Item 5
3	0.050	Asal_Sekolah	Rerata_SKS	Jurusan_SMA = ...		
3	0.050	Asisten	Rerata_SKS	Jurusan_SMA = ...		
4	0.050	Gender	Jurusan_SMA = ...	Asal_Sekolah	Asisten	
4	0.050	Gender	Jurusan_SMA = ...	Asal_Sekolah	Rerata_SKS	
4	0.100	Gender	Jurusan_SMA = ...	Asisten	Rerata_SKS	
4	0.050	Gender	Asal_Sekolah	Jurusan_SMA = ...	Rerata_SKS	
4	0.100	Gender	Asal_Sekolah	Asisten	Rerata_SKS	
4	0.050	Gender	Asal_Sekolah	Asisten	Jurusan_SMA = ...	
4	0.050	Gender	Asal_Sekolah	Rerata_SKS	Jurusan_SMA = ...	
4	0.050	Gender	Asisten	Rerata_SKS	Jurusan_SMA = ...	
4	0.050	Jurusan_SMA = ...	Asal_Sekolah	Asisten	Rerata_SKS	
4	0.050	Asal_Sekolah	Asisten	Rerata_SKS	Jurusan_SMA = ...	
5	0.050	Gender	Jurusan_SMA = ...	Asal_Sekolah	Asisten	Rerata_SKS
5	0.050	Gender	Asal_Sekolah	Asisten	Rerata_SKS	Jurusan_SMA = ...



