


Nama : Aji Prastyo
Nim : L200170082
Kelas : C

PERCOBAAN

1.

- Cuaca.arff




The screenshot shows the Visual Studio Code interface with the 'cuaca.arff' file open. The code editor displays the following ARFF file content:

```
C: > Users > LABSI-20 > Documents > cuaca.arff
1 @relation Cuaca
2
3 @attribute Cuaca{Cerah, Mendung, Hujan}
4 @attribute Suhu real
5 @attribute Kelembaban_Udara real
6 @attribute Berangin{YA, TIDAK}
7 @attribute Bermain_Tenis {YA, TIDAK}
8
9 @data
10 Cerah,85,85,TIDAK,TIDAK
11 Cerah,80,90,YA,TIDAK
12 Mendung,83,86,TIDAK,YA
13 Hujan,70,96,TIDAK,YA
14 Hujan,68,88,TIDAK,YA
15 Hujan,65,70,YA,TIDAK
16 Mendung,64,65,YA,YA
17 Cerah,72,95,TIDAK,TIDAK
18 Cerah,69,70,TIDAK,YA
19 Hujan,75,80,TIDAK,YA
20 Cerah,75,70,YA,YA
21 Mendung,72,98,YA,YA
22 Mendung,81,75,TIDAK,YA
23 Hujan,71,91,YA,TIDAK
```

The interface includes a sidebar with 'EXPLORER' and 'OUTLINE' sections, a status bar at the bottom, and a system tray at the very bottom.

- CuacaTesting.arff





```

File Edit Selection View Go Debug Terminal Help CuacaTesting.arff - Visual Studio Code
PROTECTED VIEW Be c
OPEN EDITORS
> cuaca.arff CuacaTesting.arff (deleted) DATATestingSMA.arff
EXPLORER
c > Users > LABSI-20 > Downloads > CuacaTesting.arff
1 @relation Cuaca
2
3 @attribute Cuaca {Cerah, Mendung, Hujan}
4 @attribute Suhu real
5 @attribute Kelembaban_Udara real
6 @attribute Berangin {YA, TIDAK}
7 @attribute Bermain_Tenis {YA, TIDAK}
8
9 @data
10 Cerah, 75, 65, TIDAK, ?
11 Cerah, 80, 68, YA, ?
12 Cerah, 83, 87, YA, ?
13 Mendung, 70, 96, TIDAK, ?
14 Mendung, 68, 81, TIDAK, ?
15 Hujan, 65, 75, YA, ?
16 Hujan, 64, 85, YA, ?
17
18
19
20
21
22
23
24
25
26
OUTLINE
The active editor cannot provide outline information.
Ln 11, Col 21 Spaces:4 UTF-8 CRLF Plain Text 10:51 AM 10/10/2019


```

2.





Klik kanan lalu pilih view in separate window



The screenshot shows the ARFF-Viewer application displaying the contents of the file 'HasilPrediksi.arff'. The relation is 'Cuaca_predicted' with the following schema:

No	1: Cuaca	2: Suhu	3: Kelembaban_Udara	4: Berangin	5: prediction margin	6: predicted Bermain_Tenis	7: Bermain_Tenis
	Nominal	Numeric	Nominal	Nominal	Numeric	Nominal	Nominal
1	Cerah	75.0	65.0	TIDAK	0.762765	YA	
2	Cerah	80.0	68.0	YA	0.097978	YA	
3	Cerah	83.0	87.0	YA	-0.676866	TIDAK	
4	Mend...	70.0	96.0	TIDAK	0.628523	YA	
5	Mend...	68.0	81.0	TIDAK	0.833996	YA	
6	Hujan	65.0	75.0	YA	0.253733	YA	
7	Hujan	64.0	85.0	YA	-0.160143	TIDAK	

Tabel_Cuaca [Protected View] - Excel

PROTECTED VIEW Be careful—files from the Internet can contain viruses. Unless you need to edit, it's safer to stay in Protected View.

Enable Editing

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
1	Cuaca	Suhu	Kelembaban_udara	Berangin	Bermain_Tenis											
2	Cerah	85		85	TIDAK	TIDAK										
3	Cerah	80		90	YA	TIDAK										
4	Mendung	83		86	TIDAK	YA										
5	Hujan	70		96	TIDAK	YA										
6	Hujan	68		80	TIDAK	YA										
7	Hujan	65		70	YA	TIDAK										
8	Mendung	64		65	YA	YA										
9	Cerah	72		95	TIDAK	TIDAK										
10	Cerah	69		70	TIDAK	YA										
11	Hujan	75		80	TIDAK	YA										
12	Cerah	75		70	YA	YA										
13	Mendung	72		90	YA	YA										
14	Mendung	81		75	TIDAK	YA										
15	Hujan	71		91	YA	TIDAK										
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																

Count: 5

10:58 AM 10/10/2019

Tabel_Cuaca [Protected View] - Excel


PROTECTED VIEW Be careful—files from the Internet can contain viruses. Unless you need to edit, it's safer to stay in Protected View.

Enable Editing


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
1	Cuaca	Suhu	Kelembaban_udara	Berangin														
2	Cerah	75		65	TIDAK													
3	Cerah	80		68	YA													
4	Cerah	83		87	YA													
5	Mendung	70		96	TIDAK													
6	Mendung	68		81	TIDAK													
7	Hujan	65		75	YA													
8	Hujan	64		85	YA													
9																		
10																		
11																		
12																		
13																		
14																		
15																		
16																		
17																		
18																		
19																		
20																		
21																		
22																		
23																		
24																		
25																		
26																		

10:58 AM 10/10/2019

Data Training



	A	B	C	D	E
1	Cuaca	Suhu	Kelembaban_udara	Berangin	Bermain_Tenis
2	Cerah	85.000	85.000	TIDAK	TIDAK
3	Cerah	80.000	90.000	YA	TIDAK
4	Mendung	83.000	86.000	TIDAK	YA
5	Hujan	70.000	96.000	TIDAK	YA
6	Hujan	68.000	80.000	TIDAK	YA
7	Hujan	65.000	70.000	YA	TIDAK
8	Mendung	64.000	65.000	YA	YA
9	Cerah	72.000	95.000	TIDAK	TIDAK
10	Cerah	69.000	70.000	TIDAK	YA
11	Hujan	75.000	80.000	TIDAK	YA
12	Cerah	75.000	70.000	YA	YA
13	Mendung	72.000	90.000	YA	YA
14	Mendung	81.000	75.000	TIDAK	YA
15	Hujan	71.000	81.000	YA	YA




Document1 - Word


<new process> – RapidMiner Studio Trial 9.3.001 @ LABSI-20-PC

Row No.	Bermain_Te...	Cuaca	Suhu	Kelembaban...	Berangin
1	TIDAK	Cerah	85	85	TIDAK
2	TIDAK	Cerah	80	90	YA
3	YA	Mendung	83	86	TIDAK
4	YA	Hujan	70	96	TIDAK
5	YA	Hujan	68	80	TIDAK
6		Hujan	65	70	YA
7		Mendung	64	65	YA
8		Cerah	72	95	TIDAK
9		Cerah	69	70	TIDAK
10		Hujan	75	80	YA
11		Cerah	75	70	YA
12		Mendung	72	90	YA
13		Mendung	81	75	TIDAK

ExampleSet (14 examples, 1 special attribute, 4 regular attributes)



Data Testing



Tabel_Cuaca [Protected View] - Excel

<new process> - RapidMiner Studio Trial 9.3.001 @ LABSI-20-PC

Import Data - Format your columns.

Format your columns.

Replace errors with missing values

	Cuaca	Suhu	Kelembaban_udara	Berangin
	polynomial	integer	integer	polynomial
1	Cerah	75	65	TIDAK
2	Cerah	80	68	YA
3	Cerah	83	87	YA
4	Mendung	70	96	TIDAK
5	Mendung	68	81	TIDAK
6	Hujan	65	75	YA
7	Hujan	64	85	YA

no problems.

Previous **Next** **Cancel**

Document1 - Word

<new process> - RapidMiner Studio Trial 9.3.001 @ LABSI-20-PC

Process

Views: Design Results Turbo Prep Auto Model

Repository

- + Import Data
- + DB (Legacy)
- + Local Repository (LABSI-20)
 - Connections (LABSI-20)
 - data (LABSI-20)
 - processes (LABSI-20)
 - DataCuaca_Training
 - DataCuaca_Testing
 - DataCuaca_Trainin

Operators

Search for Operators

- Data Access (53)
- Blending (79)
- Cleansing (26)
- Modeling (156)
- Scoring (12)
- Validation (29)

Get more operators from the Marketplace

Process

```

graph TD
    subgraph Process [Process]
        direction TB
        R1[Retrieve DataCuaca_Training] --- R2[Retrieve DataCuaca_Testing]
    end

```

Parameters


repository entry: DataCuaca_Training

Help

Retrieval: RapidMiner Studio Core

Leverage the Wisdom of Crowds to get operator recommendations based on your process design!

Activate Wisdom of Crowds



Document1 - Word

File Edit Process View Connections Settings Extensions Help

Views: Design Results Turbo Prep Auto Model Find data, operators... etc. All Studio

Result History

Row No.	prediction(B...)	confidence(...)	confidence(...)	Cuaca	Suhu	Kelembaban...	Berangin
1	YA	0.154	0.846	Cerah	75	65	TIDAK
2	YA	0.498	0.502	Cerah	80	68	YA
3	TIDAK	0.856	0.144	Cerah	83	87	YA
4	YA	0.019	0.981	Mendung	70	96	TIDAK
5	YA	0.007	0.993	Mendung	68	81	TIDAK
6	YA	0.371	0.629	Hujan	65	75	YA
7	TIDAK	0.568	0.432	Hujan	64	85	YA

ExampleSet (7 examples, 3 special attributes, 4 regular attributes)

Repository

- + Import Data
- Training Resources (connected)
- Samples
- Community Samples (connected)
- DB (Legacy)
- Local Repository (LABSI-20)
 - Connections (LABSI-20)
 - data (LABSI-20)
 - processes (LABSI-20)
 - DataCuaca_Testing (LABSI-20 - v1)
 - DataCuaca_Training (LABSI-20 - v1)

Page 10 of 10

11:12 AM 10/10/2019

RapidMiner Studio Trial 9.3.001 @ LABSI-20-PC

File Edit Process View Connections Settings Extensions Help

Views: Design Results Turbo Prep Auto Model

Find data, operators...etc All Studio

Repository

- Import Data
- Training Resources (connected)
- Samples
- Community Samples (connected)
- DB (Legacy)
- Local Repository (LABSI-20)
 - Connections (LABSI-20)
 - data (LABSI-20)
 - processes (LABSI-20)
 - DataCuaca_Testing (LABSI-20 - v1, 10/10/19 11:08)
 - DataCuaca_Training (LABSI-20 - v1, 10/10/19 11:08)

ExampleSet (/Local Repository/DataCuaca_Testing)

Result History

Name	Type	Missing	Statistics	Filter (7 / 7 attributes):	Search for Attributes
Prediction					
prediction(Bermain_Tenis)	Binominal	0	Least TIDAK (2) Most YA (5)	Values YA (5), TIDAK (2)	
Confidence_TIDAK	Real	0	Min 0.007	Max 0.856	Average 0.353
confidence(TIDAK)					
Confidence_YA	Real	0	Min 0.144	Max 0.993	Average 0.647
confidence(YA)					
Cuaca	Polynomial	0	Least Mendung (2) Most Cerah (3)	Values Cerah (3), Mendung (2)	
Cuaca					
Suhu	Integer	0	Min 64	Max 83	Average 72.143
Suhu					
Kelembaban_udara	Integer	0	Min 65	Max 96	Average 79.571
Kelembaban_udara					
Berangin	Polynomial	0	Least TIDAK (3) Most YA (4)	Values YA (4), TIDAK (3)	
Berangin					

Showing attributes 1 - 7 Examples: 7 Special Attributes: 3 Regular Attributes: 4

TUGAS

Visual Studio Code

File Edit Selection View Go Debug Terminal Help

Tugas.arff - Visual Studio Code

EXPLORER

> OPEN EDITORS

< NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

OUTLINE

The active editor cannot provide outline information.

```

1 @relation Tugas
2
3 @attribute Jurusan_SMA{IPS, IPA, LAIN}
4 @attribute Gender{WANITA, PRIA}
5 @attribute Asal_Sekolah{LUAR, SURAKARTA}
6 @attribute Rerata_SKS real
7 @attribute Asisten{TIDAK, YA}
8 @attribute Lama_Studi{TEPAT, TERLAMBAT}
9
10 @data
11 IPS,WANITA,SURAKARTA,18,TIDAK,TERLAMBAT
12 IPA,PRIA,SURAKARTA,19,YA,TEPAT
13 LAIN,PRIA,SURAKARTA,19,TIDAK,TERLAMBAT
14 IPA,PRIA,LUAR,17,TIDAK,TERLAMBAT
15 IPA,WANITA,SURAKARTA,17,TIDAK,TEPAT
16 IPA,WANITA,LUAR,18,YA,TEPAT
17 IPA,PRIA,SURAKARTA,18,TIDAK,TERLAMBAT
18 IPA,PRIA,LUAR,18,TIDAK,TEPAT
19 IPS,PRIA,LUAR,18,TIDAK,TERLAMBAT
20 LAIN,WANITA,SURAKARTA,18,TIDAK,TEPAT
21 IPA,WANITA,SURAKARTA,19,TIDAK,TEPAT
22 IPS,PRIA,SURAKARTA,20,TIDAK,TEPAT
23 IPS,PRIA,SURAKARTA,19,TIDAK,TEPAT
24 IPA,PRIA,SURAKARTA,19,TIDAK,TEPAT
25 IPA,PRIA,LUAR,22,YA,TEPAT
26 LAIN,PRIA,SURAKARTA,16,TIDAK,TERLAMBAT
27 IPS,PRIA,LUAR,20,TIDAK,TEPAT
28 LAIN,PRIA,LUAR,23,YA,TEPAT
29 IPA,PRIA,SURAKARTA,21,YA,TEPAT
30 IPS,PRIA,SURAKARTA,19,TIDAK,TERLAMBAT

```

Ln 30, Col 38 Spaces: 4 UTF-8 CRLF Plain Text

11:24 AM 10/10/2019

Weka Explorer

Preprocess Classify Cluster Associate Select attributes Visualize

Open file... Open URL... Open DB... Generate... Undo Edit... Save...

Filter Choose None Apply Stop

Current relation
Relation: Tugas
Instances: 20 Attributes: 6 Sum of weights: 20

Attributes
All None Invert Pattern

No.	Name
1	Jurusan_SMA
2	Gender
3	Asal_Sekolah
4	Rerata_SKS
5	Asisten
6	Lama_Studi

Remove

Selected attribute
Name: Jurusan_SMA
Missing: 0 (0%) Distinct: 3 Type: Nominal Unique: 0 (0%)

No.	Label	Count	Weight
1	IPS	6	6.0
2	IPA	10	10.0
3	LAIN	4	4.0

Class: Lama_Studi (Nom) Visualize All

11:25 AM 10/10/2019

Weka Explorer

Preprocess Classify Cluster Associate Select attributes Visualize

Classifier Choose NaiveBayes

Test options
 Use training set
 Supplied test set Set...
 Cross-validation Folds 10
 Percentage split % 66
More options...

(Nom) Lama_Studi Start Stop

Result list (right-click for options)

Classifier output

Test Instances

Relation: Cuaca
Instances: ? Attributes: 6 Sum of weights: ?

Open file... Open URL... Class (Nom) Lama_Studi Close

11:26 AM 10/10/2019

Weka Explorer

- [Preprocess](#)
- [Classify](#) **Cluster** Associate Select attributes Visualize

Classifier

Choose **NaiveBayes**

Test options

- Use training set
- Supplied test set [Set...](#)
- Cross-validation Folds 10
- Percentage split % 66

(Nom) Lama_Studi

Start **Stop**

Result list (right-click for options)

```
11:30:20 - misc.InputMappedClassifier
```

Naive Bayes Classifier

Attribute	Class	TEPAI TERLAMBAT
		(0.64) (0.36)

Jurusan_SMA

	IPS	IPA
IPS	4.0	4.0
IPA	9.0	3.0
LAIN	3.0	3.0
[total]	16.0	10.0

Gender

	WANITA	PRIA
WANITA	5.0	2.0
PRIA	10.0	7.0
[total]	15.0	9.0

Asal_Sekolah

	LUAR	SURAKARTA
LUAR	5.0	3.0
SURAKARTA	10.0	6.0
[total]	15.0	9.0

Rerata_SKS

	mean	std. dev.
mean	19.5385	17.8571
std. dev.	1.5986	0.9897
weight sum	13	7
precision	1	1

Asisten

1, Col 16 Spaces: 4 UTF-8 CRLF Plain Text 11:30 AM 10/10/2019

ARFF-Viewer - C:\Users\LABSI-20\Documents\TugasTesting.arff

File Edit View

TugasTesting.arff

Relation: Tugas

No	1: Jurusan_SMA	2: Gender	3: Asal_sekolah	4: Rerata_SKS	5: Asisten	6: Lama_Studi
	Nominal	Nominal	Nominal	Numerical	Nominal	Nominal
1	LAIN	WANITA	SURAKARTA	18.0	TIDAK	
2	IPA	PRIA	SURAKARTA	19.0	YA	
3	LAIN	PRIA	SURAKARTA	19.0	TIDAK	
4	IPS	PRIA	LUAR	17.0	TIDAK	
5	LAIN	WANITA	SURAKARTA	17.0	TIDAK	
6	IPA	WANITA	LUAR	18.0	YA	
7	IPA	PRIA	SURAKARTA	18.0	TIDAK	
8	IPA	PRIA	SURAKARTA	19.0	TIDAK	
9	IPS	PRIA	LUAR	18.0	TIDAK	
10	LAIN	WANITA	SURAKARTA	18.0	TIDAK	

Find **Replace** **Select** **Editing**

11:32 AM 10/10/2019

Data Testing

Import Data - Select the cells to import.

Select the cells to import.

Sheet: Testing Cell range: A:E Select All Define header row: 1

A	B	C	D	E
1	Jurusan_SMA	Gender	Asal_Sekolah	Rerata_Sekolah
2	LAIN	WANITA	SURAKARTA	18.000
3	IPA	PRIA	SURAKARTA	19.000
4	LAIN	PRIA	SURAKARTA	19.000
5	IPS	PRIA	LUAR	17.000
6	LAIN	WANITA	SURAKARTA	17.000
7	IPA	WANITA	LUAR	18.000
8	IPA	PRIA	SURAKARTA	18.000
9	IPA	PRIA	SURAKARTA	19.000
10	IPS	PRIA	LUAR	18.000
11	LAIN	WANITA	SURAKARTA	18.000

Activate Wisdom of Crowds

ExampleSet (/Local Repository/Tugas_Testing)

Views: Design Results Turbo Prep Auto Model

Repository

- Training Resources (connected)
- Samples
- Community Samples (connected)
- DB (Legacy)
- Local Repository (LABSI-20)
 - Connections (LABSI-20)
 - data (LABSI-20)
 - processes (LABSI-20)
 - DataCuaca_Testing (LABSI-20 - v1, 10/10/19 11:08)
 - DataCuaca_Training (LABSI-20 - v1, 10/10/19 11:08)
 - Tugas_Testing (LABSI-20 - v1, 10/10/19 11:41 AM -)

Calculating result: Visualizations

Data Training

Import Data - Select the cells to import.

Select the cells to import.

Sheet: Training Cell range: A:F Select All Define header row: 1

A	B	C	D	E	F
1	Jurusan_SMA	Gender	Asal_Sekolah	Rerata_Sekolah	Asisten
2	IPS	WANITA	SURAKARTA	18.000	TIDAK
3	IPA	PRIA	SURAKARTA	19.000	YA
4	LAIN	PRIA	SURAKARTA	19.000	TIDAK
5	IPA	PRIA	LUAR	17.000	TIDAK
6	IPA	WANITA	SURAKARTA	17.000	TIDAK
7	IPA	WANITA	LUAR	18.000	YA
8	IPA	PRIA	SURAKARTA	18.000	TIDAK
9	IPA	PRIA	SURAKARTA	19.000	TIDAK
10	IPS	PRIA	LUAR	18.000	TIDAK
11	LAIN	WANITA	SURAKARTA	18.000	TIDAK
12	IPA	WANITA	SURAKARTA	19.000	TIDAK
13	IPS	PRIA	SURAKARTA	20.000	TEPAT
14	IPS	PRIA	SURAKARTA	19.000	TIDAK
15	IPA	PRIA	SURAKARTA	18.000	TEPAT

← Previous → Next ✖ Cancel

Activate Wisdom of Crowds

Import Data - Format your columns.

Format your columns.

Replace errors with missing values

Jurusan_SMA	Gender	Asal_Sekolah	Rerata_Sek...	Asisten	Lama_Studi
IPS	WANITA	SURAKARTA	18	TIDAK	TERLAMBAT
IPA	PRIA	SURAKARTA	19	YA	TEPAT
LAIN	PRIA	SURAKARTA	19	TIDAK	TERLAMBAT
IPA	PRIA	LUAR	17	TIDAK	TERLAMBAT
IPA	WANITA	SURAKARTA	17	TIDAK	TEPAT
IPA	WANITA	LUAR	18	YA	TEPAT
IPA	PRIA	SURAKARTA	18	TIDAK	TERLAMBAT
IPA	PRIA	SURAKARTA	19	TIDAK	TEPAT
IPS	PRIA	LUAR	18	TIDAK	TERLAMBAT
LAIN	WANITA	SURAKARTA	18	TIDAK	TEPAT
IPA	WANITA	SURAKARTA	19	TIDAK	TEPAT
IPS	PRIA	SURAKARTA	20	TIDAK	TEPAT
IPS	PRIA	SURAKARTA	19	TIDAK	TEPAT

no problems.

← Previous → Next ✖ Cancel

Activate Wisdom of Crowds

RapidMiner Studio Trial 9.3.001 @ LABSI-20-PC

File Edit Process View Connections Settings Extensions Help

Views: Design Results Turbo Prep Auto Model

Find data, operators... etc All Studio

Result History ExampleSet (/Local Repository/Tugas_Training) ExampleSet (/Local Repository/Tugas_Testing)

Data Statistics Visualizations Annotations


Open in Turbo Prep Auto Model Filter (20 / 20 examples): all

Row No.	Lama_Studi	Jurusan_SMA	Gender	Asal_Sekolah	Rerata_Sek...	Asisten
1	TERLAMBAT	IPS	WANITA	SURAKARTA	18	TIDAK
2	TEPAT	IPA	PRIA	SURAKARTA	19	YA
3	TERLAMBAT	LAIN	PRIA	SURAKARTA	19	TIDAK
4	TERLAMBAT	IPA	PRIA	LUAR	17	TIDAK
5	TEPAT	IPA	WANITA	SURAKARTA	17	TIDAK
6	TEPAT	IPA	WANITA	LUAR	18	YA
7	TERLAMBAT	IPA	PRIA	SURAKARTA	18	TIDAK
8	TEPAT	IPA	PRIA	SURAKARTA	19	TIDAK
9	TERLAMBAT	IPS	PRIA	LUAR	18	TIDAK
10	TEPAT	LAIN	WANITA	SURAKARTA	18	TIDAK
11	TEPAT	IPA	WANITA	SURAKARTA	19	TIDAK
12	TEPAT	IPS	PRIA	SURAKARTA	20	TIDAK
13	TEPAT	IPS	PRIA	SURAKARTA	19	TIDAK
14	TEPAT	IPA	PRIA	SURAKARTA	19	TIDAK
15	TEPAT	IPA	PRIA	LUAR	22	YA

ExampleSet (20 examples, 1 special attribute, 5 regular attributes)

Repository

- Training Resources (connected)
- Samples
- Community Samples (connected)
- DB (Legacy)
- Local Repository (LABSI-20)
 - Connections (LABSI-20)
 - data (LABSI-20)
 - processes (LABSI-20)
 - DataCuaca_Testing (LABSI-20 - v1, 10/10/19 11:08)
 - DataCuaca_Training (LABSI-20 - v1, 10/10/19 11:08)
 - Tugas_Testing (LABSI-20 - v1, 10/10/19 11:41 AM -)
 - Tugas_Training (LABSI-20 - v1, 10/10/19 11:43 AM -)



RapidMiner Studio Trial 9.3.001 @ LABSI-20-PC

File Edit Process View Connections Settings Extensions Help

Views: Design Results Turbo Prep Auto Model

Find data, operators...etc All Studio ▾

ExampleSet (/Local Repository/Tugas_Training) ExampleSet (/Local Repository/Tugas_Testing) ExampleSet (Apply Model)

Result History

Data Statistics Visualizations Annotations


Open in Turbo Prep Auto Model Filter (10 / 10 examples): all

Row No.	prediction(L...	confidence(...	confidence(...	Jurusan_SMA	Gender	Asal_Sekolah	Rateka_Sek...	Asisten
1	TERLAMBAT	0.648	0.352	LAIN	WANITA	SURAKARTA	18	TIDAK
2	TEPAT	0.005	0.995	IPA	PRIA	SURAKARTA	19	YA
3	TERLAMBAT	0.650	0.350	LAIN	PRIA	SURAKARTA	19	TIDAK
4	TERLAMBAT	0.868	0.132	IPS	PRIA	LUAR	17	TIDAK
5	TERLAMBAT	0.738	0.262	LAIN	WANITA	SURAKARTA	17	TIDAK
6	TEPAT	0.005	0.995	IPA	WANITA	LUAR	18	YA
7	TERLAMBAT	0.547	0.453	IPA	PRIA	SURAKARTA	18	TIDAK
8	TEPAT	0.321	0.679	IPA	PRIA	SURAKARTA	19	TIDAK
9	TERLAMBAT	0.811	0.189	IPS	PRIA	LUAR	18	TIDAK
10	TERLAMBAT	0.648	0.352	LAIN	WANITA	SURAKARTA	18	TIDAK

ExampleSet (10 examples, 3 special attributes, 5 regular attributes)

Repository

- Training Resources (connected)
- Samples
- Community Samples (connected)
- DB (Legacy)
- Local Repository (LABSI-20)
 - Connections (LABSI-20)
 - data (LABSI-20)
 - processes (LABSI-20)
 - DataCuaca_Testing (LABSI-20 - v1, 10/10/19 11:08)
 - DataCuaca_Training (LABSI-20 - v1, 10/10/19 11:08)
 - Tugas_Testing (LABSI-20 - v1, 10/10/19 11:41 AM)
 - Tugas_Training (LABSI-20 - v1, 10/10/19 11:43 AM)



<new process> - RapidMiner Studio Trial 9.3.001 @ LABSI-20-PC

File Edit Process View Connections Settings Extensions Help

Views: Design Results Turbo Prep Auto Model

Find data, operators...etc All Studio ▾

ExampleSet (/Local Repository/TugasBaru_Testing) ExampleSet (/Local Repository/TugasBaru_Testing)
ExampleSet (/Local Repository/Tugas_Training) ExampleSet (/Local Repository/TugasBaru_Testing)

Result History ExampleSet (Apply Model)

Data Statistics Visualizations Annotations

Open in Turbo Prep Auto Model Filter (12 / 12 examples): all

Row No.	prediction(L...	confidence(...	confidence(...	Jurusan_SMA	Gender	Asal_Sekolah	Rerata_Sek...	Asisten
1	TERLAMBAT	0.648	0.352	LAIN	WANITA	SURAKARTA	18	TIDAK
2	TEPAT	0.005	0.995	IPA	PRIA	SURAKARTA	19	YA
3	TERLAMBAT	0.650	0.350	LAIN	PRIA	SURAKARTA	19	TIDAK
4	TERLAMBAT	0.868	0.132	IPS	PRIA	LUAR	17	TIDAK
5	TERLAMBAT	0.738	0.262	LAIN	WANITA	SURAKARTA	17	TIDAK
6	TEPAT	0.005	0.995	IPA	WANITA	LUAR	18	YA
7	TERLAMBAT	0.547	0.453	IPA	PRIA	SURAKARTA	18	TIDAK
8	TEPAT	0.321	0.679	IPA	PRIA	SURAKARTA	19	TIDAK
9	TERLAMBAT	0.811	0.189	IPS	PRIA	LUAR	18	TIDAK
10	TERLAMBAT	0.648	0.352	LAIN	WANITA	SURAKARTA	18	TIDAK
11	TEPAT	0.298	0.702	IPA	WANITA	LUAR	18	TIDAK
12	TEPAT	0.076	0.924	LAIN	PRIA	SURAKARTA	17	YA

ExampleSet (12 examples, 3 special attributes, 5 regular attributes)

Repository

+ Import Data

Training Resources (connected)
Community Samples (connected)
Samples
DB (Legacy)
Local Repository (LABSI-20)
Connections (LABSI-20)
data (LABSI-20)
processes (LABSI-20)
DataCuaca_Testing (LABSI-20 - v1, 10/10/19 11:08)
DataCuaca_Training (LABSI-20 - v1, 10/10/19 11:08)
Tugas_Testing (LABSI-20 - v1, 10/10/19 11:41 AM)
Tugas_Training (LABSI-20 - v1, 10/10/19 11:43 AM)
TugasBaru_Testing (LABSI-20 - v1, 10/10/19 11:51)

11:57 AM 10/10/2019

Kesimpulan :

Dewi dan Jono sama-sama lulus TEPAT.