


NAMA : AJI PRASTYO

NIM : L200170082


KELAS : B

LATIHAN 3




The screenshot shows the NetBeans IDE 8.2 interface. The 'Projects' pane on the left displays a project named 'modul3' with a 'Source Packages' folder containing 'MethodReturn.java', 'Pegawai.java', and 'PekerjaanRumah.java'. The 'Source' editor shows the code for the 'Pegawai' class. The code defines a class with attributes 'nama', 'nip', and 'gaji', and methods 'setNama', 'setNip', 'setGaji', 'infoPegawai', and a 'main' method.

```
10  */
11  public class Pegawai {
12      String nama;
13      int nip;
14      double gaji;
15
16      public String setNama(String beriNama){
17          return this.nama = beriNama;
18      }
19
20      public int setNip(int beriNip){
21          return this.nip = beriNip;
22      }
23
24      public double setGaji(Double beriGaji){
25          return this.gaji = beriGaji;
26      }
27
28      void infoPegawai () {
29          System.out.println(
30              "Nama: "+this.nama+"\n"+
31              "Nip: "+this.nip+"\n"+
32              "Gaji: Rp. "+this.gaji+"\n"
33          );
34      }
35
36      public static void main(String[] args) {
37          Pegawai datapegawai1 = new Pegawai();
38          Pegawai datapegawai2 = new Pegawai();
39          Pegawai datapegawai3 = new Pegawai();
40          Pegawai datapegawai4 = new Pegawai();
41          Pegawai datapegawai5 = new Pegawai();
```



The screenshot shows the continuation of the 'main' method in the 'Pegawai' class. It shows the initialization of five 'Pegawai' objects and the setting of their 'nama', 'nip', and 'gaji' attributes. Finally, the 'infoPegawai' method is called for each object.

```
42
43      Pegawai datapegawai1 = new Pegawai();
44      Pegawai datapegawai2 = new Pegawai();
45      Pegawai datapegawai3 = new Pegawai();
46      Pegawai datapegawai4 = new Pegawai();
47      Pegawai datapegawai5 = new Pegawai();
48
49      datapegawai1.setNama("alex");
50      datapegawai2.setNama("rojer");
51      datapegawai3.setNama("steve");
52      datapegawai4.setNama("bruno");
53      datapegawai5.setNama("albert");
54
55      datapegawai1.setNip(498467);
56      datapegawai2.setNip(45345);
57      datapegawai3.setNip(15623);
58      datapegawai4.setNip(15475);
59      datapegawai5.setNip(45625);
60
61      datapegawai1.setGaji(2000000.0);
62      datapegawai2.setGaji(2000000.0);
63      datapegawai3.setGaji(2000000.0);
64      datapegawai4.setGaji(2000000.0);
65      datapegawai5.setGaji(2000000.0);
66
67      datapegawai1.infoPegawai();
68      datapegawai2.infoPegawai();
69      datapegawai3.infoPegawai();
70      datapegawai4.infoPegawai();
71      datapegawai5.infoPegawai();
72  }
```



PEKERJAN RUMAH

