Nama : Xenyx S

NIM :L200170089

Kelas : A

MODUL 5

Tabel nasabah

Tabel cabang bank

```
**Command Prompt-mysql -uroot-p**

**VariabB [perbankanvirlianaan]** INSERT INTO cabang bank VALUES

-> ("bruka", "bank rut unit jepara", "jl. mangga 32"),

-> ("bruka", "bank rut unit karawang", "jl sangisor 4"),

-> ("brup", "bank rut unit nit ntt", "jl. supah pemuda 5"),

-> ("brup", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo", "jl. merdeka 67"),

-> ("brusu", "bank rut unit sukoharjo jl. merdeka 67"),

-> ("brusu", "bank rut unit boyolali jl. almanga 98"),

-> ("brusu", "bank rut unit boyolali jl. almanga 98"),

-> ("brusu", "bank rut unit boyolali jl. almanga 98"),

-> ("brusu", "bank rut unit boyolali jl. almanga 98"),

-> ("brusu", "bank rut unit boyolali jl. almanga 98"),

-> ("brusu", "bank rut unit boyolali jl. almanga 98"),

-> ("brusu", "bank rut unit boyolali jl. almanga 98"),

-> ("brusu", "bank rut unit sukoharjo jl. amanga 98"),

-> ("brusul bank rut unit sukoharjo jl. almanga 98"),

-> ("brusul bank rut unit sukoharjo jl. almanga 98"),

-> ("brusul bank rut unit sukoharjo jl. almanga 98"),

-> ("brusul bank rut unit sukoharjo jl. almanga 98"),

-> ("brusul bank rut unit sukoharjo jl. almanga 98"),

-> ("brusul bank rut unit sukoharjo jl. almanga 98"),

-> ("brusul bank rut unit sukoharjo jl. almanga 98"),

-> ("brusul bank rut unit sukoharjo jl. almanga 98"),

-> ("brusul bank rut unit sukoharjo jl. almanga 98"),

-> ("brusul bank rut unit sukoharjo jl. almanga 98"
```

Tabel rekening

Tabel nasabah has rekening

```
ariaD8 [perbankanvirlianaar]> select *from nasabah_has_rekening;
id_nasabahFK | no_rekeningFK |
                                       104
103
105
101
106
107
102
109
111
112
110
108
113
115
123
108
113
115
123
108
113
115
123
108
111
112
112
113
115
117
```

Tabel transaksi

```
MariaDB [perbankanvirlianaar]> INSERT INTO transaksi VALUES

-> (32,111,9,"kredit","2010-01-01",100000),
-> (33,111,2,"kredit","2010-01-01",100000);
Query OK, 2 rows affected (0.044 sec)
Records: 2 Duplicates: 0 Warnings: 0

Consequence of the control of the co
```