

Nama : SRI HAJIATI


Nim : L200170103

Kelas : C

Modul : 5

Kegiatan Praktikum

1.



Server0

Physical Config Services Desktop Programming Attributes

GLOBAL

Settings

Algorithm Settings

INTERFACE

FastEthernet0

FastEthernet0

Port Status ☒ On

Bandwidth ☒ 100 Mbps ☐ 10 Mbps ☒ Auto

Duplex ☐ Half Duplex ☒ Full Duplex ☒ Auto

MAC Address 0002.1724.D0A2

IP Configuration

☐ DHCP

☒ Static

IP Address 192.168.123.1

Subnet Mask 255.255.255.0

IPv6 Configuration

☐ DHCP

☐ Auto Config

☒ Static

IPv6 Address

Link Local Address: FE80::202:17FF:FE24:D0A2

Server0

Physical Config Services Desktop Programming Attributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

DHCP

Interface FastEthernet0 Service ☒ On ☐ Off

Pool Name serverPool

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

Start IP Address : 192 168 123 19

Subnet Mask: 255 255 255 0

Maximum Number of Users : 5


TFTP Server: 0.0.0.0

WLC Address: 0.0.0.0

Add Save Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	0.0.0.0	192.168.123...	255.255.255.0	5	0.0.0.0	0.0.0.0

☐ Top



```
C:\>ping 192.168.123.20
```

```
Pinging 192.168.123.20 with 32 bytes of data:
```

```
Reply from 192.168.123.20: bytes=32 time=2ms TTL=128
Reply from 192.168.123.20: bytes=32 time=1ms TTL=128
Reply from 192.168.123.20: bytes=32 time=1ms TTL=128
Reply from 192.168.123.20: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.123.20:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 2ms, Average = 1ms
```

```
C:\>ping 192.168.123.21
```

```
Pinging 192.168.123.21 with 32 bytes of data:
```

```
Reply from 192.168.123.21: bytes=32 time=1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128
Reply from 192.168.123.21: bytes=32 time=1ms TTL=128
```

```
Ping statistics for 192.168.123.21:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

2. Praktikum 2 membuat web server

