


Nama :Hafid ihsan majd
NIM :L200170112
Kelas :E
Modul :5

1. MenjalankanXAMPPControPaneldanmenjalankanserverApachesertaMySQL.



2. MembukaCMDdanloginsebagairootkeMySQLkemudianmemilihdatabase‘perbankan’.

```
Command Prompt - mysql -u root -p
Microsoft Windows [Version 10.0.15063]
(c) 2017 Microsoft Corporation. All rights reserved.

C:\Users\Asus>color 1f
C:\Users\Asus>d:
D:\>cd xampp\mysql\bin
D:\xampp\mysql\bin>mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 29
Server version: 10.1.38-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use perbankan;
Database changed
MariaDB [perbankan]> show tables;
+-----+
| Tables_in_perbankan |
+-----+
| cabang_bank          |
| nasabah              |
| nasabah_has_rekening |
| rekening             |
| transaksi            |
+-----+
5 rows in set (0.00 sec)

MariaDB [perbankan]>
```

localhost / 127.0.0.1 / perbankan

localhost/phpmyadmin/db_structure.php?server=1&db=perbankan

Server: 127.0.0.1 » Basis data: perbankan

Struktur SQL Cari Kueri Ekspor Impor Operasi Hak Akses Routine Event Trigger Lainnya

Filters

Mengandung kata:

Tabel	Tindakan	Baris	Jenis	Penyortiran	Ukuran	Beban
<input type="checkbox"/> cabang_bank	Jelajahi Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	latin1_swedish_ci	32 KB	-
<input type="checkbox"/> nasabah	Jelajahi Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	latin1_swedish_ci	16 KB	-
<input type="checkbox"/> nasabah_has_rekening	Jelajahi Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	latin1_swedish_ci	16 KB	-
<input type="checkbox"/> rekening	Jelajahi Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	latin1_swedish_ci	16 KB	-
<input type="checkbox"/> transaksi	Jelajahi Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	latin1_swedish_ci	16 KB	-
5 tabel		Jumlah	0	InnoDB	latin1_swedish_ci	96 KB 0 B

☐ Pilih Semua Dengan pilihan:

Cetak Kamus data

Buat tabel

Nama: Jumlah kolom:

Kirim

Gambardi atas menunjukkan table-table yang ada pada database 'perbankan'.

3. Memasukkan data-data ke dalam table 'nasabah'.

The screenshot displays two windows side-by-side. The left window is a MySQL Command Prompt showing the structure of the 'nasabah' table and the execution of an INSERT statement. The right window is the phpMyAdmin interface showing the same table's data.

MySQL Command Prompt Output:

```
5 rows in set (0.00 sec)

MariaDB [perbankan]> desc nasabah;
+-----+-----+-----+-----+-----+-----+
| Field           | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_nasabah      | int(11)       | NO   | PRI | NULL    |       |
| nama_nasabah    | varchar(45)   | NO   |     | NULL    |       |
| alamat_nasabah  | varchar(255)  | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
VALUES
-> (1, 'Sutopo', 'Jl. Jendral Sudirman 12'),
-> (2, 'Maryati', 'Jl. MT. Haryono 31'),
-> (3, 'Superman', 'Jl. Hasanudin 81'),
-> (4, 'Kartika Padmasari', 'Jl. Manggis 15'),
-> (5, 'Budi Eko Prayogo', 'Jl. Kantil 30'),
-> (6, 'Satria Eka Jaya', 'Jl. Slamet Riyadi 45'),
-> (7, 'Indri Hapsari', 'Jl. Sutoyo 5'),
-> (8, 'Sari Murti', 'Jl. Pangandaran 11'),
-> (9, 'Canka Lokananta', 'Jl. Tidar 86'),
-> (10, 'Budi Murtono', 'Jl. Merak 22');
Query OK, 10 rows affected (0.00 sec)
Records: 10 Duplicates: 0 Warnings: 0

MariaDB [perbankan]>
```

phpMyAdmin Interface:

The phpMyAdmin interface shows the 'perbankan' database selected. The 'nasabah' table is highlighted in the left sidebar. The main panel displays the table's structure and a list of 10 records.

	id_nasabah	nama_nasabah	alamat_nasabah
1	1	Sutopo	Jl. Jendral Sudirman 12
2	2	Maryati	Jl. MT. Haryono 31
3	3	Superman	Jl. Hasanudin 81
4	4	Kartika Padmasari	Jl. Manggis 15
5	5	Budi Eko Prayogo	Jl. Kantil 30
6	6	Satria Eka Jaya	Jl. Slamet Riyadi 45
7	7	Indri Hapsari	Jl. Sutoyo 5
8	8	Sari Murti	Jl. Pangandaran 11
9	9	Canka Lokananta	Jl. Tidar 86
10	10	Budi Murtono	Jl. Merak 22

4. Memasukkan data-data ke dalam table 'cabang_bank'.

Command Prompt - mysql -u root -p

```

MariaDB [perbankan]> desc cabang_bank;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| kode_cabang | varchar(20) | NO   | PRI | NULL    |       |
| nama_cabang | varchar(45) | NO   | UNI | NULL    |       |
| alamat_cabang | varchar(255) | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.01 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES
-> ('BRUS','Bank Rut Unit Surakarta','Jl. Slamet Riyadi 18'),
-> ('BRUM','Bank Rut Unit Magelang','Jl. P. Tendean 63'),
-> ('BRUB','Bank Rut Unit Boyolali','Jl. Ahmad Yani 45'),
-> ('BRUK','Bank Rut Unit Klaten','Jl. Superman 23'),
-> ('BRUY','Bank Rut Unit Yogyakarta','Jl. Anggrek 21'),
-> ('BRUW','Bank Rut Unit Wonogiri','Jl. Untung Suropati 12');
Query OK, 6 rows affected (0.07 sec)
Records: 6 Duplicates: 0 Warnings: 0

MariaDB [perbankan]>

```

localhost / 127.0.0.1 / perbankan

phpMyAdmin

Server: 127.0.0.1 » Basis data: perbankan » Tabel: cabang_bank

Menampilkan baris 0 - 5 (total 6, Pencarian dilakukan dalam 0.0000 detik.)

SELECT * FROM `cabang_bank`

Profil [Edit dikotak] [Ubah] [Jelaskan SQL] [Buat kode PHP] [Segarkan]

Tampilkan semua | Jumlah baris: 25

	kode_cabang	nama_cabang	alamat_cabang
Salin Hapus	BRUB	Bank Rut Unit Boyolali	Jl. Ahmad Yani 45
Salin Hapus	BRUK	Bank Rut Unit Klaten	Jl. Superman 23
Salin Hapus	BRUM	Bank Rut Unit Magelang	Jl. P. Tendean 63
Salin Hapus	BRUS	Bank Rut Unit Surakarta	Jl. Slamet Riyadi 18
Salin Hapus	BRUY	Bank Rut Unit Wonogiri	Jl. Untung Suropati 12
Salin Hapus	BRUW	Bank Rut Unit Yogyakarta	Jl. Anggrek 21

Pilih Semua Dengan pilihan: Ubah Salin Hapus Ekspor

Tampilkan semua | Jumlah baris: 25

Konsol hasil kueri

5. Memasukkan data-data ke dalam table 'rekening'.

Command Prompt - mysql -u root -p

```

3 rows in set (0.01 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES
-> ('BRUS','Bank Rut Unit Surakarta','Jl. Slamet Riyadi 18'),
-> ('BRUM','Bank Rut Unit Magelang','Jl. P. Tendean 63'),
-> ('BRUB','Bank Rut Unit Boyolali','Jl. Ahmad Yani 45'),
-> ('BRUK','Bank Rut Unit Klaten','Jl. Superman 23'),
-> ('BRUY','Bank Rut Unit Yogyakarta','Jl. Anggrek 21'),
-> ('BRUW','Bank Rut Unit Wonogiri','Jl. Untung Suropati 12');
Query OK, 6 rows affected (0.07 sec)
Records: 6 Duplicates: 0 Warnings: 0

MariaDB [perbankan]> desc rekening;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| no_rekening | int(11)    | NO   | PRI | NULL    |       |
| kode_cabangFK | varchar(20) | YES  |     | NULL    |       |
| pin         | varchar(20) | NO   |     | 1234    |       |
| saldo       | int(11)    | NO   |     | 0       |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.05 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES
-> (101,'BRUS','1111',500000),
-> (102,'BRUS','2222',350000),
-> (103,'BRUS','3333',750000),
-> (104,'BRUM','4444',900000),
-> (105,'BRUM','5555',2000000),
-> (106,'BRUS','6666',3000000),
-> (107,'BRUS','7777',1000000),
-> (108,'BRUB','0000',5000000),
-> (109,'BRUB','9999',0),
-> (110,'BRUY','1234',550000),
-> (111,'BRUK','4321',150000),
-> (112,'BRUK','0123',300000),
-> (113,'BRUY','8888',255000);
Query OK, 13 rows affected (0.08 sec)
Records: 13 Duplicates: 0 Warnings: 0

MariaDB [perbankan]>

```

localhost / 127.0.0.1 / perbankan

phpMyAdmin

Server: 127.0.0.1 » Basis data: perbankan » Tabel: rekening

Menampilkan baris 0 - 5 (total 13, Pencarian dilakukan dalam 0.0000 detik.)

SELECT * FROM `rekening`

Profil [Edit dikotak] [Ubah] [Jelaskan SQL] [Buat kode PHP] [Segarkan]

Tampilkan semua | Jumlah baris: 25

	no_rekening	kode_cabangFK	pin	saldo
Salin Hapus	101	BRUS	1111	500000
Salin Hapus	102	BRUS	2222	350000
Salin Hapus	103	BRUS	3333	750000
Salin Hapus	104	BRUM	4444	900000
Salin Hapus	105	BRUM	5555	2000000
Salin Hapus	106	BRUS	6666	3000000
Salin Hapus	107	BRUS	7777	1000000
Salin Hapus	108	BRUB	0000	5000000
Salin Hapus	109	BRUB	9999	0
Salin Hapus	110	BRUY	1234	550000
Salin Hapus	111	BRUK	4321	150000
Salin Hapus	112	BRUK	0123	300000
Salin Hapus	113	BRUY	8888	255000

Pilih Semua Dengan pilihan: Ubah Salin Hapus Ekspor

Konsol

6. Memasukkan data-data ke dalam table 'nasabah_has_rekening'.

The image shows a MySQL command prompt window on the left and a phpMyAdmin web interface on the right. The command prompt shows the execution of an INSERT statement to add 15 rows of data into the 'nasabah_has_rekening' table. The phpMyAdmin interface shows the 'nasabah_has_rekening' table structure and the inserted data.

MySQL Command Prompt Output:

```
D:\xampp\mysql\bin>mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 176
Server version: 10.1.38-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use perbankan;
Database changed
MariaDB [perbankan]>
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
VALUES
-> (1,104),
-> (2,103),
-> (3,105),
-> (3,106),
-> (4,101),
-> (4,107),
-> (5,102),
-> (5,107),
-> (6,109),
-> (7,109),
-> (8,111),
-> (9,110),
-> (10,113),
-> (8,112),
-> (10,108);
Query OK, 15 rows affected (0.08 sec)
Records: 15  Duplicates: 0  Warnings: 0

MariaDB [perbankan]>
```

phpMyAdmin Table Structure:

	id_nasabahFK	no_rekeningFK
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	1	104
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	2	103
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	3	105
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	3	106
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	4	101
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	4	107
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	5	102
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	5	107
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	6	109
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	7	109
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	8	111
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	8	112
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	9	110
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	10	108
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	10	113

7. Memasukkan data-data ke dalam table 'transaksi'.


```

Command Prompt - mysql -u root -p

| jumlah | int(11) | NO | NULL |
+-----+-----+---+-----+
6 rows in set (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES
-> (1,105,3,'debit',2009-11-10,50000),
-> (2,103,2,'debit',2009-11-10,40000),
-> (3,101,4,'kredit',2009-11-12,20000),
-> (4,106,3,'debit',2009-11-13,50000),
-> (5,107,5,'kredit',2009-11-13,30000),
-> (6,104,1,'kredit',2009-11-15,200000),
-> (7,110,9,'kredit',2009-11-15,150000),
-> (8,102,5,'debit',2009-11-16,20000),
-> (9,105,3,'kredit',2009-11-18,50000),
-> (10,107,4,'debit',2009-11-19,100000),
-> (11,103,2,'debit',2009-11-19,100000),
-> (12,104,1,'debit',2009-11-19,50000),
-> (13,107,4,'kredit',2009-11-20,200000),
-> (14,105,3,'debit',2009-11-21,40000),
-> (15,104,1,'kredit',2009-11-22,100000),
-> (16,101,4,'kredit',2009-11-22,20000),
-> (17,103,2,'debit',2009-11-22,50000),
-> (18,102,5,'debit',2009-11-25,50000),
-> (19,108,10,'debit',2009-11-26,100000),
-> (20,106,3,'kredit',2009-11-27,50000),
-> (21,103,2,'kredit',2009-11-28,200000),
-> (22,105,3,'kredit',2009-11-28,100000),
-> (23,102,5,'debit',2009-11-30,100000),
-> (24,104,1,'debit',2009-12-1,50000),
-> (25,103,2,'debit',2009-12-2,40000),
-> (26,101,4,'debit',2009-12-4,50000),
-> (27,103,2,'kredit',2009-12-5,100000),
-> (28,102,5,'kredit',2009-12-5,200000),
-> (29,109,7,'debit',2009-12-5,100000),
-> (30,110,9,'debit',2009-12-6,20000);
Query OK, 30 rows affected, 30 warnings (0.08 sec)
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]>

```

8. Melakukan UPDATE terhadap alamat seorang nasabah.

```

Command Prompt - mysql -u root -p

-> (20,106,3,'kredit',2009-11-27,50000),
-> (21,103,2,'kredit',2009-11-28,200000),
-> (22,105,3,'kredit',2009-11-28,100000),
-> (23,102,5,'debit',2009-11-30,100000),
-> (24,104,1,'debit',2009-12-1,50000),
-> (25,103,2,'debit',2009-12-2,40000),
-> (26,101,4,'debit',2009-12-4,50000),
-> (27,103,2,'kredit',2009-12-5,100000),
-> (28,102,5,'kredit',2009-12-5,200000),
-> (29,109,7,'debit',2009-12-5,100000),
-> (30,110,9,'debit',2009-12-6,20000);
Query OK, 30 rows affected, 30 warnings (0.08 sec)
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34'
WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]>

```

9. Melakukan UPDATE alamat pada salah satu cabang bank.

The screenshot displays two windows side-by-side. The left window is a Command Prompt running MySQL, showing a list of 30 rows from a table, followed by two UPDATE queries. The right window is the phpMyAdmin interface for a database named 'perbankan', showing the 'cabang_bank' table with 6 columns: kode_cabang, nama_cabang, alamat_cabang, and two others. The table contains 6 rows of data.

Command Prompt - mysql -u root -p

```
--> (20,106,3,'kredit',2009-11-27,50000),
--> (21,103,2,'kredit',2009-11-28,200000),
--> (22,105,3,'kredit',2009-11-28,100000),
--> (23,102,5,'debit',2009-11-30,100000),
--> (24,104,1,'debit',2009-12-1,50000),
--> (25,103,2,'debit',2009-12-2,40000),
--> (26,101,4,'debit',2009-12-4,50000),
--> (27,103,2,'kredit',2009-12-5,100000),
--> (28,102,5,'kredit',2009-12-5,200000),
--> (29,109,7,'debit',2009-12-5,100000),
--> (30,110,9,'debit',2009-12-6,20000);
Query OK, 30 rows affected, 30 warnings (0.08 sec)
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34'
WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank SET alamat_cabang = 'Jl. A. Yani No. 23' WH
ERE kode_cabang = 'BRUW';
Query OK, 1 row affected (0.07 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]>
```

phpMyAdmin - localhost / 127.0.0.1 / perbankan

Server: 127.0.0.1 » Basis data: perbankan » Tabel: cabang_bank

Menampilkan baris 0 - 5 (total 6, Pencarian dilakukan dalam 0,0000 detik.)

SELECT * FROM `cabang_bank`

Tampilkan semua | Jumlah baris: 25

	kode_cabang	nama_cabang	alamat_cabang
<input type="checkbox"/>	BRUB	Bank Rut Unit Boyolali	Jl. Ahmad Yani 45
<input type="checkbox"/>	BRUK	Bank Rut Unit Klaten	Jl. Suparman 23
<input type="checkbox"/>	BRUM	Bank Rut Unit Magelang	Jl. P. Tendea 63
<input type="checkbox"/>	BRUS	Bank Rut Unit Surakarta	Jl. Slamet Riyadi 18
<input type="checkbox"/>	BRUW	Bank Rut Unit Wonogiri	Jl. A. Yani No. 23
<input type="checkbox"/>	BRUY	Bank Rut Unit Yogyakarta	Jl. Anggrek 21

Pilih Semua Dengan pilihan: Ubah Salin Hapus Ekspor

Tampilkan semua | Jumlah baris: 25

Operasi hasil kueri

Cetak Salin ke clipboard Ekspor Tampilkan bagan Buat tampilan

Markahi kueri SQL ini

Konsol

10. Menghapussalahsatudatapadasalahsatutable.


```

Command Prompt - mysql -u root -p
-> (20,106,3,'kredit',2009-11-27,50000),
-> (21,103,2,'kredit',2009-11-28,200000),
-> (22,105,3,'kredit',2009-11-28,100000),
-> (23,102,5,'debit',2009-11-30,100000),
-> (24,104,1,'debit',2009-12-1,50000),
-> (25,103,2,'debit',2009-12-2,40000),
-> (26,101,4,'debit',2009-12-4,50000),
-> (27,103,2,'kredit',2009-12-5,100000),
-> (28,102,5,'kredit',2009-12-5,200000),
-> (29,100,7,'debit',2009-12-5,100000),
-> (30,110,0,'debit',2009-12-6,20000);
Query OK, 30 rows affected, 30 warnings (0.08 sec)
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34'
WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank SET alamat_cabang = 'Jl. A. Yani No. 23' WH
ERE kode_cabang = 'BRUM';
Query OK, 1 row affected (0.07 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> DELETE FROM nasabah WHERE id_nasabah = 7;
Query OK, 1 row affected (0.07 sec)

MariaDB [perbankan]>

```

1. Menghapus salah satu data pada table cabang bank.

```

Command Prompt - mysql -u root -p
-> (20,106,3,'kredit',2009-11-27,50000),
-> (21,103,2,'kredit',2009-11-28,200000),
-> (22,105,3,'kredit',2009-11-28,100000),
-> (23,102,5,'debit',2009-11-30,100000),
-> (24,104,1,'debit',2009-12-1,50000),
-> (25,103,2,'debit',2009-12-2,40000),
-> (26,101,4,'debit',2009-12-4,50000),
-> (27,103,2,'kredit',2009-12-5,100000),
-> (28,102,5,'kredit',2009-12-5,200000),
-> (29,100,7,'debit',2009-12-5,100000),
-> (30,110,0,'debit',2009-12-6,20000);
Query OK, 30 rows affected, 30 warnings (0.08 sec)
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34'
WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank SET alamat_cabang = 'Jl. A. Yani No. 23' WH
ERE kode_cabang = 'BRUM';
Query OK, 1 row affected (0.07 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> DELETE FROM nasabah WHERE id_nasabah = 7;
Query OK, 1 row affected (0.07 sec)

MariaDB [perbankan]> DELETE FROM cabang_bank WHERE nama_cabang = 'Bank Rut Unit Mag
elang';
Query OK, 1 row affected (0.12 sec)

MariaDB [perbankan]>

```