


*Nama* : CINDE PRAWITO P  
*NIM* : L200170120  
*Kelas* : E

Modul 5

## *Data Manipulation Language (DML)*

1. Menjalankan XAMPP Control Panel dan menjalankan server Apache serta MySQL.



2. Membuka CMD dan login sebagai root ke MySQL kemudian memilih database 'perbankan'.

```

Command Prompt - mysql -u root -p
Microsoft Windows [Version 10.0.15063]
(c) 2017 Microsoft Corporation. All rights reserved.

C:\Users\Asus>color 1f
C:\Users\Asus>d:
D:\>cd xampp\mysql\bin

D:\xampp\mysql\bin>mysql -u root -p
Enter password:
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MariaDB connection id is 29
Server version: 10.1.38-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use perbankan;
Database changed
MariaDB [perbankan]> show tables;
+-----+
| Tables_in_perbankan |
+-----+
| cabang_bank          |
| nasabah              |
| nasabah_has_rekening|
| rekening             |
| transaksi            |
+-----+
5 rows in set (0.00 sec)

MariaDB [perbankan]>

```

localhost / 127.0.0.1 / perbankan

phpMyAdmin

Terbaru | Favorit

- Baru
- information\_schema
- kuliah
- mysql
- penerbitanku
- perbankan
  - Baru
  - cabang\_bank
  - nasabah
  - nasabah\_has\_rekening
  - rekening
  - transaksi
- performance\_schema
- perkuliahuan
- phpmyadmin
- test

Server: 127.0.0.1 » Basis data: perbankan

Struktur SQL Cari Kueri Ekspor Impor Operasi Hak Akses Routine Event Trigger Lainnya

Mengandung kata:

Tabel	Tindakan	Baris	Jenis	Penyortiran	Ukuran	Beban
cabang_bank	<input type="checkbox"/> Jelajahi Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	latin1_swedish_ci	32 KB	-
nasabah	<input type="checkbox"/> Jelajahi Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	latin1_swedish_ci	16 KB	-
nasabah_has_rekening	<input type="checkbox"/> Jelajahi Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	latin1_swedish_ci	16 KB	-
rekening	<input type="checkbox"/> Jelajahi Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	latin1_swedish_ci	16 KB	-
transaksi	<input type="checkbox"/> Jelajahi Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	latin1_swedish_ci	16 KB	-
5 tabel	Jumlah				96 KB	0 B

Pilih Semua Dengan pilihan:

Cetak Kamus data

Buat tabel


Nama:  Jumlah kolom:

Kirim

Konsol

Gambardiastasmenunjukkan table-table yang ada pada database 'perbankan'.

### 3. Memasukkan data-data ke dalam table 'nasabah'.



Command Prompt - mysql -u root -p

```
+-----+
5 rows in set (0.00 sec)

MariaDB [perbankan]> desc nasabah;
+-----+-----+-----+-----+-----+-----+
| Field | Type   | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_nasabah | int(11) | NO  | PRI | NULL    |       |
| nama_nasabah | varchar(45) | NO  |     | NULL    |       |
| alamat_nasabah | varchar(255) | NO  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
VALUES
    -> (1,'Sutopo ','Jl. Jendral Sudirman 12'),
    -> (2,'Maryati ', 'Jl. MT. Haryono 31'),
    -> (3,'Suparman ','Jl. Hasanudin 81'),
    -> (4,'Kartika Padmasari ','Jl. Manggis 15'),
    -> (5,'Budi Eko Prayogo ','Jl. Kantil 30'),
    -> (6,'Satria Eka Jaya ','Jl. Slamet Riyadi 45'),
    -> (7,'Indri Hapsari ','Jl. Sutoyo 5'),
    -> (8,'Sari Murti ','Jl. Pangandaran 11'),
    -> (9,'Canka LokaNanta ','Jl. Tidar 86'),
    -> (10,'Budi Murtono ','Jl. Merak 22');
Query OK, 10 rows affected (0.09 sec)
Records: 10 Duplicates: 0 Warnings: 0

MariaDB [perbankan]>
```

localhost / 127.0.0.1 / perbankan

phpMyAdmin

Basis data: perbankan > Tabel: nasabah

Menampilkan baris 0 - 9 (total 10, Pencarian dilakukan dalam 0,0000 detik.)

SELECT \* FROM `nasabah`

Tampilan semua | Jumlah baris: 25

Opsi	id_nasabah	nama_nasabah	alamat_nasabah
<a href="#">Salin</a> <a href="#">Hapus</a>	1	Sutopo	Jl. Jendral Sudirman 12
<a href="#">Salin</a> <a href="#">Hapus</a>	2	Maryati	Jl. MT. Haryono 31
<a href="#">Salin</a> <a href="#">Hapus</a>	3	Suparman	Jl. Hasanudin 81
<a href="#">Salin</a> <a href="#">Hapus</a>	4	Kartika Padmasari	Jl. Manggis 15
<a href="#">Salin</a> <a href="#">Hapus</a>	5	Budi Eko Prayogo	Jl. Kantil 30
<a href="#">Salin</a> <a href="#">Hapus</a>	6	Satria Eka Jaya	Jl. Slamet Riyadi 45
<a href="#">Salin</a> <a href="#">Hapus</a>	7	Indri Hapsari	Jl. Sutoyo 5
<a href="#">Salin</a> <a href="#">Hapus</a>	8	Sari Murti	Jl. Pangandaran 11
<a href="#">Salin</a> <a href="#">Hapus</a>	9	Canka LokaNanta	Jl. Tidar 86
<a href="#">Salin</a> <a href="#">Hapus</a>	10	Budi Murtono	Jl. Merak 22

Pilih Semua Dengan pilihan: [Ubah](#) [Salin](#)

Hapus Eksport

19:39  
ENG  
20/03/2019

### 4. Memasukkan data-data ke dalam table 'cabang\_bank'.

Command Prompt - mysql -u root -p

```
MariaDB [perbankan]> desc cabang_bank;
+-----+-----+-----+-----+-----+
| Field | Type  | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| kode_cabang | varchar(20) | NO | PRI | NULL |
| nama_cabang | varchar(45) | NO | UNI | NULL |
| alamat_cabang | varchar(255) | NO | NULL | NULL |
+-----+-----+-----+-----+-----+
3 rows in set (0.01 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES
    -> ('BRUS','Bank Rut Unit Surakarta','Jl. Slamet Riyadi 18'),
    -> ('BRUM','Bank Rut Unit Magelang','Jl. P. Tendean 63'),
    -> ('BRUB','Bank Rut Unit Boyolali','Jl. Ahmad Yani 45'),
    -> ('BRUK','Bank Rut Unit Klaten','Jl. Suparman 23'),
    -> ('BRUY','Bank Rut Unit Yogyakarta','Jl. Anggrek 21'),
    -> ('BRUW','Bank Rut Unit Wonogiri','Jl. Untung Suropati 12');
Query OK, 6 rows affected (0.07 sec)
Records: 6 Duplicates: 0 Warnings: 0

MariaDB [perbankan]>
```

localhost / 127.0.0.1 / perbankan

**phpMyAdmin**

Terbaru Favorit

Basis data: perbankan Tabel: cabang\_bank

Menampilkan baris 0 - 5 (total 6, Pencarian dilakukan dalam 0,0000 detik.)

SELECT \* FROM `cabang\_bank`

Opsi

kode_cabang	nama_cabang	alamat_cabang
BRUB	Bank Rut Unit Boyolali	Jl. Ahmad Yani 45
BRUK	Bank Rut Unit Klaten	Jl. Suparman 23
BRUM	Bank Rut Unit Magelang	Jl. P. Tendean 63
BRUS	Bank Rut Unit Surakarta	Jl. Slamet Riyadi 18
BRUW	Bank Rut Unit Wonogiri	Jl. Untung Suropati 12
BRUY	Bank Rut Unit Yogyakarta	Jl. Anggrek 21

Tampilan semua Jumlah baris: 25

Pilih Semua Dengan pilihan: Ubah Salin Hapus Eksport

Konsol hasil kueri

19:44 20/03/2019

## 5. Memasukkan data-data ke dalam table 'rekening'.

Command Prompt - mysql -u root -p

```
3 rows in set (0.01 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES
    -> ('BRUS','Bank Rut Unit Surakarta','Jl. Slamet Riyadi 18'),
    -> ('BRUM','Bank Rut Unit Magelang','Jl. P. Tendean 63'),
    -> ('BRUB','Bank Rut Unit Boyolali','Jl. Ahmad Yani 45'),
    -> ('BRUK','Bank Rut Unit Klaten','Jl. Suparman 23'),
    -> ('BRUY','Bank Rut Unit Yogyakarta','Jl. Anggrek 21'),
    -> ('BRUW','Bank Rut Unit Wonogiri','Jl. Untung Suropati 12');
Query OK, 6 rows affected (0.07 sec)
Records: 6 Duplicates: 0 Warnings: 0

MariaDB [perbankan]> desc rekening;
+-----+-----+-----+-----+-----+
| Field | Type  | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| no_rekening | int(11) | NO | PRI | NULL |
| kode_cabangFK | varchar(20) | YES | NULL |
| pin | varchar(20) | NO | | 1234 |
| saldo | int(11) | NO | | 0 |
+-----+-----+-----+-----+
4 rows in set (0.05 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES
    -> (101,'BRUS','1111',500000),
    -> (102,'BRUS','2222',350000),
    -> (103,'BRUS','3333',750000),
    -> (104,'BRUM','4444',900000),
    -> (105,'BRUM','5555',2000000),
    -> (106,'BRUS','6666',3000000),
    -> (107,'BRUS','7777',1000000),
    -> (108,'BRUB','8888',5000000),
    -> (109,'BRUB','9999',0),
    -> (110,'BRUY','1234',550000),
    -> (111,'BRUK','4321',150000),
    -> (112,'BRUK','0123',300000),
    -> (113,'BRUY','8888',255000);
Query OK, 13 rows affected (0.08 sec)
Records: 13 Duplicates: 0 Warnings: 0

MariaDB [perbankan]>
```

localhost / 127.0.0.1 / perbankan

**phpMyAdmin**

Terbaru Favorit

Basis data: perbankan Tabel: rekening

Opsi

no_rekening	kode_cabangFK	pin	saldo
101	BRUS	1111	500000
102	BRUS	2222	350000
103	BRUS	3333	750000
104	BRUM	4444	900000
105	BRUM	5555	2000000
106	BRUS	6666	3000000
107	BRUS	7777	1000000
108	BRUB		5000000
109	BRUB		0
110	BRUY	1234	550000
111	BRUK	4321	150000
112	BRUK	0123	300000
113	BRUY	8888	255000


Tampilan semua Jumlah baris: 25

Pilih Semua Dengan pilihan: Ubah Salin Hapus Eksport

Konsol

19:51 20/03/2019

## 6. Memasukkan data-data ke dalam table 'nasabah\_has\_rekening'.



```
D:\xampp\mysql\bin>mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 176
Server version: 10.1.38-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use perbankan;
Database changed
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
VALUES
    -> (1,104),
    -> (2,103),
    -> (3,105),
    -> (3,106),
    -> (4,101),
    -> (4,107),
    -> (5,102),
    -> (5,107),
    -> (6,109),
    -> (7,109),
    -> (8,111),
    -> (9,110),
    -> (10,113),
    -> (8,112),
    -> (10,108);
Query OK, 15 rows affected (0.08 sec)
Records: 15  Duplicates: 0  Warnings: 0
MariaDB [perbankan]>
```

The screenshot shows the MySQL command-line interface on the left and the phpMyAdmin database management interface on the right. The MySQL window displays the execution of an SQL query to insert 15 rows into the 'nasabah\_has\_rekening' table. The phpMyAdmin window shows the resulting 15 entries in the 'nasabah\_has\_rekening' table, with columns 'id\_nasabahFK' and 'no\_rekeningFK' listed. The table has 15 rows, each corresponding to one of the inserted values from the MySQL command.

id_nasabahFK	no_rekeningFK
1	104
2	103
3	105
3	106
4	101
4	107
5	102
5	107
6	109
7	109
8	111
9	110
10	113
8	112
10	108
10	113

## 7. Memasukkan data-data ke dalam table 'transaksi'.

Command Prompt - mysql -u root -p

```
| jumlah | int(11) | NO | NULL |
+-----+-----+-----+
6 rows in set (0.01 sec)
```

MariaDB [perbankan]> INSERT INTO transaksi(no\_transaksi, id\_nasabahFK, no\_rekeningFK, jenis\_transaksi, tanggal, jumlah) VALUES  
--> (1,105,3,'debit',2009-11-10,50000),  
--> (2,103,2,'debit',2009-11-10,40000),  
--> (3,101,4,'kredit',2009-11-12,20000),  
--> (4,106,3,'debit',2009-11-13,50000),  
--> (5,107,5,'kredit',2009-11-13,30000),  
--> (6,104,1,'kredit',2009-11-15,200000),  
--> (7,110,9,'kredit',2009-11-15,150000),  
--> (8,102,5,'debit',2009-11-16,20000),  
--> (9,105,3,'kredit',2009-11-18,50000),  
--> (10,107,4,'debit',2009-11-19,100000),  
--> (11,103,2,'debit',2009-11-19,100000),  
--> (12,104,1,'debit',2009-11-19,50000),  
--> (13,107,4,'kredit',2009-11-20,200000),  
--> (14,105,3,'debit',2009-11-21,40000),  
--> (15,104,1,'kredit',2009-11-22,100000),  
--> (16,101,4,'kredit',2009-11-22,20000),  
--> (17,103,2,'debit',2009-11-22,50000),  
--> (18,102,5,'debit',2009-11-25,50000),  
--> (19,108,10,'debit',2009-11-26,100000),  
--> (20,106,3,'kredit',2009-11-27,50000),  
--> (21,103,2,'kredit',2009-11-28,200000),  
--> (22,105,3,'kredit',2009-11-28,100000),  
--> (23,102,5,'debit',2009-11-30,100000),  
--> (24,104,1,'debit',2009-12-1,50000),  
--> (25,103,2,'debit',2009-12-2,40000),  
--> (26,101,4,'debit',2009-12-4,50000),  
--> (27,103,2,'kredit',2009-12-5,100000),  
--> (28,102,5,'kredit',2009-12-5,200000),  
--> (29,109,7,'debit',2009-12-5,100000),  
--> (30,110,9,'debit',2009-12-6,20000);  
Query OK, 30 rows affected, 30 warnings (0.08 sec)  
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]>

localhost / 127.0.0.1 / perbankan

phpMyAdmin

Tabel: transaksi

	no_transaksi	id_nasabahFK	no_rekeningFK
1	1	105	
2	2	103	
3	3	101	
4	4	106	
5	5	107	
6	6	104	
7	7	110	
8	8	102	
9	9	105	
10	10	107	
11	11	103	
12	12	104	
13	13	107	
14	14	105	
15	15	104	
16	16	101	
17	17	103	
18	18	102	
19	19	108	

## 8. Melakukan UPDATE terhadap alamat seorang nasabah.

Command Prompt - mysql -u root -p

```
--> (20,106,3,'kredit',2009-11-27,50000),
--> (21,103,2,'kredit',2009-11-28,200000),
--> (22,105,3,'kredit',2009-11-28,100000),
--> (23,102,5,'debit',2009-11-30,100000),
--> (24,104,1,'debit',2009-12-1,50000),
--> (25,103,2,'debit',2009-12-2,40000),
--> (26,101,4,'debit',2009-12-4,50000),
--> (27,103,2,'kredit',2009-12-5,100000),
--> (28,102,5,'kredit',2009-12-5,200000),
--> (29,109,7,'debit',2009-12-5,100000),
--> (30,110,9,'debit',2009-12-6,20000);  

Query OK, 30 rows affected, 30 warnings (0.08 sec)  

Records: 30 Duplicates: 0 Warnings: 30


MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34' WHERE nama_nasabah = 'Indri Hapsari';  

Query OK, 1 row affected (0.06 sec)  

Rows matched: 1 Changed: 1 Warnings: 0



MariaDB [perbankan]>



localhost / 127.0.0.1 / perbankan



phpMyAdmin



Tabel: nasabah



Menampilkan baris 0 - 9 (total 10, Pencarian dilakukan dalam 0,0000 detik.)



|    | id_nasabah | nama_nasabah      | alamat_nasabah           |
|----|------------|-------------------|--------------------------|
| 1  | 1          | Sutopo            | Jl. Jendral Sudirman 12  |
| 2  | 2          | Maryati           | Jl. MT. Haryono 31       |
| 3  | 3          | Suparman          | Jl. Hasanudin 81         |
| 4  | 4          | Kartika Padmasari | Jl. Manggis 15           |
| 5  | 5          | Budi Eko Prayogo  | Jl. Kantil 30            |
| 6  | 6          | Satria Eka Jaya   | Jl. Slamet Riyadi 45     |
| 7  | 7          | Indri Hapsari     | Jl. Slamet Riyadi No. 34 |
| 8  | 8          | Sari Murti        | Jl. Pangandaran 11       |
| 9  | 9          | Canka LokaNanta   | Jl. Tidar 86             |
| 10 | 10         | Budi Murtono      | Jl. Merak 22             |


```

## 9. Melakukan UPDATE alamat pada salah satu cabang bank.

The screenshot shows a Windows desktop environment. In the foreground, there is a Command Prompt window titled "Command Prompt - mysql -u root -p". It contains several SQL queries related to updating address information for customers and branches. Below these queries, it shows the results: "Query OK, 30 rows affected, 30 warnings (0.08 sec)" and "Records: 30 Duplicates: 0 Warnings: 30".

Next to the Command Prompt is a phpMyAdmin interface window titled "localhost/127.0.0.1 / perbankan". The URL bar shows "localhost/phpmyadmin/sql". The main area displays a table titled "cabang\_bank" with columns "kode\_cabang", "nama\_cabang", and "alamat\_cabang". The table lists six rows of branch information, each with edit, copy, and delete icons. The last row is highlighted in grey. At the bottom of the phpMyAdmin interface, there is a toolbar with various buttons like "Pilih Semua", "Dengan pilihan:", "Ubah", "Salin", "Hapus", and "Eksport".

kode_cabang	nama_cabang	alamat_cabang
BRUB	Bank Rut Unit Boyolali	Jl. Ahmad Yani 45
BRUK	Bank Rut Unit Klaten	Jl. Suparman 23
BRUM	Bank Rut Unit Magelang	Jl. P. Tendean 63
BRUS	Bank Rut Unit Surakarta	Jl. Slamet Riyadi 18
BRUW	Bank Rut Unit Wonogiri	Jl. A. Yani No. 23
BRUY	Bank Rut Unit Yogyakarta	Jl. Anggrek 21

## 10. Menghapus salah satu data pada salah satu table.

```

MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34' WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank SET alamat_cabang = 'Jl. A. Yani No. 23' WHERE kode_cabang = 'BRUW';
Query OK, 1 row affected (0.07 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> DELETE FROM nasabah WHERE id_nasabah = 7;
Query OK, 1 row affected (0.07 sec)

MariaDB [perbankan]>

```

localhost / 127.0.0.1 / perbankan  
 Server: 127.0.0.1 » Basis data: perbankan » Tabel: nasabah

	Tampilan semua	Jumlah baris:	25
+ Opsi	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	1	Sutopo Jl. Jendral Sudirman 12
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	2	Maryati Jl. MT. Haryono 31
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	3	Suparman Jl. Hasanudin 81
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	4	Kartika Padmasari Jl. Manggis 15
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	5	Budi Eko Prayogo Jl. Kantil 30
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	6	Satria Eka Jaya Jl. Slamet Riyadi 45
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	7	Sari Murti Jl. Pangandaran 11
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	8	Canka Lokananta Jl. Tidar 86
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	9	Budi Murtono Jl. Merak 22
	<input type="checkbox"/> Pilih Semua Dengan pilihan: <input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus <input type="checkbox"/> Eksport		
+ Opsi	<input type="checkbox"/> Tampilan semua Jumlah baris: 25		
Operasi hasil kueri			
Konsol			

## 1. Menghapus salah satu data pada table cabang\_bank.

```

MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34' WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank SET alamat_cabang = 'Jl. A. Yani No. 23' WHERE kode_cabang = 'BRUW';
Query OK, 1 row affected (0.07 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> DELETE FROM nasabah WHERE id_nasabah = 7;
Query OK, 1 row affected (0.07 sec)

MariaDB [perbankan]> DELETE FROM cabang_bank WHERE nama_cabang = 'Bank Rut Unit Magelang';
Query OK, 1 row affected (0.12 sec)

MariaDB [perbankan]>

```

localhost / 127.0.0.1 / perbankan  
 Server: 127.0.0.1 » Basis data: perbankan » Tabel: cabang\_bank

	Tampilan semua	Jumlah baris:	25
+ Opsi	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUB	Bank Rut Unit Boyolali Jl. Ahmad Yani 45
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUK	Bank Rut Unit Klaten Jl. Suparman 23
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUS	Bank Rut Unit Surakarta Jl. Slamet Riyadi 18
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUW	Bank Rut Unit Wonogiri Jl. A. Yani No. 23
	<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUY	Bank Rut Unit Yogyakarta Jl. Anggrek 21
	<input type="checkbox"/> Pilih Semua Dengan pilihan: <input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus <input type="checkbox"/> Eksport		
+ Opsi	<input type="checkbox"/> Tampilan semua Jumlah baris: 25		
Operasi hasil kueri			
<input type="checkbox"/> Cetak <input type="checkbox"/> Salin ke clipboard <input type="checkbox"/> Eksport <input type="checkbox"/> Tampilkan bagan <input type="checkbox"/> Buat tampilan			
Markahi kueri SQL ini			
<input type="checkbox"/> Izinkan semua pengguna untuk mengakses markah ini			
Konsol			