


Nama : Muhammad Rizky K H
NIM : L200170133
Kelas : E

Modul 5

Data Manipulation Language (DML)

1. Menjalankan XAMPP Control Panel dan menjalankan server Apache serta MySQL.



2. Membuka CMD dan login sebagai root ke MySQL kemudian memilih database 'perbankan'.

```
Command Prompt - mysql -u root -p
Microsoft Windows [Version 10.0.15063]
(c) 2017 Microsoft Corporation. All rights reserved.


C:\Users\Asus>color 1f
C:\Users\Asus>d:
D:\>cd xampp\mysql\bin
D:\xampp\mysql\bin>mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 29
Server version: 10.1.38-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use perbankan;
Database changed
MariaDB [perbankan]> show tables;
+-----+
| Tables_in_perbankan |
+-----+
| cabang_bank         |
| nasabah             |
| nasabah_has_rekening |
| rekening            |
| transaksi           |
+-----+
5 rows in set (0.00 sec)

MariaDB [perbankan]>
```



Gambar diatas menunjukkan table-tabel yang ada pada database ‘perbankan’.

3. Memasukkan data-data kedalam table ‘nasabah’.

```

Command Prompt - mysql -u root -p
5 rows in set (0.00 sec)

MariaDB [perbankan]> desc nasabah;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_nasabah | int(11) | NO | PRI | NULL | |
| nama_nasabah | varchar(45) | NO | | NULL | |
| alamat_nasabah | varchar(255) | NO | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
VALUES
-> (1,'Sutopo','Jl. Jendral Sudirman 12'),
-> (2,'Maryati','Jl. MT. Haryono 31'),
-> (3,'Suparman','Jl. Hasanudin 81'),
-> (4,'Kartika Padmasari','Jl. Manggis 15'),
-> (5,'Budi Eko Prayogo','Jl. Kantil 30'),
-> (6,'Satria Eka Jaya','Jl. Slamet Riyadi 45'),
-> (7,'Indri Hapsari','Jl. Sutoyo 5'),
-> (8,'Sari Murti','Jl. Pangandaran 11'),
-> (9,'Canka Lokananta','Jl. Tidar 86'),
-> (10,'Budi Murtono','Jl. Merak 22');
Query OK, 10 rows affected (0.09 sec)
Records: 10 Duplicates: 0 Warnings: 0

MariaDB [perbankan]>

```

The screenshot shows the phpMyAdmin interface for the 'perbankan' database. The 'nasabah' table is selected, displaying 10 rows of data. The columns are 'id_nasabah', 'nama_nasabah', and 'alamat_nasabah'. The data includes names like Sutopo, Maryati, Suparman, Kartika Padmasari, Budi Eko Prayogo, Satria Eka Jaya, Indri Hapsari, Sari Murti, Canka Lokananta, and Budi Murtono, along with their addresses.

4. Memasukkan data-data kedalam table 'cabang_bank'.

```

Command Prompt - mysql -u root -p
MariaDB [perbankan]> desc cabang_bank;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| kode_cabang | varchar(20) | NO | PRI | NULL | |
| nama_cabang | varchar(45) | NO | UNI | NULL | |
| alamat_cabang | varchar(255) | NO | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.01 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
VALUES
-> ('BRUS','Bank Rut Unit Surakarta','Jl. Slamet Riyadi 18'),
-> ('BRUM','Bank Rut Unit Magelang','Jl. P. Tendea 63'),
-> ('BRUB','Bank Rut Unit Boyolali','Jl. Ahmad Yani 45'),
-> ('BRUK','Bank Rut Unit Klaten','Jl. Suparman 23'),
-> ('BRUY','Bank Rut Unit Yogyakarta','Jl. Anggrek 21'),
-> ('BRUW','Bank Rut Unit Wonogiri','Jl. Untung Suropati 12');
Query OK, 6 rows affected (0.07 sec)
Records: 6 Duplicates: 0 Warnings: 0

MariaDB [perbankan]>

```

The screenshot shows the phpMyAdmin interface for the 'perbankan' database. The 'cabang_bank' table is selected, displaying 6 rows of data. The columns are 'kode_cabang', 'nama_cabang', and 'alamat_cabang'. The data includes codes like BRUS, BRUM, BRUB, BRUK, BRUY, and BRUW, along with branch names and addresses.

5. Memasukkan data-data kedalam table 'rekening'.


```

Command Prompt - mysql -u root -p
3 rows in set (0.01 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES
-> ('BRUS','Bank Rut Unit Surakarta','Jl. Slamet Riyadi 18'),
-> ('BRUM','Bank Rut Unit Magelang','Jl. P. Tendean 63'),
-> ('BRUB','Bank Rut Unit Boyolali','Jl. Ahmad Yani 45'),
-> ('BRUK','Bank Rut Unit Klaten','Jl. Superman 23'),
-> ('BRUY','Bank Rut Unit Yogyakarta','Jl. Angrek 21'),
-> ('BRUW','Bank Rut Unit Wonogiri','Jl. Untung Surapati 12');
Query OK, 6 rows affected (0.07 sec)
Records: 6 Duplicates: 0 Warnings: 0

MariaDB [perbankan]> desc rekening;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| no_rekening | int(11) | NO | PRI | NULL | |
| kode_cabangFK | varchar(20) | YES | | NULL | |
| pin | varchar(20) | NO | | 1234 | |
| saldo | int(11) | NO | | 0 | |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.05 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES
-> (101,'BRUS','1111',500000),
-> (102,'BRUS','2222',350000),
-> (103,'BRUS','3333',750000),
-> (104,'BRUM','4444',900000),
-> (105,'BRUM','5555',2000000),
-> (106,'BRUS','6666',3000000),
-> (107,'BRUS','7777',1000000),
-> (108,'BRUB','0000',5000000),
-> (109,'BRUB','9999',0),
-> (110,'BRUY','1234',550000),
-> (111,'BRUK','4321',150000),
-> (112,'BRUK','0123',300000),
-> (113,'BRUY','8888',255000);
Query OK, 13 rows affected (0.08 sec)
Records: 13 Duplicates: 0 Warnings: 0

```

6. Memasukkan data-data kedalam table ‘nasabah_has_rekening’.

```

D:\xampp\mysql\bin>mysql -u root -p
Enter password:
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MariaDB connection id is 176
Server version: 10.1.38-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use perbankan;
Database changed
MariaDB [perbankan]>
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES
-> (1,104),
-> (2,103),
-> (3,105),
-> (3,106),
-> (4,101),
-> (4,107),
-> (5,102),
-> (5,107),
-> (6,109),
-> (7,109),
-> (8,111),
-> (9,110),
-> (10,113),
-> (8,112),
-> (10,108);
Query OK, 15 rows affected (0.08 sec)
Records: 15 Duplicates: 0 Warnings: 0

MariaDB [perbankan]>

```

7. Memasukkan data-data kedalam table ‘transaksi’.

```

Command Prompt - mysql -u root -p

| jumlah | int(11) | NO | | NULL |
+-----+
6 rows in set (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES
-> (1,105,3,'debit',2009-11-10,50000),
-> (2,103,2,'debit',2009-11-10,40000),
-> (3,101,4,'kredit',2009-11-12,20000),
-> (4,106,3,'debit',2009-11-13,50000),
-> (5,107,5,'kredit',2009-11-13,30000),
-> (6,104,1,'kredit',2009-11-15,20000),
-> (7,110,9,'kredit',2009-11-15,150000),
-> (8,102,5,'debit',2009-11-16,20000),
-> (9,105,3,'kredit',2009-11-18,50000),
-> (10,107,4,'debit',2009-11-19,100000),
-> (11,103,2,'debit',2009-11-19,100000),
-> (12,104,1,'debit',2009-11-19,50000),
-> (13,107,4,'kredit',2009-11-20,200000),
-> (14,105,3,'debit',2009-11-21,40000),
-> (15,104,1,'kredit',2009-11-22,100000),
-> (16,101,4,'kredit',2009-11-22,20000),
-> (17,103,2,'debit',2009-11-22,50000),
-> (18,102,5,'debit',2009-11-25,50000),
-> (19,108,10,'debit',2009-11-26,100000),
-> (20,106,3,'kredit',2009-11-27,50000),
-> (21,103,2,'kredit',2009-11-28,200000),
-> (22,105,3,'kredit',2009-11-28,100000),
-> (23,102,5,'debit',2009-11-30,100000),
-> (24,104,1,'debit',2009-12-1,50000),
-> (25,103,2,'debit',2009-12-2,40000),
-> (26,101,4,'debit',2009-12-4,50000),
-> (27,103,2,'kredit',2009-12-5,100000),
-> (28,102,5,'kredit',2009-12-5,200000),
-> (29,109,7,'debit',2009-12-5,100000),
-> (30,110,9,'debit',2009-12-6,200000);

Query OK, 30 rows affected, 30 warnings (0.08 sec)
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]>

```

localhost / 127.0.0.1 / perbankan

phpMyAdmin

Server: 127.0.0.1 » Basis data: perbankan » Tabel: transaksi

Terbaru Favorit

+ Opsi

	no_transaksi	id_nasabahFK	no_rek
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	1	105	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	2	103	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	3	101	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	4	106	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	5	107	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	6	104	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	7	110	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	8	102	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	9	105	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	10	107	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	11	103	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	12	104	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	13	107	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	14	105	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	15	104	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	16	101	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	17	103	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	18	102	
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	19	108	

Konsol

8. Melakukan UPDATE terhadap alamat seorang nasabah.

```

Command Prompt - mysql -u root -p

-> (20,106,3,'kredit',2009-11-27,50000),
-> (21,103,2,'kredit',2009-11-28,200000),
-> (22,105,3,'kredit',2009-11-28,100000),
-> (23,102,5,'debit',2009-11-30,100000),
-> (24,104,1,'debit',2009-12-1,50000),
-> (25,103,2,'debit',2009-12-2,40000),
-> (26,101,4,'debit',2009-12-4,50000),
-> (27,103,2,'kredit',2009-12-5,100000),
-> (28,102,5,'kredit',2009-12-5,200000),
-> (29,109,7,'debit',2009-12-5,100000),
-> (30,110,9,'debit',2009-12-6,200000);

Query OK, 30 rows affected, 30 warnings (0.08 sec)
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34'
WHERE nama_nasabah = 'Indri Hapsari';

Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]>

```

localhost / 127.0.0.1 / perbankan

phpMyAdmin

Server: 127.0.0.1 » Basis data: perbankan » Tabel: nasabah

Terbaru Favorit

Menampilkan baris 0 - 9 (total 10, Pencarian dilakukan dalam 0,0000 detik.)

☐ Profil ☐ [Edit dikotak] ☐ [Ubah] ☐ [Jelaskan SQL] ☐ [Buat kode PHP] ☐ [Segarkan]

☐ Tampilkan semua | Jumlah baris: 25

	id_nasabah	nama_nasabah	alamat_nasabah
<input type="checkbox"/> Salin <input type="checkbox"/> Hapus	1	Sutopo	Jl. Jendral Sudirman 12
<input type="checkbox"/> Salin <input type="checkbox"/> Hapus	2	Maryati	Jl. MT. Haryono 31
<input type="checkbox"/> Salin <input type="checkbox"/> Hapus	3	Suparman	Jl. Hasanudin 81
<input type="checkbox"/> Salin <input type="checkbox"/> Hapus	4	Kartika Padmasari	Jl. Manggis 15
<input type="checkbox"/> Salin <input type="checkbox"/> Hapus	5	Budi Eko Prayogo	Jl. Kantil 30
<input type="checkbox"/> Salin <input type="checkbox"/> Hapus	6	Satria Eka Jaya	Jl. Slamet Riyadi 45
<input type="checkbox"/> Salin <input type="checkbox"/> Hapus	7	Indri Hapsari	Jl. Slamet Riyadi No. 34
<input type="checkbox"/> Salin <input type="checkbox"/> Hapus	8	Sari Murti	Jl. Pangandaran 11
<input type="checkbox"/> Salin <input type="checkbox"/> Hapus	9	Canka Lokananta	Jl. Tidar 86
<input type="checkbox"/> Salin <input type="checkbox"/> Hapus	10	Budi Murtono	Jl. Merak 22

☐ Pilih Semua Dengan pilihan: ☐ Ubah ☐ Salin

Konsol Ekspor

9. Melakukan UPDATE alamat pada salah satu cabang bank.

Command Prompt - mysql -u root -p

```
--> (20,106,3,'kredit',2009-11-27,50000),
--> (21,103,2,'kredit',2009-11-28,200000),
--> (22,105,3,'kredit',2009-11-28,100000),
--> (23,102,5,'debit',2009-11-30,100000),
--> (24,104,1,'debit',2009-12-1,50000),
--> (25,103,2,'debit',2009-12-2,40000),
--> (26,101,4,'debit',2009-12-4,50000),
--> (27,103,2,'kredit',2009-12-5,100000),
--> (28,102,5,'kredit',2009-12-5,200000),
--> (29,109,7,'debit',2009-12-5,100000),
--> (30,110,9,'debit',2009-12-6,20000);
Query OK, 30 rows affected, 30 warnings (0.08 sec)
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34'
WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank SET alamat_cabang = 'Jl. A. Yani No. 23' WH
ERE kode_cabang = 'BRUW';
Query OK, 1 row affected (0.07 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]>
```

localhost / 127.0.0.1 / perbankan: X

localhost/phpmyadmin/sql

Server: 127.0.0.1 » Basis data: perbankan » Tabel: cabang_bank

Menampilkan baris 0 - 5 (total 6, Pencarian dilakukan dalam 0,0000 detik.)

SELECT * FROM 'cabang_bank'

Profil [Edit dikotak] [Ubah] [Jelaskan SQL] [Buat kode PHP] [Segarkan]

Tampilkan semua | Jumlah baris: 25

+ Opsi

	kode_cabang	nama_cabang	alamat_cabang
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUB	Bank Rut Unit Boyolali	Jl. Ahmad Yani 45
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUK	Bank Rut Unit Klaten	Jl. Suparman 23
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUM	Bank Rut Unit Magelang	Jl. P. Tendea 63
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUS	Bank Rut Unit Surakarta	Jl. Slamet Riyadi 18
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUW	Bank Rut Unit Wonogiri	Jl. A. Yani No. 23
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUY	Bank Rut Unit Yogyakarta	Jl. Anggrek 21

Pilih Semua Dengan pilihan: ☐ Ubah ☐ Salin ☐ Hapus ☐ Ekspor

Tampilkan semua | Jumlah baris: 25

Operasi hasil kueri

Cetak Salin ke clipboard Ekspor Tampilkan bagan Buat tampilan

Markahi kueri SQL ini

10. Menghapus salah satu data pada salah satu table.

Command Prompt - mysql -u root -p

```
--> (20,106,3,'kredit',2009-11-27,50000),
--> (21,103,2,'kredit',2009-11-28,200000),
--> (22,105,3,'kredit',2009-11-28,100000),
--> (23,102,5,'debit',2009-11-30,100000),
--> (24,104,1,'debit',2009-12-1,50000),
--> (25,103,2,'debit',2009-12-2,40000),
--> (26,101,4,'debit',2009-12-4,50000),
--> (27,103,2,'kredit',2009-12-5,100000),
--> (28,102,5,'kredit',2009-12-5,200000),
--> (29,109,7,'debit',2009-12-5,100000),
--> (30,110,9,'debit',2009-12-6,20000);
Query OK, 30 rows affected, 30 warnings (0.08 sec)
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34'
WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank SET alamat_cabang = 'Jl. A. Yani No. 23' WH
ERE kode_cabang = 'BRUW';
Query OK, 1 row affected (0.07 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> DELETE FROM nasabah WHERE id_nasabah = 7;
Query OK, 1 row affected (0.07 sec)

MariaDB [perbankan]>
```

localhost / 127.0.0.1 / perbankan: X

localhost/phpmyadmin/sql

Server: 127.0.0.1 » Basis data: perbankan » Tabel: nasabah

Menampilkan baris 0 - 8 (total 9, Pencarian dilakukan dalam 0,0000 detik.)

SELECT * FROM 'nasabah'

Profil [Edit dikotak] [Ubah] [Jelaskan SQL] [Buat kode PHP] [Segarkan]

Tampilkan semua | Jumlah baris: 25

+ Opsi

	id_nasabah	nama_nasabah	alamat_nasabah
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	1	Sutopo	Jl. Jendral Sudirman 12
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	2	Maryati	Jl. MT. Haryono 31
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	3	Suparman	Jl. Hasanudin 81
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	4	Kartika Padmasari	Jl. Manggis 15
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	5	Budi Eko Prayogo	Jl. Kantil 30
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	6	Satria Eka Jaya	Jl. Slamet Riyadi 45
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	8	Sari Murti	Jl. Pangandaran 11
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	9	Canka Lokananta	Jl. Tidar 86
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	10	Budi Murtono	Jl. Merak 22

Pilih Semua Dengan pilihan: ☐ Ubah ☐ Salin ☐ Hapus ☐ Ekspor

Tampilkan semua | Jumlah baris: 25

Operasi hasil kueri

Konsol

11. Menghapus salah satu data pada table cabang bank.

```

Command Prompt - mysql -u root -p

-> (20,106,3,'kredit',2009-11-27,50000),
-> (21,103,2,'kredit',2009-11-28,200000),
-> (22,105,3,'kredit',2009-11-28,100000),
-> (23,102,5,'debit',2009-11-30,100000),
-> (24,104,1,'debit',2009-12-1,50000),
-> (25,103,2,'debit',2009-12-2,40000),
-> (26,101,4,'debit',2009-12-4,50000),
-> (27,103,2,'kredit',2009-12-5,100000),
-> (28,102,5,'kredit',2009-12-5,200000),
-> (29,109,7,'debit',2009-12-5,100000),
-> (30,110,9,'debit',2009-12-6,20000);
Query OK, 30 rows affected, 30 warnings (0.08 sec)
Records: 30 Duplicates: 0 Warnings: 30

MariaDB [perbankan]> UPDATE nasabah SET alamat_nasabah = 'Jl. Slamet Riyadi No. 34'
WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank SET alamat_cabang = 'Jl. A. Yani No. 23' WH
ERE kode_cabang = 'BRUW';
Query OK, 1 row affected (0.07 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> DELETE FROM nasabah WHERE id_nasabah = 7;
Query OK, 1 row affected (0.07 sec)

MariaDB [perbankan]> DELETE FROM cabang_bank WHERE nama_cabang = 'Bank Rut Unit Mag
elang';
Query OK, 1 row affected (0.12 sec)

MariaDB [perbankan]>

```

localhost / 127.0.0.1 / perbankan

localhost/phpmyadmin/sql

Server: 127.0.0.1 » Basis data: perbankan » Tabel: cabang_bank

Jelajahi Struktur SQL Cari Tambahkan Ekspor

Menampilkan baris 0 - 4 (total 5, Pencarian dilakukan dalam 0,0000 detik.)

SELECT * FROM 'cabang_bank'

Profil [Edit dikotak] [Ubah] [Jelaskan SQL] [Buat kode PHP] [Segarkan]

☐ Tampilkan semua | Jumlah baris: 25

+ Opsi

	kode_cabang	nama_cabang	alamat_cabang
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUB	Bank Rut Unit Boyolali	Jl. Ahmad Yani 45
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUK	Bank Rut Unit Klaten	Jl. Suparman 23
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUS	Bank Rut Unit Surakarta	Jl. Slamet Riyadi 18
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUW	Bank Rut Unit Wonogiri	Jl. A. Yani No. 23
<input type="checkbox"/> Ubah <input type="checkbox"/> Salin <input type="checkbox"/> Hapus	BRUY	Bank Rut Unit Yogyakarta	Jl. Anggrek 21

☐ Pilih Semua Dengan pilihan: ☐ Ubah ☐ Salin ☐ Hapus ☐ Ekspor

☐ Tampilkan semua | Jumlah baris: 25

Operasi hasil kueri

☐ Cetak ☐ Salin ke clipboard ☐ Ekspor ☐ Tampilkan bagan ☐ Buat tampilan

Markahi kueri SQL ini

☐ Izinkan semua pengguna untuk mengakses markah ini