Nama : Ayasha Ninda Maharani

NIM : L200170143

#### **MODUL 4**

#### **FIREWALL**

# Percobaan 1: Menghapus "rules" pada iptables

```
Debian GNU/Linux 8 septio tty1
septio login: root
Password:
Last login: Tue Mar 17 04:29:09 EDT 2020 on tty1
Linux septio 3.16.0–4–586 #1 Debian 3.16.7–ckt11–1 (2015–05–24) i686
The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.
Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
root@septio:∼# iptables –L
Chain INPUT (policy ACCEPT)
target prot opt source
                                          destination
Chain FORWARD (policy ACCEPT)
                                          destination
arget prot opt source
Chain OUTPUT (policy ACCEPT)
target prot opt source
                                          destination
oot@septio:~# _
```

### Percobaan 2: Blocking semua trafik

```
root@septio:~# iptables –A INPUT –m state ––state ESTABLISHED,RELATED –j ACCEPT
root@septio:~# _
```

```
bytes from 192.163.1.31: icmp_seq=4 ttl=64 time=0.037 ms
64 bytes from 192.163.1.31: icmp_seq=5 ttl=64 time=0.052 ms
64 bytes from 192.163.1.31: icmp_seq=6 ttl=64 time=0.038 ms
64 bytes from 192.163.1.31: icmp_seq=7 ttl=64 time=0.025 ms
64 bytes from 192.163.1.31: icmp_seq=8 ttl=64 time=0.025 ms
64 bytes from 192.163.1.31: icmp_seq=9 ttl=64 time=0.024 ms
64 bytes from 192.163.1.31: icmp_seq=10 ttl=64 time=0.047 ms
64 bytes from 192.163.1.31: icmp_seq=11 ttl=64 time=0.033 ms
64 bytes from 192.163.1.31: icmp_seq=12 ttl=64 time=0.032 ms
^c
-- 192.163.1.31 ping statistics ---
12 packets transmitted, 12 received, 0% packet loss, time 11006ms
rtt min/avg/max/mdev = 0.023/0.034/0.052/0.011 ms
root@septio:~# ping 192.163.1.5
PING 192.163.1.5 (192.163.1.5) 56(84) bytes of data.
-- 192.163.1.5 ping statistics ---
13 packets transmitted, O received, 100% packet loss, time 12000ms
root@septio:~# ping 192.163.1.5
PING 192.163.1.5 (192.163.1.5) 56(84) bytes of data.
```

```
root@septio:~# iptables –A INPUT –j DROP
root@septio:~# _
```

### Percobaan 3: Mengijinkan Traffic Masuk hanya ke port SSH

```
root@septio:~# iptables –F
oot@septio:~# iptables –A INPUT –m state ––state ESTABLISHED,RELATED –j ACCEPT
root@septio:~# iptables -A INPUT -p tcp --dport ssh -j ACCEPT
root@septio:~# iptables -L
Chain INPUT (policy ACCEPT)
                                        destination
target
          prot opt source
ACCEPT
          all –– anywhere
                                        anywhere
                                                            state RELATED,ESTA
BLISHED
ACCEPT
          tcp –– anywhere
                                        anywhere
                                                            tcp dpt:ssh
Chain FORWARD (policy ACCEPT)
target
         prot opt source
                                        destination
Chain OUTPUT (policy ACCEPT)
target prot opt source
                                        destination
root@septio:~# 🔔
```

```
oot@septio:~# iptables –A INPUT –j DROP
root@septio:~# iptables –L
Chain INPUT (policy ACCEPT)
target
          prot opt source
                                        destination
          all –– anywhere
                                        anywhere
ACCEPT
                                                             state RELATED,ESTA
BLISHED
ACCEPT
          tcp –– anywhere
                                        anywhere
                                                            top dpt:ssh
DROP
          all –– anywhere
                                        anywhere
Chain FORWARD (policy ACCEPT)
target
         prot opt source
                                        destination
Chain OUTPUT (policy ACCEPT)
target
          prot opt source
                                        destination
root@septio:~#
```

### Percobaan 4: Mengijinkan Traffic Masuk hanya ke Port Web dan SSH

```
root@septio:~# iptables –F
root@septio:~# iptables –A INPUT –p tcp ––dport 80 –j ACCEPT
root@septio:~# iptables -A INPUT -p tcp --dport 22 -j ACCEPT
root@septio:~# iptables –L
Chain INPUT (policy ACCEPT)
          prot opt source
                                        destination
target
ACCEPT
          tcp –– anywhere
                                                            tcp dpt:http
                                       anywhere
ACCEPT
          tcp –– anywhere
                                        anywhere
                                                            tcp dpt:ssh
Chain FORWARD (policy ACCEPT)
         prot opt source
                                       destination
target
Chain OUTPUT (policy ACCEPT)
target prot opt source
                                       destination
root@septio:~# 🔔
```

```
root@septio:~# iptables –A INPUT –j DROP
root@septio:~# iptables –L
Chain INPUT (policy ACCEPT)
         prot opt source
target
                                          destination
ACCEPT
                                          anuwhere
           tcp –– anywhere
                                                               tcp dpt:http
ACCEPT
           tcp -- anywhere
                                          anywhere
                                                                tcp dpt:ssh
DROP
           all –– anywhere
                                          anywhere
Chain FORWARD (policy ACCEPT)
                                          destination
target
         prot opt source
Chain OUTPUT (policy ACCEPT)
target prot opt source
                                          destination
root@septio:~#
```

#### Percobaan 5: Blocking ip address (185.156.1.31)

```
root@septio:~# iptables –F
root@septio:~# iptables –I INPUT –s 185.156.1.31 –j DROP
root@septio:~# ping 185.156.1.31
PING 185.156.1.31 (185.156.1.31) 56(84) bytes of data.
^C
--- 185.156.1.31 ping statistics ––-
24 packets transmitted, 0 received, 100% packet loss, time 23183ms
root@septio:~# _
```

```
root@septio:~# iptables -D INPUT -s 185.156.1.31 -j DROP
root@septio:~# ping 185.156.1.31
PING 185.156.1.31 (185.156.1.31) 56(84) bytes of data.
64 bytes from 185.156.1.31: icmp_seq=1 ttl=64 time=0.020 ms
64 bytes from 185.156.1.31: icmp_seq=2 ttl=64 time=0.052 ms
64 bytes from 185.156.1.31: icmp_seq=3 ttl=64 time=0.058 ms
64 bytes from 185.156.1.31: icmp_seq=4 ttl=64 time=0.059 ms
64 bytes from 185.156.1.31: icmp_seq=5 ttl=64 time=0.046 ms
64 bytes from 185.156.1.31: icmp_seq=6 ttl=64 time=0.062 ms
64 bytes from 185.156.1.31: icmp_seq=7 ttl=64 time=0.060 ms
64 bytes from 185.156.1.31: icmp_seq=8 ttl=64 time=0.079 ms
64 bytes from 185.156.1.31: icmp_seq=8 ttl=64 time=0.059 ms
^C
--- 185.156.1.31 ping statistics ---
9 packets transmitted, 9 received, 0% packet loss, time 8010ms
rtt min/avg/max/mdev = 0.020/0.055/0.079/0.014 ms
root@septio:~# __
```

## Percobaan 6: Blocking MAC Address (08:00:27:e4:42:19)

```
root@septio:~# iptables –A INPUT –m mac –-mac–source 08:00:27:e4:42:19 –i –eth0
–j DROP
root@septio:~# iptables –D INPUT –m mac –-mac–source 08:00:27:e4:42:19 –i –eth0
–j DROP
root@septio:~# _
```