


Modul 9

Pengenalan Static Network Address Translation pada Router Cisco





Konfigurasi Router Internet






Konfigurasi Router Lokal






Uji coba koneksi dari PC lokal ke web server

Ke IP private server dan IP Public server



Kembangkan Topologi



```
C:\>ping 50.0.0.1

Pinging 50.0.0.1 with 32 bytes of data:

Reply from 50.0.0.1: bytes=32 time=lms TTL=126

Reply from 50.0.0.1: bytes=32 time=lms TTL=126

Reply from 50.0.0.1: bytes=32 time=lms TTL=126

Reply from 50.0.0.1: bytes=32 time=l2ms TTL=126

Ping statistics for 50.0.0.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = lms, Maximum = 12ms, Average = 6ms

C:\>
```

```
C:\>ping 50.0.0.1

Pinging 50.0.0.1 with 32 bytes of data:

Reply from 50.0.0.1: bytes=32 time=2ms TTL=126

Reply from 50.0.0.1: bytes=32 time=11ms TTL=126

Reply from 50.0.0.1: bytes=32 time=13ms TTL=126

Reply from 50.0.0.1: bytes=32 time=12ms TTL=126

Ping statistics for 50.0.0.1:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 2ms, Maximum = 13ms, Average = 9ms

C:\>
```