


Nama : Yarin Nanditya A
NIM : L200170155
Kelas : D

PRAKTIKUM 1



Server0

Physical Config **Services** Desktop Programming Attributes

SERVICES

- HTTP
- DHCP
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management

DHCP

Interface: FastEthernet0 Service: ☒ On ☐ Off

Pool Name: serverPool

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

Start IP Address: 192 168 123 19

Subnet Mask: 255 255 255 0

Maximum Number of Users: 5

TFTP Server: 0.0.0.0

WLC Address: 0.0.0.0

Add Save Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	0.0.0.0	192.168.123...	255.255.255.0	5	0.0.0.0	0.0.0.0

Top

PC0

Physical Config Desktop **Programming** Attributes

IP Configuration

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IP Address: 192.168.123.19

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::2D0:D3FF:FEE6:136A

IPv6 Gateway:

IPv6 DNS Server:

Top

PC1

Physical Config Desktop Programming Attributes

IP Configuration

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.20

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::20A:F3FF:FE21:4B73

IPv6 Gateway

IPv6 DNS Server

Top

PC2

Physical Config Desktop Programming Attributes

IP Configuration

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.21

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static


IPv6 Address /

Link Local Address FE80::201:63FF:FEB7:55A4

IPv6 Gateway

IPv6 DNS Server

Top



ping pc0 dan pc1

```
C:\>ping 192.168.123.20

Pinging 192.168.123.20 with 32 bytes of data:

Reply from 192.168.123.20: bytes=32 time=1ms TTL=128
Reply from 192.168.123.20: bytes=32 time=1ms TTL=128
Reply from 192.168.123.20: bytes=32 time=1ms TTL=128
Reply from 192.168.123.20: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.123.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms
```

ping pc1 dan pc2

```
C:\>ping 192.168.123.21

Pinging 192.168.123.21 with 32 bytes of data:

Reply from 192.168.123.21: bytes=32 time=1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.123.21:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

ping pc2 dan pc3


```
C:\>ping 192.168.123.22

Pinging 192.168.123.22 with 32 bytes of data:

Reply from 192.168.123.22: bytes=32 time=2ms TTL=128
Reply from 192.168.123.22: bytes=32 time<1ms TTL=128
Reply from 192.168.123.22: bytes=32 time<1ms TTL=128
Reply from 192.168.123.22: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.123.22:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 0ms
```

PRAKTIKUM 2



Server0

Physical Config Services Desktop Programming Attributes

SERVICES

- HTTP
- DHCP
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management

DHCP

Interface: FastEthernet0 Service: ☒ On ☐ Off

Pool Name: serverPool

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

Start IP Address: 192 168 123 19

Subnet Mask: 255 255 255 0

Maximum Number of Users: 5

TFTP Server: 0.0.0.0

WLC Address: 0.0.0.0

Add Save Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	0.0.0.0	192.168.123...	255.255.255.0	5	0.0.0.0	0.0.0.0

☐ Top

PC0

Physical Config Desktop Programming Attributes

IP Configuration

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.19

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::2D0:D3FF:FEE6:136A

IPv6 Gateway

IPv6 DNS Server

Top

PC1

Physical Config Desktop Programming Attributes

IP Configuration

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.20

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::20A:F3FF:FE21:4B73

IPv6 Gateway

IPv6 DNS Server

Top

PC2

Physical Config Desktop Programming Attributes

IP Configuration

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.21

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::201:63FF:FEB7:55A4

IPv6 Gateway

IPv6 DNS Server

Top

PC3

Physical Config Desktop Programming Attributes

IP Configuration

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.22

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::20C:CFFF:FECA:7813

IPv6 Gateway

IPv6 DNS Server

Top

ping pc0 dan pc1

```
C:\>ping 192.168.123.20

Pinging 192.168.123.20 with 32 bytes of data:

Reply from 192.168.123.20: bytes=32 time=1ms TTL=128
Reply from 192.168.123.20: bytes=32 time=1ms TTL=128
Reply from 192.168.123.20: bytes=32 time=1ms TTL=128
Reply from 192.168.123.20: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.123.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms
```

ping pc1 dan pc2

```
C:\>ping 192.168.123.21

Pinging 192.168.123.21 with 32 bytes of data:

Reply from 192.168.123.21: bytes=32 time=1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.123.21:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

ping pc2 dan pc3

```
C:\>ping 192.168.123.22

Pinging 192.168.123.22 with 32 bytes of data:

Reply from 192.168.123.22: bytes=32 time=2ms TTL=128
Reply from 192.168.123.22: bytes=32 time<1ms TTL=128
Reply from 192.168.123.22: bytes=32 time<1ms TTL=128
Reply from 192.168.123.22: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.123.22:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 0ms
```

