


NAMA : ALDIAS IBNU HABIB

NIM : L200170166


KELAS : D

## TUGAS PRAKTIKUM JARINGAN KOMUNIKASI MODUL 2


### Switch 1




### Switch 2




### Switch 3




Switch 4



Switch 5



## TOPOLOGI JARINGAN



## UJI KONEKTIVITAS

```
PC1(4)
Physical Config Desktop Programming Attributes

Command Prompt

Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.23

Pinging 192.168.10.23 with 32 bytes of data:

Reply from 192.168.10.23: bytes=32 time=1ms TTL=128
Reply from 192.168.10.23: bytes=32 time=1ms TTL=128
Reply from 192.168.10.23: bytes=32 time=1ms TTL=128
Reply from 192.168.10.23: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.10.23:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.10.10

Pinging 192.168.10.10 with 32 bytes of data:

Reply from 192.168.10.10: bytes=32 time=1ms TTL=128
Reply from 192.168.10.10: bytes=32 time=1ms TTL=128
Reply from 192.168.10.10: bytes=32 time=1ms TTL=128
Reply from 192.168.10.10: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.10.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 1ms

C:\>ping 192.168.10.34

Pinging 192.168.10.34 with 32 bytes of data:

Reply from 192.168.10.34: bytes=32 time=2ms TTL=128
Reply from 192.168.10.34: bytes=32 time=1ms TTL=128
Reply from 192.168.10.34: bytes=32 time=1ms TTL=128
Reply from 192.168.10.34: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.10.34:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 1ms
```