PC0 dipingkan dengan PC1 Physical Config Desktop Programming Attributes × Q >ping 201,222,5,1 113 Φ_ atistics for 201.222.5.1: kets: Sent = 4, Recesved = 4, Lost = 0 (0% loss), mate round trip times in milli-seconds: imum = Zms, Maximum = 4ms, Average = 2ms ing 201.222.5.2 with 32 bytes of data om 201.222.5.2: bytes=32 time=1ms TTL=128 statistics for 201.222.5.2: Packets: Sent = 4, Received = 4, Lost = 0 (0% loss), owniness of the seconds: dinimum = lms, Maximum = lms, Average = lms Time: 00:59:47 Power Cycle Devices Fast Forward Time **/ H** Copper Straight-Through **6** PC1 dipingkan dengan PC0 Paste Format painter B / U V Physical Config Desktop Programming Attributes Х -^ 0 1 A cket Tracer PC Command Line 1.0 The sidebar The sidebar, which you are currently looking at, is a useful tool for working with documents. At its top border, several buttons are shown. Click on them to switch between the different tabs of the sidebar. **#** statistics for 201.222.5.1: ackets: Sent = 4, Received = 0, Lost = 4 (100% loss), **3** ing 201,222,5,1 0 % A In **FreeOffice**, TextMaker offers three tabs: Usage tips
 Paragraph styles
 Character styles statistics for 201.222.5.1: :cksts: Sent = 4, Received = 4, Lost = 0 (0% loss), simate round trip times in milli-seconds: :nimum = 0ms, Maximum = 5ms, Average = 3ms ● ¶ A In **SoftMaker Office**, TextMaker adds another tab: the **navigator**. The navigator tab makes it easy to work with long documents. It lists all headings in a document, and a simple mouse click switches to the respective part of the document. Compare with SoftMaker Office Ins 🔲 🔳 – + 170% × Section 1 Chapter 1 Page 1 of 1 English (United Kingdom IN . 11:30

PC3 dipingkan dengan PC4 Logical ₽ PC2 Physical Config Desktop Programming Attributes × Q ket Tracer PC Command Line 1.0 >ping 201.222.5.10 113 \$ ng statistics for 201.222.5.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
proximate round trip times in milli-seconds:
Minimum = Oms, Maximum = Ims, Average = Oms , 1 **#** Copper Straight-Through **6** PC4 dipingkan dengan PC3 Logical PC3 Physical Config Desktop Programming Attributes × Q acket Tracer PC Command Line 1.0 :\>ping 201.222.5.9 from 201.222.5.9: bytes=32 time=1ms TTL=128 from 201.222.5.9: bytes=32 time=1ms TTL=128 from 201.222.5.9: bytes=32 time<1ms TTL=128 from 201.222.5.9: bytes=32 time<1ms TTL=128 $\Pi_{\overline{q}_{\underline{q}}}$ ing statistics for 201.222.5.9:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
provinate round trip times in milli-seconds:

Minimum = Oms, Maximum = Ims, Average = Oms Time Realtime **≠** ⊞ Copper Straight-Through **6**

