

Nama : Dewi Rahmawati


NIM : L200170188

Kelas : D

Modul : Tugas 5

JARINGAN KOMPUTER

1. Membuat DHCP server yang terdiri dari 20 pc.



Pada server 0 mengisi IP address dan subnet mask pada Fast-Ethernet.

Server0

Physical **Config** Services Desktop Programming Attributes

GLOBAL

Settings

Algorithm Settings

INTERFACE

FastEthernet0

FastEthernet0

Port Status ☒ On

Bandwidth ☒ 100 Mbps ☐ 10 Mbps ☒ Auto

Duplex ☐ Half Duplex ☒ Full Duplex ☒ Auto

MAC Address 0000.0C76.A509

IP Configuration

☐ DHCP

☒ Static

IP Address 192.168.123.1

Subnet Mask 255.255.255.0

IPv6 Configuration

☐ DHCP

☐ Auto Config

☒ Static

IPv6 Address

Link Local Address: FE80::200:CFF:FE76:A509

Pastikan radio button pada DHCP On. Isikan blok IP address yang akan diberikan pada IP client.

Server0

Physical Config **Services** Desktop Programming Attributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

DHCP

Interface FastEthernet0 Service ☒ On ☐ Off

Pool Name serverPool

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

Start IP Address : 192 168 123 19

Subnet Mask: 255 255 255 0

Maximum Number of Users : 21

TFTP Server: 0.0.0.0

WLC Address: 0.0.0.0

Add Save Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	0.0.0.0	192.168.123.0	255.255.255.0	255	0.0.0.0	0.0.0.0

☐ Top

Pada PC pilih tab desktop, pilih menu IP configuration pastikan pilihan radio button pada pilihan DHCP.

PC0

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.19

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::250:FFF:FE7D:2B90

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

Trn

PC0

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.19

Pinging 192.168.123.19 with 32 bytes of data:

Reply from 192.168.123.19: bytes=32 time=10ms TTL=128
Reply from 192.168.123.19: bytes=32 time<1ms TTL=128
Reply from 192.168.123.19: bytes=32 time=11ms TTL=128
Reply from 192.168.123.19: bytes=32 time=4ms TTL=128

Ping statistics for 192.168.123.19:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 11ms, Average = 6ms

C:\>|
```

PC1

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.20

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::20A:41FF:FE14:4223

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

☐ Top

PC1

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.20

Pinging 192.168.123.20 with 32 bytes of data:

Reply from 192.168.123.20: bytes=32 time<1ms TTL=128
Reply from 192.168.123.20: bytes=32 time=3ms TTL=128
Reply from 192.168.123.20: bytes=32 time=4ms TTL=128
Reply from 192.168.123.20: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.123.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 4ms, Average = 2ms

C:\>|
```

PC2

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.21

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::260:2FFF:FE4B:828D

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC2

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.21

Pinging 192.168.123.21 with 32 bytes of data:

Reply from 192.168.123.21: bytes=32 time<1ms TTL=128
Reply from 192.168.123.21: bytes=32 time=2ms TTL=128
Reply from 192.168.123.21: bytes=32 time=3ms TTL=128
Reply from 192.168.123.21: bytes=32 time=4ms TTL=128

Ping statistics for 192.168.123.21:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 4ms, Average = 2ms

C:\>|
```

PC3

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.22

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::2E0:8FFF:FE5A:DD58

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC3

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.22

Pinging 192.168.123.22 with 32 bytes of data:

Reply from 192.168.123.22: bytes=32 time=4ms TTL=128
Reply from 192.168.123.22: bytes=32 time=2ms TTL=128
Reply from 192.168.123.22: bytes=32 time=3ms TTL=128
Reply from 192.168.123.22: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.123.22:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 4ms, Average = 2ms

C:\>|
```

PC4

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.23

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::20C:CFFF:FE4D:C7D5

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

Tab

PC4

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.23

Pinging 192.168.123.23 with 32 bytes of data:

Reply from 192.168.123.23: bytes=32 time=4ms TTL=128
Reply from 192.168.123.23: bytes=32 time=3ms TTL=128
Reply from 192.168.123.23: bytes=32 time=3ms TTL=128
Reply from 192.168.123.23: bytes=32 time=3ms TTL=128

Ping statistics for 192.168.123.23:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 4ms, Average = 3ms

C:\>|
```

PC5

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.24

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::205:5EFF:FE89:86E4

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC5

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.24

Pinging 192.168.123.24 with 32 bytes of data:

Reply from 192.168.123.24: bytes=32 time=3ms TTL=128
Reply from 192.168.123.24: bytes=32 time=2ms TTL=128
Reply from 192.168.123.24: bytes=32 time=19ms TTL=128
Reply from 192.168.123.24: bytes=32 time=3ms TTL=128

Ping statistics for 192.168.123.24:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 19ms, Average = 6ms

C:\>|
```


PC6

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.25

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::20A:F3FF:FE4C:2ADC

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

Top

PC6

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.25

Pinging 192.168.123.25 with 32 bytes of data:

Reply from 192.168.123.25: bytes=32 time=3ms TTL=128
Reply from 192.168.123.25: bytes=32 time<1ms TTL=128
Reply from 192.168.123.25: bytes=32 time=2ms TTL=128
Reply from 192.168.123.25: bytes=32 time=2ms TTL=128

Ping statistics for 192.168.123.25:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 1ms

C:\>|
```

PC7

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IPAddress 192.168.123.26

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::205:5EFF:FE30:D7B

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC7

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>192.168.123.26
Invalid Command.

C:\>ping 192.168.123.26

Pinging 192.168.123.26 with 32 bytes of data:

Reply from 192.168.123.26: bytes=32 time<1ms TTL=128
Reply from 192.168.123.26: bytes=32 time=3ms TTL=128
Reply from 192.168.123.26: bytes=32 time<1ms TTL=128
Reply from 192.168.123.26: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.123.26:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 1ms

C:\>|
```

PC8

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.27

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::202:17FF:FE04:72E1

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC8

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.27

Pinging 192.168.123.27 with 32 bytes of data:

Reply from 192.168.123.27: bytes=32 time=3ms TTL=128
Reply from 192.168.123.27: bytes=32 time=4ms TTL=128
Reply from 192.168.123.27: bytes=32 time=2ms TTL=128
Reply from 192.168.123.27: bytes=32 time=4ms TTL=128

Ping statistics for 192.168.123.27:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 4ms, Average = 3ms

C:\>|
```

PC9

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.28

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::260:70FF:FEC6:6809

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC9

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.28

Pinging 192.168.123.28 with 32 bytes of data:

Reply from 192.168.123.28: bytes=32 time=3ms TTL=128
Reply from 192.168.123.28: bytes=32 time<1ms TTL=128
Reply from 192.168.123.28: bytes=32 time=1ms TTL=128
Reply from 192.168.123.28: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.123.28:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 1ms

C:\>|
```

PC10

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.29

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::290:21FF:FE13:8319

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC10

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.29

Pinging 192.168.123.29 with 32 bytes of data:

Reply from 192.168.123.29: bytes=32 time<1ms TTL=128
Reply from 192.168.123.29: bytes=32 time=2ms TTL=128
Reply from 192.168.123.29: bytes=32 time=1ms TTL=128
Reply from 192.168.123.29: bytes=32 time=17ms TTL=128

Ping statistics for 192.168.123.29:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 17ms, Average = 5ms

C:\>|
```

PC11

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.30

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::260:47FF:FE7A:4802

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC11

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.30

Pinging 192.168.123.30 with 32 bytes of data:

Reply from 192.168.123.30: bytes=32 time<1ms TTL=128
Reply from 192.168.123.30: bytes=32 time<1ms TTL=128
Reply from 192.168.123.30: bytes=32 time=1ms TTL=128
Reply from 192.168.123.30: bytes=32 time=2ms TTL=128

Ping statistics for 192.168.123.30:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 0ms

C:\>|
```

PC12

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.31

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::201:C7FF:FE86:7DAA

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

☐ Top

PC12

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.31

Pinging 192.168.123.31 with 32 bytes of data:

Reply from 192.168.123.31: bytes=32 time=5ms TTL=128
Reply from 192.168.123.31: bytes=32 time<1ms TTL=128
Reply from 192.168.123.31: bytes=32 time=1ms TTL=128
Reply from 192.168.123.31: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.123.31:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 5ms, Average = 1ms

C:\>
```

PC13

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.32

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::203:E4FF:FEBE:973A

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

☐ Top

PC13

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.32

Pinging 192.168.123.32 with 32 bytes of data:

Reply from 192.168.123.32: bytes=32 time=4ms TTL=128
Reply from 192.168.123.32: bytes=32 time=3ms TTL=128
Reply from 192.168.123.32: bytes=32 time=1ms TTL=128
Reply from 192.168.123.32: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.123.32:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 4ms, Average = 2ms
C:\>|
```


PC14

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.33

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::201:63FF:FE83:435B

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC14

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.33

Pinging 192.168.123.33 with 32 bytes of data:

Reply from 192.168.123.33: bytes=32 time=4ms TTL=128
Reply from 192.168.123.33: bytes=32 time=1ms TTL=128
Reply from 192.168.123.33: bytes=32 time=3ms TTL=128
Reply from 192.168.123.33: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.123.33:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 4ms, Average = 2ms

C:\>
```

PC15

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.34

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::2E0:B0FF:FE15:27E7

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC15

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.34

Pinging 192.168.123.34 with 32 bytes of data:

Reply from 192.168.123.34: bytes=32 time=4ms TTL=128
Reply from 192.168.123.34: bytes=32 time=3ms TTL=128
Reply from 192.168.123.34: bytes=32 time=3ms TTL=128
Reply from 192.168.123.34: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.123.34:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 4ms, Average = 2ms

C:\>
```

PC16

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.35

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::201:C9FF:FE01:B72C

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC16

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.35

Pinging 192.168.123.35 with 32 bytes of data:

Reply from 192.168.123.35: bytes=32 time<1ms TTL=128
Reply from 192.168.123.35: bytes=32 time=1ms TTL=128
Reply from 192.168.123.35: bytes=32 time=4ms TTL=128
Reply from 192.168.123.35: bytes=32 time=4ms TTL=128

Ping statistics for 192.168.123.35:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 4ms, Average = 2ms
C:\>
```

PC17

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.36

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::290:21FF:FE11:B4D

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC17

Physical Config **Desktop** Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.36

Pinging 192.168.123.36 with 32 bytes of data:

Reply from 192.168.123.36: bytes=32 time<1ms TTL=128
Reply from 192.168.123.36: bytes=32 time=2ms TTL=128
Reply from 192.168.123.36: bytes=32 time=1ms TTL=128
Reply from 192.168.123.36: bytes=32 time=2ms TTL=128

Ping statistics for 192.168.123.36:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 1ms

C:\>
```

PC18

Physical Config **Desktop** Programming Attributes

☒ DHCP ☐ Static DHCP request successful.

IP Address 192.168.123.37

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::230:A3FF:FEE1:6853

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC18

Physical Config **Desktop** Programming Attributes

Command Prompt



```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.37

Pinging 192.168.123.37 with 32 bytes of data:


Reply from 192.168.123.37: bytes=32 time=3ms TTL=128
Reply from 192.168.123.37: bytes=32 time=3ms TTL=128
Reply from 192.168.123.37: bytes=32 time<1ms TTL=128
Reply from 192.168.123.37: bytes=32 time=3ms TTL=128

Ping statistics for 192.168.123.37:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 2ms


C:\>
```



2. Double klik server 0 pilih tab config. Pada menu servies pilih HTTP. Pastikan radio button On .



Mengubah halaman homepage Server 0 .



Double klik PC 0, pilih tab desktop. Pada menu pilih Web Browser. Ketika jendela browser muncul, ketikkan IP address Server 0 (192.168.123.1) di field URL.

