

Nama : Utari Isnawati


NIM : L200174974

Kelas : X


Laporan Praktikum Kegiatan

Modul 10

1. Topologi.



2. Konfigurasi IP pada Server0.




The screenshot shows the 'IP Configuration' window for 'Server0'. The window has tabs for Physical, Config, Services, Desktop, Programming, and Attributes. The 'Config' tab is active. The 'IP Configuration' section has two sub-sections: 'IP Configuration' and 'IPv6 Configuration'. In the 'IP Configuration' section, the 'Static' radio button is selected. The fields are: IP Address (192.168.123.1), Subnet Mask (255.255.255.0), Default Gateway (0.0.0.0), and DNS Server (0.0.0.0). In the 'IPv6 Configuration' section, the 'Static' radio button is selected. The fields are: IPv6 Address (empty), Link Local Address (FE80::260:5CFF:FE2A:4555), IPv6 Gateway (empty), and IPv6 DNS Server (empty). A 'Top' button is at the bottom left.

IP Configuration	
<input type="radio"/> DHCP <input checked="" type="radio"/> Static	
IP Address	192.168.123.1
Subnet Mask	255.255.255.0
Default Gateway	0.0.0.0
DNS Server	0.0.0.0

IPv6 Configuration	
<input type="radio"/> DHCP <input type="radio"/> Auto Config <input checked="" type="radio"/> Static	
IPv6 Address	/
Link Local Address	FE80::260:5CFF:FE2A:4555
IPv6 Gateway	
IPv6 DNS Server	

3. Konfigurasi IP pada Server1.




The screenshot shows the 'IP Configuration' window for 'Server1'. The window has tabs for Physical, Config, Services, Desktop, Programming, and Attributes. The 'Config' tab is active. The 'IP Configuration' section has two sub-sections: 'IP Configuration' and 'IPv6 Configuration'. In the 'IP Configuration' section, the 'Static' radio button is selected. The fields are: IP Address (192.168.123.2), Subnet Mask (255.255.255.0), Default Gateway (0.0.0.0), and DNS Server (0.0.0.0). In the 'IPv6 Configuration' section, the 'Static' radio button is selected. The fields are: IPv6 Address (empty), Link Local Address (FE80::2D0:97FF:FE11:CC4E), IPv6 Gateway (empty), and IPv6 DNS Server (empty). A 'Top' button is at the bottom left.

IP Configuration	
<input type="radio"/> DHCP <input checked="" type="radio"/> Static	
IP Address	192.168.123.2
Subnet Mask	255.255.255.0
Default Gateway	0.0.0.0
DNS Server	0.0.0.0

IPv6 Configuration	
<input type="radio"/> DHCP <input type="radio"/> Auto Config <input checked="" type="radio"/> Static	
IPv6 Address	/
Link Local Address	FE80::2D0:97FF:FE11:CC4E
IPv6 Gateway	
IPv6 DNS Server	

4. Konfigurasi IP pada PC0.




The screenshot shows the 'PC0' configuration window with the 'Config' tab selected. The 'IP Configuration' section is active, showing 'Static' IP settings. The IP Address is 192.168.123.3, Subnet Mask is 255.255.255.0, Default Gateway is 0.0.0.0, and DNS Server is 192.168.123.2. The 'IPv6 Configuration' section is also visible, showing 'Static' settings with an IPv6 Address field, Link Local Address FE80::20A:F3FF:FECS:1592, and empty fields for IPv6 Gateway and IPv6 DNS Server.

IP Configuration	
<input type="radio"/> DHCP	<input checked="" type="radio"/> Static
IP Address	192.168.123.3
Subnet Mask	255.255.255.0
Default Gateway	0.0.0.0
DNS Server	192.168.123.2

IPv6 Configuration		
<input type="radio"/> DHCP	<input type="radio"/> Auto Config	<input checked="" type="radio"/> Static
IPv6 Address		
Link Local Address	FE80::20A:F3FF:FECS:1592	
IPv6 Gateway		
IPv6 DNS Server		

5. Konfigurasi DNS Server.




The screenshot shows the 'Server1' configuration window with the 'Services' tab selected. The 'DNS' service is configured. The 'DNS Service' is set to 'On'. The 'Resource Records' section shows a table with one record: 'tbandung.com' with an 'A Record' type and IP address '192.168.123.1'. The 'DNS Cache' button is visible at the bottom.

DNS			
DNS Service <input checked="" type="radio"/> On <input type="radio"/> Off			
Resource Records			
Name	Type A Record		
Address			
<input type="button" value="Add"/> <input type="button" value="Save"/> <input type="button" value="Remove"/>			
No.	Name	Type	Detail
0	tbandung.com	A Record	192.168.123.1

SERVICES			
<input type="button" value="HTTP"/>			
<input type="button" value="DHCP"/>			
<input type="button" value="DHCPv6"/>			
<input type="button" value="TFTP"/>			
<input type="button" value="DNS"/>			
<input type="button" value="SYSLOG"/>			
<input type="button" value="AAA"/>			
<input type="button" value="NTP"/>			
<input type="button" value="EMAIL"/>			
<input type="button" value="FTP"/>			
<input type="button" value="IoT"/>			
<input type="button" value="VM Management"/>			

6. Mengganti isi HTML di Server0.



7. Melakukan Browsing HTTP ke Domain.

