


Nama : Fikri Anggra Berlian

Nim : L200174090


Kelas : X

## Tugas Modul 5

### 1. Membuat rancangan DHCP



### 2. Setting ip config yang ada di server



### 3. Pada halaman service ubah DHCP nya


The screenshot shows the 'Services' configuration page for 'Server1'. The 'DHCP' service is selected in the left sidebar. The main area displays the DHCP configuration for the 'FastEthernet0' interface. The 'Service' is set to 'On'. The 'Pool Name' is 'serverPool'. The 'Default Gateway' is '0.0.0.0'. The 'DNS Server' is '0.0.0.0'. The 'Start IP Address' is '192.168.124.2' and the 'Subnet Mask' is '255.255.255.0'. The 'Maximum Number of Users' is '255'. The 'TFTP Server' is '0.0.0.0' and the 'WLC Address' is '0.0.0.0'. Below the configuration fields are 'Add', 'Save', and 'Remove' buttons. A table at the bottom lists the DHCP pools.

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
terserah	192.68.124.1	2.2.2.2	192.168.124.2	255.255.255.0	254	0.0.0.0	0.0.0.0
serverPool	0.0.0.0	0.0.0.0	192.168.124.0	255.255.255.0	255	0.0.0.0	0.0.0.0

### 4. Ubah ip config setiap computer menjadi DHCP

The screenshot shows the 'IP Configuration' page for 'PC4'. The 'IP Configuration' tab is selected. The 'IP Configuration' section has 'DHCP' selected. The 'IP Address' is '192.168.124.2', the 'Subnet Mask' is '255.255.255.0', the 'Default Gateway' is '0.0.0.0', and the 'DNS Server' is '0.0.0.0'. The 'IPv6 Configuration' section has 'Static' selected. The 'IPv6 Address' is 'FE80::260:2FFF:FE6C:17AD', the 'Link Local Address' is 'FE80::260:2FFF:FE6C:17AD', the 'IPv6 Gateway' is '0.0.0.0', and the 'IPv6 DNS Server' is '0.0.0.0'.

5. Setting index.html pada server, dan pastikan http status ON



6. Buka web browser untuk mengecek hasil

