
Nama : Galih Prayoga


NIM : L200180006

Kelas : A

## 1. Kegiatan 1



## 2. Kegiatan 2



```
Physical Config Deathop Programming Attributes

Command Frompt

Packet Tracer PC Command Line 1.0
C:\Psing 192.168.1.1 with 32 bytes of data:


Reply from 192.168.1.1: bytes=32 time=line TTI=128

Packets Sent = 4, Received = 4, Lost = 0 (0\(^4\) loss), Approximate round trip times in milli-seconds:

Minimum = Oms, Maximum = 10ms, Average = 3ms

C:\Psi
```

## 3. Kegiatan 3



```
Physical Config Desitop Programming Attributes

Command Prompt

Facket Tracer PC Command Line 1.0
C:\Pping 192.168.1.2 with 32 bytes of data:

Reply from 192.169.1.2: bytes=32 time-3ms TIL-128

Reply from 192.169.1.2: bytes=32 time-1ms TIL-128

Reply from 192.169.1.2: bytes=22 time-1ms TIL-128

Reply from 192.169.1.2: bytes=22 time-1ms TIL-128

Pales for 192.169.1.2: bytes=32 time-1ms TIL-128

Pales for 192.169.1.2: bytes=32 time-1ms TIL-128

Pales for 192.169.1.2: bytes=32 time-1ms TIL-128

Pales for 192.169.1.3: bytes=32 time-1ms TIL-128
```

```
Physical Config Desitop Programming Attributes

Command Prompt

Facket Tracer PC Command Line 1.0
Ct-Vping 192.168.1.5 with 32 bytes of data:

Peply from 192.168.1.5: bytes=32 time-lins TII=128

Reply from 192.168.1.5: bytes=32 time-lins TII=128

Reply from 192.168.1.5: bytes=22 time-lins TII=128

Reply from 192.168.1.5: bytes=22 time-lins TII=128

Paply from 192.168.1.5: bytes=22 time-lins TII=128

Paply from 192.168.1.5: bytes=22 time-lins TII=128

Panchest: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:

Ninimum = Oms, Maximum = Ims, Average = Oms

C:\-|
```

## 4. Kegiatan 4

