


Nama : Tito Andika Wahyu Purwa

NIM : L200180007


Kelas : A

1. Mengakses PhpMyAdmin


- Langkah 1



- Langkah 2




- **Langkah 3**




2. Menambahkan Data


Buka xampp dan aktifkan Apache dan MySql dengan meng klik tombol start




Lalu buka web browser, menuju lokasi <http://localhost/phpmyadmin>. Kita bisa menambahkan database dengan meng klik tombol New



Beri nama database lalu klik Create



Beri nama tabel dan tentukan jumlah kolom



Beri label pada kolom dan tentukan jenis data yang akan diisikan ke dalam kolom

The screenshot shows the phpMyAdmin interface for a database named 'karyawan'. The 'Table: Data Karyawan' is selected, and the 'Structure' tab is active. The table has three columns: 'Nama' (VARCHAR(40)), 'NIP' (INT(10)), and 'Alamat' (VARCHAR(60)). The 'Structure' section shows the table's collation as 'utf8_general_ci' and storage engine as 'InnoDB'. The 'PARTITION definition' section is empty. The 'Preview SQL' and 'Save' buttons are visible at the bottom right.

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index	Comments	Virtual
Nama	VARCHAR	40	None						
NIP	INT	10	None						
Alamat	VARCHAR	60	None						

Setelah itu kita bisa mengisi data pada kolom

The screenshot shows the phpMyAdmin interface for the 'Data Karyawan' table, with the 'tbl_change' tab active. The 'Column Type Function Null Value' section shows the table structure. The 'Insert' button is visible. The 'Continue insertion with' section shows the number of rows to insert (2) and the 'Go' button.

Column	Type	Function	Null	Value
Nama	varchar(40)			Galih Prayoga
NIP	int(10)			1200150006
Alamat	varchar(60)			Wonogiri

Go

☐ Ignore

Column	Type	Function	Null	Value
Nama	varchar(40)			Juli
NIP	int(10)			1200150011
Alamat	varchar(60)			Girimarto

Go

Insert as new row and then Go back to previous page

Preview SQL Reset Go

Continue insertion with 2 rows

Berikut adalah hasilnya

The screenshot shows the phpMyAdmin web interface in a browser window. The address bar indicates the URL: `localhost/phpmyadmin/sql.php?server=1&db=karyawan&table=data+karyawan&pos=0`. The interface is for a server at `localhost:127.0.0.1` and a database named `karyawan`. The selected table is `data karyawan`.

A message at the top states: "Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available."

The query results section shows "Showing rows 0 - 1 (2 total. Query took 0.0007 seconds)". The SQL query executed is `SELECT * FROM `data karyawan``. Below the query, there are links for `Profiling`, `Edit inline`, `Edit`, `Explain SQL`, `Create PHP code`, and `Refresh`.

Below the query, there are two identical sections for displaying the data. Each section includes a "Show all" checkbox, a "Number of rows" dropdown set to 25, and a "Filter rows" search box.

The first section, under the heading "Options", displays the following data:

Nama	NIP	Alamat
Galih Prayoga	1200180006	Wonogiri
Juli	1200180011	Girimarto

The second section is identical but currently empty.

Below the data sections, there are "Query results operations" (Print, Copy to clipboard, Export, Display chart, Create view) and a "Bookmark this SQL query" section. The bookmark section includes a "Label" input field, a checkbox for "Let every user access this bookmark", and a "Bookmark this SQL query" button.

At the bottom left, there is a "Console" tab.

Mengakses mySql lewat command prompt

```
C:\Windows\system32\cmd.exe - mysql -u root -p

C:\>cd C:\xampp\mysql\bin

C:\xampp\mysql\bin>mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 96
Server version: 10.1.37-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]>
MariaDB [(none)]> create databse karyawan2
->
->
-> Bye
Ctrl-C -- exit!

C:\xampp\mysql\bin>mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 97
Server version: 10.1.37-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create databse karyawan2;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MariaDB server version for the right syntax to use near 'dat
abse karyawan2' at line 1
MariaDB [(none)]>
MariaDB [(none)]> create database karyawan2;
Query OK, 1 row affected (0.00 sec)

MariaDB [(none)]> use karyawan2;
Database changed
MariaDB [karyawan2]> drop database karyawan2;
Query OK, 0 rows affected (0.00 sec)

MariaDB [(none)]> show databases;
+-----+
| Database |
+-----+
| information_schema |
| karyawan |
| mysql |
| perbankan |
| performance_schema |
| perkuliahan |
| phpmyadmin |
| test |
+-----+
8 rows in set (0.00 sec)
```