

Nama : Rifqi Alwan P
NIM : L200180008
Kelas A

Modul 5

1. Nasabah

```
Command Prompt - mysql -u root -p
Query OK, 1 row affected (0.11 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(2, 'Maryati', 'Jl.MT.Haryono 31');
Query OK, 1 row affected (0.10 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(3, 'Suparman', 'Jl.Hasanudin 81');
Query OK, 1 row affected (0.10 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(4, 'Kartika Padmasari', 'Jl.Manggis 15');
Query OK, 1 row affected (0.16 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(5, 'Budi Eko Prayogo', 'Jl.Kantil 30');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(6, 'Satria Eka Jaya', 'Jl.Slamet Riyadi 45');
Query OK, 1 row affected (0.16 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(7, 'Indri Hapsari', 'Jl.Sutoyo 5');
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(8, 'Sari Murni', 'Jl.Pangandaran 15');
Query OK, 1 row affected (0.16 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(9, 'Canka Lokananta', 'Jl.Tidar 86');
Query OK, 1 row affected (0.17 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(10, 'Budi Murtono', 'Jl.Merak 22');
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> select * from nasabah;
```

	id_nasabah	nama_nasabah	alamat_nasabah
1	1	Sutopo	Jl.Jendral Sudirman
2	2	Maryati	Jl.MT.Haryono 31
3	3	Suparman	Jl.Hasanudin 81
4	4	Kartika Padmasari	Jl.Manggis 15
5	5	Budi Eko Prayogo	Jl.Kantil 30
6	6	Satria Eka Jaya	Jl.Slamet Riyadi 45
7	7	Indri Hapsari	Jl.Sutoyo 5
8	8	Sari Murni	Jl.Pangandaran 15
9	9	Canka Lokananta	Jl.Tidar 86
10	10	Budi Murtono	Jl.Merak 22

2. Cabang_bank

```
Command Prompt - mysql -u root -p
10 rows in set (0.00 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUS', 'Bank Rut Unit Surakarta', 'Jl.Slamet Riyadi 18');
Query OK, 1 row affected (0.10 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUM', 'Bank Rut Unit Magelang', 'Jl.P.Tendean 63');
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUB', 'Bank Rut Unit Boyolali', 'Jl.Ahmad Yani 45');
Query OK, 1 row affected (0.14 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUK', 'Bank Rut Unit Klaten', 'Jl.Suparman 23');
Query OK, 1 row affected (0.18 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUY', 'Bank Rut Unit Yogyakarta', 'Jl.Anggrek 21');
Query OK, 1 row affected (0.11 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUN', 'Bank Rut Unit Wonogiri', 'Jl.Untung Suropati 12');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> select * from cabang_bank;
```

	kode_cabang	nama_cabang	alamat_cabang
1	BRUB	Bank Rut Unit Boyolali	Jl.Ahmad Yani 45
2	BRUK	Bank Rut Unit Klaten	Jl.Suparman 23
3	BRUM	Bank Rut Unit Magelang	Jl.P.Tendean 63
4	BRUS	Bank Rut Unit Surakarta	Jl.Slamet Riyadi 18
5	BRUN	Bank Rut Unit Wonogiri	Jl.Untung Suropati 12
6	BRUY	Bank Rut Unit Yogyakarta	Jl.Anggrek 21

```
6 rows in set (0.00 sec)

MariaDB [perbankan]>
MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabang, pin, saldo) VALUES(101, 'BRUS', 1111, 500000);
ERROR 1054 (42S22): Unknown column 'kode_cabang' in 'field list'
MariaDB [perbankan]>
MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabang, pin, saldo) VALUES(101, 'BRUS', 1111, 500000);
ERROR 1054 (42S22): Unknown column 'kode_cabang' in 'field list'
MariaDB [perbankan]>
MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(101, 'BRUS', 1111, 500000);
Query OK, 1 row affected (0.11 sec)
```

3. Rekening

```
Command Prompt - mysql -u root -p
MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(106, 'BRUS', 6666, 3000000);
Query OK, 1 row affected (0.15 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(107, 'BRUS', 7777, 1000000);
Query OK, 1 row affected (0.16 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(108, 'BRUB', 0000, 5000000);
Query OK, 1 row affected (0.18 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(109, 'BRUB', 9999, 0);
Query OK, 1 row affected (0.15 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(110, 'BRUY', 1234, 550000);
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(111, 'BRUK', 4321, 150000);
Query OK, 1 row affected (0.18 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(112, 'BRUK', 0123, 300000);
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(113, 'BRUY', 8888, 255000);
Query OK, 1 row affected (0.16 sec)

MariaDB [perbankan]> SELECT * FROM rekening;
+-----+-----+-----+-----+
| no_rekening | kode_cabangFK | pin | saldo |
+-----+-----+-----+-----+
| 101 | BRUS | 1111 | 500000 |
| 102 | BRUS | 2222 | 350000 |
| 103 | BRUS | 3333 | 750000 |
| 104 | BRUM | 4444 | 900000 |
| 105 | BRUM | 5555 | 2000000 |
| 106 | BRUS | 6666 | 3000000 |
| 107 | BRUS | 7777 | 1000000 |
| 108 | BRUB | 0 | 5000000 |
| 109 | BRUB | 9999 | 0 |
| 110 | BRUY | 1234 | 550000 |
| 111 | BRUK | 4321 | 150000 |
| 112 | BRUK | 0123 | 300000 |
| 113 | BRUY | 8888 | 255000 |
+-----+-----+-----+-----+
13 rows in set (0.00 sec)
```

4. Nasabah_has_rekening

```
Command Prompt - mysql -u root -p
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabah, no_rekening) VALUES
-> (1, 104),
-> (2, 103),
-> (3, 105),
-> (3, 106),
-> (4, 101),
-> (4, 107),
-> (5, 102),
-> (5, 107),
-> (6, 109),
-> (7, 109),
-> (8, 111),
-> (9, 110),
-> (10, 113),
-> (8, 112),
-> (10, 108);
Query OK, 15 rows affected (0.04 sec)
Records: 15 Duplicates: 0 Warnings: 0
```

5. Transaksi

```
Command Prompt - mysql -u root -p
MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekening, id_nasabah, jenis_transaksi, tanggal, jumlah) VALUES
-> (1, 105, 3, 'debit', 2009-11-10, 50000),
-> (2, 103, 2, 'debit', 2009-11-10, 40000),
-> (3, 101, 4, 'kredit', 2009-11-12, 20000),
-> (4, 106, 3, 'debit', 2009-11-13, 50000),
-> (5, 107, 5, 'kredit', 2009-11-13, 30000),
-> (6, 104, 1, 'kredit', 2009-11-15, 200000),
-> (7, 110, 9, 'kredit', 2009-11-15, 150000),
-> (8, 102, 5, 'debit', 2009-11-16, 20000),
-> (9, 105, 3, 'kredit', 2009-11-18, 50000),
-> (10, 107, 4, 'debit', 2009-11-19, 100000),
-> (11, 103, 2, 'debit', 2009-11-19, 100000),
-> (12, 104, 1, 'debit', 2009-11-19, 50000),
-> (13, 107, 4, 'kredit', 2009-11-20, 200000),
-> (14, 105, 3, 'debit', 2009-11-21, 40000),
-> (15, 104, 1, 'kredit', 2009-11-22, 100000),
-> (16, 101, 4, 'kredit', 2009-11-22, 20000),
-> (17, 103, 2, 'debit', 2009-11-22, 50000),
-> (18, 102, 5, 'debit', 2009-11-25, 50000),
-> (19, 108, 10, 'debit', 2009-11-26, 100000),
-> (20, 106, 3, 'kredit', 2009-11-27, 50000),
-> (21, 103, 2, 'kredit', 2009-11-28, 200000),
-> (22, 105, 3, 'kredit', 2009-11-28, 100000),
-> (23, 102, 5, 'debit', 2009-11-30, 20000),
-> (24, 104, 1, 'debit', 2009-12-1, 50000),
-> (25, 103, 2, 'debit', 2009-12-2, 40000),
-> (26, 101, 4, 'debit', 2009-12-4, 50000),
-> (27, 103, 2, 'kredit', 2009-12-5, 100000),
-> (28, 102, 5, 'kredit', 2009-12-5, 200000),
-> (29, 109, 7, 'debit', 2009-12-5, 100000),
-> (30, 110, 9, 'debit', 2009-12-6, 20000);
Query OK, 30 rows affected, 30 warnings (0.14 sec)
Records: 30 Duplicates: 0 Warnings: 30
```

6. Update

CA. Command Prompt - mysql -u root -p

```
MariaDB [perbankan]> UPDATE nasabah  
  -> SET alamat_nasabah = 'Jalan Slamet Riyadi No. 34'  
  -> WHERE nama_nasabah = 'Indri Hapsari';  
Query OK, 0 rows affected (0.07 sec)  
Rows matched: 1  Changed: 0  Warnings: 0
```

```
MariaDB [perbankan]> UPDATE cabang_bank  
  -> SET alamat_cabang = 'Jalan A. Yani No. 23'  
  -> WHERE kode_cabang = 'BRUW';  
Query OK, 0 rows affected (0.05 sec)  
Rows matched: 1  Changed: 0  Warnings: 0
```

7. Delete

```
MariaDB [perbankan]> DELETE FROM cabang_bank  
  -> WHERE nama_cabang = 'Bank Rut Unit Magelang';  
Query OK, 0 rows affected (0.00 sec)
```

CA. Command Prompt - mysql -u root -p

```
MariaDB [perbankan]> DELETE FROM nasabah  
  -> WHERE nama_nasabah = 'Indri Hapsari';  
  -> '  
Query OK, 0 rows affected (0.00 sec)
```