


NAMA : DHIYA ULHAQ A

NIM : L200180009

## MODUL 1

## ALGORITMA & STRUKTUR DATA


1.



The screenshot shows two windows. The left window is the Python 3.8.2 Shell, and the right window is the mod1.py editor. The shell displays the output of a program that prints a 5x5 grid of asterisks. The editor shows the following code:

```
def segitiga():  
    for i in range(5):  
        for j in range(i+1):  
            print("*", end=" ")  
        print()  
    return i  
segitiga()
```

2.



The screenshot shows two windows. The left window is the Python 3.8.2 Shell, and the right window is the mod1.py editor. The shell displays the output of a program that prints a pattern of asterisks. The editor shows the following code:

```
def persegiEmpat(a,b):  
    for i in range(a):  
        if i == 0 or i == a-1:  
            print("*"*a)  
        else:  
            print ("@"+" "*(b-2)+"@")
```

3.

```

Python 3.8.2 Shell
File Edit Shell Debug Options Window Help
Python 3.8.2 (tags/v3.8.2:7b3ab59, Feb 25 2020, 22:45:29) [MSC v.1916 32 bit (Intel)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
==== RESTART: C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py
y ===
>>> v = jmlhhurufVokal('Surakarta')
>>> v
[9, 4]
>>> k = jmlhhurufKonsonan('Surakarta')
>>> k
[9, 5]
>>>

mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)
File Edit Format Run Options Window Help
def jmlhhurufVokal(input):
    total=0
    voc = ['a','i','u','e','o','A','I','U','E','O']
    for i in input:
        if i in voc:
            total+=1
    return [len(input), total]

def jmlhhurufKonsonan (input):
    kon = ['q','w','z','c','y','p','s','d','f','g','h','j','k','l','z','x','o','v','b','m','n','Q','W','R','T','Y','B','S','D','F','G','H','J','K','L','Z','X','C','V','B','N','M']
    b = 0
    total = 0
    for i in input:
        if i in kon:
            b += len(i)
    total = len(input),b
    return total

```

4.


```

Python 3.8.2 Shell
File Edit Shell Debug Options Window Help
Python 3.8.2 (tags/v3.8.2:7b3ab59, Feb 25 2020, 22:45:29) [MSC v.1916 32 bit (Intel)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
==== RESTART: C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py
>>> rerata([1,2,3,4,5])
3.0
>>> g = [3,4,5,3,4,5,2,2,10,11,23]
>>> rerata(g)
6.545454545454546
>>>

mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)
File Edit Format Run Options Window Help
def rerata (x):
    jumlah = 0
    for i in range(len(x)):
        jumlah += x[i]
    jumlah = jumlah/len(x)
    return jumlah

```


5.



```
Python 3.8.2 Shell
File Edit Shell Debug Options Window Help
Python 3.8.2 (tags/v3.8.2:7b3ab59, Feb 25 2020, 22:45:29) [MSC v.1916 32 bit (Intel)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
==== RESTART: C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py
====
>>> apakahPrima(17)
True
>>> apakahPrima(97)
True
>>> apakahPrima(123)
True
>>>
```

```
mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)
File Edit Format Run Options Window Help
from math import sqrt as sq
def apakahPrima(n):
    n = int(n)
    assert n>=0
    primaKecil = [2,3,5,7,9,11]
    bukanPrKecil = [0,1,4,6,8,10]
    if n in primaKecil:
        return True
    elif n in bukanPrKecil:
        return False
    else:
        for i in range(2,int(sq(n))+1):
            if n%i==0:
                return False
            return True
```

6.



```
Python 3.8.2 Shell
File Edit Shell Debug Options Window Help
709
719
727
733
739
743
751
757
761
769
773
787
797
809
811
821
823
827
829
839
853
857
859
863
877
881
883
887
907
911
919
929
937
941
947
953
967
971
977
983
991
997
>>>
```

```
mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)
File Edit Format Run Options Window Help
def bilanganPrima(n):
    for i in range(2,n):
        prima=True
        for j in range(2,i):
            if (i%j==0):
                prima=False
        if (prima):
            print(i)
```

7.

The image shows a Windows desktop environment with a taskbar on the left. Two windows are open. The left window is titled 'Python 3.8.2 Shell' and displays the following text:

```
Python 3.8.2 (tags/v3.8.2:7b3ab59, Feb 25 2020, 22:45:29) [MSC v.1916 32 bit (Intel)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
==== RESTART: C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py
====
>>> faktorPrima(10)
[2, 5]
>>> faktorPrima(120)
[2, 2, 2, 3, 5]
>>> faktorPrima(19)
[19]
>>>
```

The right window is titled 'mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)' and contains the following Python code:

```
def faktorPrima(x):
    bilanganList = []
    loop = 2
    while loop <= x:
        if x % loop == 0:
            x /= loop
            bilanganList.append(loop)
        else:
            loop += 1
    return bilanganList
```

At the bottom of the windows, the status bar shows 'Ln: 11 Col: 4' for the shell and 'Ln: 11 Col: 0' for the script editor.

8.

The image shows a Windows desktop environment with a taskbar on the left. Two windows are open. The left window is titled 'Python 3.8.2 Shell' and displays the following text:


```
Python 3.8.2 (tags/v3.8.2:7b3ab59, Feb 25 2020, 22:45:29) [MSC v.1916 32 bit (Intel)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
==== RESTART: C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py
====
y ===
>>> h = 'do'
>>> k = 'Indonesia tanah air beta'
>>> apakahTerkandung(h, k)
True
>>> apakahTerkandung('pusaka', k)
False
>>>
```

The right window is titled 'mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)' and contains the following Python code:

```
def apakahTerkandung(a,b):
    x = True
    for i in range(len(b)):
        if a in b:
            x=True
        else:
            x=False
    return x
```

At the bottom of the windows, the status bar shows 'Ln: 11 Col: 4' for the shell and 'Ln: 9 Col: 0' for the script editor.

9.




```
Python 3.8.2 Shell
File Edit Shell Debug Options Window Help
58
59
60 Python UMS
61
62 Python
63
64 UMS
65 Python
66
67 UMS
68 Python
69
70 UMS
71 Python
72
73 UMS
74 Python UMS
75
76 Python
77
78 UMS
79 Python
80
81 UMS
82 Python
83
84 UMS
85 Python
86
87 UMS
88 Python
89
90 UMS
91 Python
92
93 UMS
94 Python
95
96 UMS
97 Python
98
>>>

Ln: 104 Col: 4

mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)
File Edit Format Run Options Window Help
for i in range(1,100):
    if (i % 3) == 0 and (i % 5) == 0 :
        i = "Python UMS"
    elif (i % 3) == 0:
        i = "Python"
    elif (i % 5) == 0:
        i = "UMS"
    print(i)

Ln: 9 Col: 0
```

10.



```
Python 3.8.2 Shell
File Edit Shell Debug Options Window Help
Python 3.8.2 (tags/v3.8.2:7b3ab59, Feb 25 2020, 22:45:29) [MSC v.1916 32 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
==== RESTART: C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py
>>> selesaikanABC(1,2,3)
Determinan negatif. Persamaan tidak mempunyai akar real.
>>>

Ln: 7

mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)
File Edit Format Run Options Window Help
from math import sqrt as akar
def selesaikanABC(a,b,c):
    a = float(a)
    b = float(b)
    c = float(c)
    D = b**2 - 4*a*c
    if (D < 0):
        print("Determinan negatif. Persamaan tidak mempunyai akar real.")
    else:
        x1 = (-b + akar(D))/(2*a)
        x2 = (-b - akar(D))/(2*a)
        hasil = (x1,x2)
        return hasil

Ln: 15 Col: 0
```

11.

```
Python 3.8.2 Shell
File Edit Shell Debug Options Window Help
Python 3.8.2 (tags/v3.8.2:7b3ab59, Feb 25 2020, 22:45:29) [MSC v.1916 32 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
==== RESTART: C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py
True
False
False
True
True
False
True
>>>

mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)
File Edit Format Run Options Window Help
def apakahKabisat(n):
    if n%4==0:
        if n%100==0 and n%400==0:
            return True
        elif n%100==0 and n%400!=0:
            return False
        return True
    return False

print(apakahKabisat(1896))
print(apakahKabisat(1897))
print(apakahKabisat(1900))
print(apakahKabisat(2000))
print(apakahKabisat(2004))
print(apakahKabisat(2100))
print(apakahKabisat(2400))
```

12.

```
Python 3.8.2 Shell
File Edit Shell Debug Options Window Help
Python 3.8.2 (tags/v3.8.2:7b3ab59, Feb 25 2020, 22:45:29) [MSC v.1916 32 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
==== RESTART: C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py
Permainan tebak angka.
Saya menyimpan sebuah angka bulat antara 1 sampai 100. Coba Tebak.
Masukkan tebakan ke-1:> 50
Itu terlalu kecil. Coba lagi.
Masukkan tebakan ke-2:> 75
Itu terlalu kecil. Coba lagi.
Masukkan tebakan ke-3:> 58
Itu terlalu kecil. Coba lagi.
Masukkan tebakan ke-4:>

mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)
File Edit Format Run Options Window Help
import random

r = random.randint(1,100)
a = """Permainan tebak angka.
Saya menyimpan sebuah angka bulat antara 1 sampai 100. Coba Tebak."""

print(a)

b = "Masukkan tebakan ke-"
f = "> "
c = 1
d = str(c)

for i in range(1,100):
    e = (b+d+f)
    a = int(input(e))
    c+=1
    d = str(c)
    if(a < r):
        print("Itu terlalu kecil. Coba lagi.")
    elif(a > r):
        print("Itu terlalu besar. Coba lagi.")
    elif(a == r):
        print("Ya. Anda benar")
        break
```

13.

```
Python 3.8.2 Shell
File Edit Shell Debug Options Window Help
Python 3.8.2 (tags/v3.8.2:7b3ab59, Feb 25 2020, 22:45:29) [MSC v.1916 32 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
==== RESTART: C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py
Masukkan angka dari 1 sd 1.000.000.000: 50000
Lima Puluh Ribu Rupiah
Masukkan angka dari 1 sd 1.000.000.000: 100000
Seratus Ribu Rupiah
Masukkan angka dari 1 sd 1.000.000.000: 100000000000
Maaf, program tidak membaca angka lebih dari Satu Milyar Rupiah
Masukkan angka dari 1 sd 1.000.000.000:

mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)
File Edit Format Run Options Window Help
def katakan(bil):
    angka = ["", "Satu ", "Dua ", "Tiga ", "Empat ", "Lima ", "Enam ",
             "Tujuh ", "Delapan ", "Sembilan ", "Sepuluh ", "Sebelas "]
    hasil = ""
    n = int(bil)
    if n >= 0 and n <= 11:
        hasil = angka[n]
    elif n < 20:
        hasil = katakan(n-10) + " Belas "
    elif n < 100:
        hasil = katakan(n/10) + " Puluh " + katakan(n%10)
    elif n < 200:
        hasil = " Seratus " + katakan(n-100)
    elif n < 1000:
        hasil = katakan(n/100) + " Ratus " + katakan(n%100)
    elif n < 2000:
        hasil = " Seribu " + katakan(n-1000)
    elif n < 10000000:
        hasil = katakan(n/1000) + " Ribu " + katakan(n%1000)
    elif n < 1000000000:
        hasil = katakan(n/1000000) + " Juta " + katakan(n%1000000)
    elif n > 1000000000:
        hasil = 'Maaf, program tidak membaca angka lebih dari Satu Milyar'
    return hasil

a = 1
while a != 0:
    a = input('Masukkan angka dari 1 sd 1.000.000.000: ')
    huruf = katakan(a)
    print(huruf + ' Rupiah')

Ln: 11 C
Ln: 34 Cot: 0
```

14.

```
Python 3.8.2 Shell
File Edit Shell Debug Options Window Help
Python 3.8.2 (tags/v3.8.2:7b3ab59, Feb 25 2020, 22:45:29) [MSC v.1916 32 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
==== RESTART: C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py
>>> formatRupiah(1500)
'Rp 1.500'
>>> formatRupiah(25600000)
'Rp 25.600.000'
>>>

mod1.py - C:/Users/acer/AppData/Local/Programs/Python/Python38-32/mod1.py (3.8.2)
File Edit Format Run Options Window Help
def formatRupiah(n):
    y = str(n)
    if len(y) <= 3:
        return 'Rp ' + y
    else:
        p = y[-3:]
        q = y[:-3]
        return (formatRupiah(q) + '.' + p)
    print('Rp' + (formatRupiah(q) + '.' + p))

Ln: 9
Ln: 10 Cot: 0
```