
Nama: Faizal Wahyu N


NIM: L200180011

Kelas: A


#### **TUGAS MODUL 3**


#### DESAIN TOPOLOGI JARINGAN dengan 5 divisi







• DIVISI 1 RANGE IP Address = 202.155.19.11 – 202.155.19.19







• DIVISI 2 RANGE IP Address = 202.155.19.21 – 202.155.19.28







• DIVISI 3 RANGE IP Address = 202.155.19.31 – 202.155.19.38







• DIVISI 4 RANGE IP Address = 202.155.19.41 – 202.155.19.48






• DIVISI 5 RANGE IP Address = 202.155.19.51 – 202.155.19.59





### Mengeping dari PC0 switch 1 ke PC35 switch 5



# ping dari PC3 switch 1 ke PC4 switch 1

#### ping dari PC15 switch 2 ke PC24 switch 3

```
Physical Config Desktop Programming Attributes

Command Prompt

X

Packet Tracer PC Command Line 1.0

C:\ping 202.155.19.37 with 32 bytes of data:

Reply from 202.155.19.37; bytes=32 time-lns TTL=128

Reply from 202.155.19.37; bytes=32 time-lns TTL=128

Reply from 202.155.19.37; bytes=32 time-lns TTL=128

Reply from 202.155.19.37; bytes=32 time-lns TTL=129

Ping statistics for 202.155.19.37; bytes=32 time-lns TTL=129


Ping statistics for 202.155.19.37;

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss), Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\pi
```

### ping dari PC12 switch 2 ke PC13 switch 2



# ping dari PC25 switch 3 ke PC26 switch 4

```
Physical Config Desktop Programming Attributes

Command Prompt

Packet Tracer PC Command Line 1.0

C:\ping 202.155.19.41 with 32 bytes of data:

Reply from 202.155.19.41: bytes=32 time=lms TTL=128

Reply from 202.155.19.41: bytes=32 time<lms TTL=128

Pang statistics for 202.155.19.41:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 37ms, Average = 9ms

C:\pi
```

# ping dari PC32 switch 4 ke PC33 switch 4

```
Physical Config Desktop Programming Attributes

Command Prompt

X

Packet Tracer PC Command Line 1.0

C:\Pping 202.155.19.48

Pinging 202.155.19.48 with 32 bytes of data:

Reply from 202.155.19.48: bytes=32 time-15ms TTL=128

Reply from 202.155.19.48: bytes=32 time-clms TTL=128

Reply from 202.155.19.48: bytes=32 time-clms TTL=128

Reply from 202.155.19.48: bytes=32 time-clms TTL=128

Ping statietics for 202.155.19.48: bytes=32 time-clms TTL=128

Ping statietics for 202.155.19.48: bytes=32 time-clms TTL=128

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 15ms, Average = 3ms

C:\P
```

# ping dari PC38 switch 5 ke PC40 switch 5