

NAMA : DANANG AJI N
NIM : L200180015
KELAS : A

```
Microsoft Windows [Version 10.0.17134.950]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\Users\ACER>cd..

C:\Users>cd..

C:\>cd os

C:\OS>setpath

C:\OS>Path=C:\OS\Dev-Cpp\bin;C:\OS\Bochs-2.3.5;c:\OS\Perl;C:\Windows;C:\Windows\S
C:\OS>type s.bat
The system cannot find the file specified.

C:\OS>type s.bat
The system cannot find the file specified.

C:\OS>cd lab\lab3

C:\OS\LAB\LAB3>type s.bat
..\..\bochs-2.3.5\bochsdbg -q -f bochsrc.bxrc

C:\OS\LAB\LAB3>s

C:\OS\LAB\LAB3>..\..\bochs-2.3.5\bochsdbg -q -f bochsrc.bxrc
00000000000i[APIC?] local apic in initializing
=====
                Bochs x86 Emulator 2.3.5
                Build from CVS snapshot, on September 16, 2007
=====
00000000000i[      ] reading configuration from bochsrc.bxrc
00000000000i[      ] installing win32 module as the Bochs GUI
00000000000i[      ] using log file bochs.log
Next at t=0
(0) [0xffffffff] f000:fff0 (unk. ctxt): jmp far f000:e05b          ; ea5be00f0
<bochs:1> r
rax: 0x00000000:00000000 rcx: 0x00000000:00000000
rdx: 0x00000000:0000f20 rbx: 0x00000000:00000000
rsp: 0x00000000:00000000 rbp: 0x00000000:00000000
rsi: 0x00000000:00000000 rdi: 0x00000000:00000000
r8 : 0x00000000:00000000 r9 : 0x00000000:00000000
r10: 0x00000000:00000000 r11: 0x00000000:00000000
r12: 0x00000000:00000000 r13: 0x00000000:00000000
```

```

r12: 0x00000000:00000000 r13: 0x00000000:00000000
r14: 0x00000000:00000000 r15: 0x00000000:00000000
rip: 0x00000000:0000fff0
eflags 0x00000002
IOPL=0 id vip vif ac vm rf nt of df if tf sf zf af pf cf
<bochs:2> s
Next at t=1
(0) [0x000fe05b] f000:e05b (unk. ctxt): xor ax, ax ; 31c0
<bochs:3> r
rax: 0x00000000:00000000 rcx: 0x00000000:00000000
rdx: 0x00000000:0000f20 rbx: 0x00000000:00000000
rsp: 0x00000000:00000000 rbp: 0x00000000:00000000
rsi: 0x00000000:00000000 rdi: 0x00000000:00000000
r8 : 0x00000000:00000000 r9 : 0x00000000:00000000
r10: 0x00000000:00000000 r11: 0x00000000:00000000
r12: 0x00000000:00000000 r13: 0x00000000:00000000
r14: 0x00000000:00000000 r15: 0x00000000:00000000
rip: 0x00000000:0000e05b
eflags 0x00000002
IOPL=0 id vip vif ac vm rf nt of df if tf sf zf af pf cf
<bochs:4> vb 0:0x7C00
<bochs:5> c
(1996155817) Breakpoint 10285624, in 0000:7c00 (0x00007c00)
Next at t=2082128
(0) [0x00007c00] 0000:7c00 (unk. ctxt): jmp .+0x003b (0x00007c3e) ; e93b00
<bochs:6> s
Next at t=2082129
(0) [0x00007c3e] 0000:7c3e (unk. ctxt): cli ; fa
<bochs:7> s
Next at t=2082130
(0) [0x00007c3f] 0000:7c3f (unk. ctxt): mov ax, 0x07c0 ; b8c007
<bochs:8> s
Next at t=2082131
(0) [0x00007c42] 0000:7c42 (unk. ctxt): mov ds, ax ; 8ed8
<bochs:9> h
h|help - show list of debugger commands
h|help command - show short command description
-* Debugger control -*
    help, q|quit|exit, set, instrument, show, trace, trace-reg,
    record, playback, load-symbols, slist
-* Execution control -*
    c|cont|continue, s|step|stepi, p|n|next, modebp
-* Breakpoint management -*
    vb|vbreak, lb|lbreak, pb|pbreak|b|break, sb, sba, blist,

```

```
vb|vbreak, lb|lbreak, pb|pbreak|b|break, sb, sba, blist,
bpe, bpd, d|del|delete
-* CPU and memory contents -*
x, xp, u|disasm|disassemble, r|reg|regs|registers, setpmem, crc, info,
set, dump_cpu, set_cpu, ptime, print-stack, watch, unwatch, ?|calc
<bochs:10> s
Next at t=2082132
(0) [0x00007c44] 0000:7c44 (unk. ctxt): mov es, ax ; 8ec0
<bochs:11> s
Next at t=2082133
(0) [0x00007c46] 0000:7c46 (unk. ctxt): mov fs, ax ; 8ee0
<bochs:12> s
Next at t=2082134
(0) [0x00007c48] 0000:7c48 (unk. ctxt): mov gs, ax ; 8ee8
<bochs:13> q
# In bx_win32_gui_c::exit(void)!

Bochs is exiting. Press ENTER when you're ready to close this window.

C:\OS\LAB\LAB3>s
C:\OS\LAB\LAB3>..\..\bochs-2.3.5\bochsdbg -q -f bochsrc.bxrc
00000000000i[APIC?] local apic in initializing
=====
Bochs x86 Emulator 2.3.5
Build from CVS snapshot, on September 16, 2007
=====
00000000000i[ ] reading configuration from bochsrc.bxrc
00000000000i[ ] installing win32 module as the Bochs GUI
00000000000i[ ] using log file bochs.log
Next at t=0
(0) [0xffffffff] f000:fff0 (unk. ctxt): jmp far f000:e05b ; ea5be000f0
<bochs:1> vb 0x0100:0x0000
<bochs:2> c
(10264512) Breakpoint 10285624, in 0100:0000 (0x00001000)
Next at t=2945013
(0) [0x00001000] 0100:0000 (unk. ctxt): mov ax, 0x0100 ; b80001
<bochs:3> s
Next at t=2945014
(0) [0x00001003] 0100:0003 (unk. ctxt): mov ds, ax ; 8ed8
<bochs:4> s
Next at t=2945015
(0) [0x00001005] 0100:0005 (unk. ctxt): mov es, ax ; 8ec0
```

```
vb|vbreak, lb|lbreak, pb|pbreak|b|break, sb, sba, blist,
bpe, bpd, d|del|delete
-* CPU and memory contents -*
x, xp, u|disasm|disassemble, r|reg|regs|registers, setpmem, crc, info,
set, dump_cpu, set_cpu, ptime, print-stack, watch, unwatch, ?|calc
<bochs:10> s
Next at t=2082132
(0) [0x00007c44] 0000:7c44 (unk. ctxt): mov es, ax ; 8ec0
<bochs:11> s
Next at t=2082133
(0) [0x00007c46] 0000:7c46 (unk. ctxt): mov fs, ax ; 8ee0
<bochs:12> s
Next at t=2082134
(0) [0x00007c48] 0000:7c48 (unk. ctxt): mov gs, ax ; 8ee8
<bochs:13> q
# In bx_win32_gui_c::exit(void)!

Bochs is exiting. Press ENTER when you're ready to close this window.

C:\OS\LAB\LAB3>s
C:\OS\LAB\LAB3>..\..\bochs-2.3.5\bochsdbg -q -f bochsrc.bxrc
00000000000i[APIC?] local apic in initializing
=====
Bochs x86 Emulator 2.3.5
Build from CVS snapshot, on September 16, 2007
=====
00000000000i[ ] reading configuration from bochsrc.bxrc
00000000000i[ ] installing win32 module as the Bochs GUI
00000000000i[ ] using log file bochs.log
Next at t=0
(0) [0xffffffff] f000:fff0 (unk. ctxt): jmp far f000:e05b ; ea5be000f0
<bochs:1> vb 0x0100:0x0000
<bochs:2> c
(10264512) Breakpoint 10285624, in 0100:0000 (0x00001000)
Next at t=2945013
(0) [0x00001000] 0100:0000 (unk. ctxt): mov ax, 0x0100 ; b80001
<bochs:3> s
Next at t=2945014
(0) [0x00001003] 0100:0003 (unk. ctxt): mov ds, ax ; 8ed8
<bochs:4> s
Next at t=2945015
(0) [0x00001005] 0100:0005 (unk. ctxt): mov es, ax ; 8ec0
```

Bochs for Windows - Console

```
(0) [0x00001005] 0100:0005 (unk. ctxt): mov es, ax          ; 8ec0
<bochs:5> s
Next at t=2945016
(0) [0x00001007] 0100:0007 (unk. ctxt): cli              ; fa
<bochs:6> s
Next at t=2945017
(0) [0x00001008] 0100:0008 (unk. ctxt): mov ss, ax        ; 8ed0
<bochs:7> s
Next at t=2945018
(0) [0x0000100a] 0100:000a (unk. ctxt): mov sp, 0xffff    ; bcffff
<bochs:8> s
Next at t=2945019
(0) [0x0000100d] 0100:000d (unk. ctxt): sti              ; fb
<bochs:9> s
Next at t=2945020
(0) [0x0000100e] 0100:000e (unk. ctxt): push dx          ; 52
<bochs:10> s
Next at t=2945021
(0) [0x0000100f] 0100:000f (unk. ctxt): push es          ; 06
<bochs:11> s
Next at t=2945022
(0) [0x00001010] 0100:0010 (unk. ctxt): xor ax, ax        ; 31c0
<bochs:12> s
Next at t=2945023
(0) [0x00001012] 0100:0012 (unk. ctxt): mov es, ax        ; 8ec0
<bochs:13> s
Next at t=2945024
(0) [0x00001014] 0100:0014 (unk. ctxt): cli              ; fa
<bochs:14> s
Next at t=2945025
(0) [0x00001015] 0100:0015 (unk. ctxt): mov word ptr es:0x84, 0x0030 ; 26c70684003000
<bochs:15> s
Next at t=2945026
(0) [0x0000101c] 0100:001c (unk. ctxt): mov word ptr es:0x86, cs ; 268c0e8600
<bochs:16> s
Next at t=2945027
(0) [0x00001021] 0100:0021 (unk. ctxt): sti              ; fb
<bochs:17> s
Next at t=2945028
(0) [0x00001022] 0100:0022 (unk. ctxt): pop es           ; 07
<bochs:18> s
Next at t=2945029
(0) [0x00001023] 0100:0023 (unk. ctxt): pop dx           ; 5a
<bochs:19>
```

```
<bochs:19>
Next at t=2945030
(0) [0x00001024] 0100:0024 (unk. ctxt): mov si, 0x01e8    ; bee801
<bochs:20> s
Next at t=2945031
(0) [0x00001027] 0100:0027 (unk. ctxt): mov al, 0x01      ; b001
<bochs:21> s
Next at t=2945032
(0) [0x00001029] 0100:0029 (unk. ctxt): int 0x21          ; cd21
<bochs:22>
```