Moch afrizal

L200180022

Modul 3

Subnetting

PC0 ketika dihubungkan dengan PC1 terhubung karena network addressnya sama, sedangkan PC0 dihubungkan ke PC3 atau PC4 tidak terhubung karena network addressnya berbeda.

a. Desain Jaringan


b. Melakukan ping dari PC Divisi 1 ke PC Divisi 1

Dapat terhubung karena network addressnya sama.

    c.   Melakukan ping dari PC Divisi 1 ke PC Divisi 2

Terjadi Request Timed Out karena network addressnya berbeda.

    d.   Melakukan ping dari PC Divisi 1 ke PC Divisi 3

```
C:\>ping 202.155.19.65

Pinging 202.155.19.65 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.65:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request Timed Out karena network addressnya berbeda.

    e.   Melakukan ping dari PC Divisi 1 ke PC Divisi 4

```
C:\>ping 202.155.19.97

Pinging 202.155.19.97 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.97:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request Timed Out karena network addressnya berbeda.

    f.   Melakukan ping dari PC Divisi 1 ke PC Divisi 5

```
C:\>ping 202.155.19.129

Pinging 202.155.19.129 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.129:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request Timed Out karena network addressnya berbeda.