

NAMA : NOVERA DYAH A.
NIM : L200180026
KELAS : B

MODUL 5

TABEL NASABAH

```
MariaDB [(none)]> use perbankan;
Database changed
MariaDB [perbankan]> show databases;
+-----+
| Database |
+-----+
| datakuliah |
| information_schema |
| mysql |
| perbankan |
| performance_schema |
| phpmyadmin |
| test |
+-----+
7 rows in set (0.001 sec)

MariaDB [perbankan]> show tables;
+-----+
| Tables_in_perbankan |
+-----+
| cabang_bank |
| nasabah |
| nasabah_has_rekening |
| rekening |
| transaksi |
+-----+
5 rows in set (0.001 sec)


MariaDB [perbankan]> INSERT INTO nasabah(
-> id_nasabah,
-> nama_nasabah,
-> alamat_nasabah
-> );
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '' at line 4

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(1, 'Sutopo', 'Jl.Jenderal Sudirman 12');
Query OK, 1 row affected (0.116 sec)
```

```
MariaDB [perbankan]> INSERT INTO nasabah(
-> id_nasabah,
-> nama_nasabah,
-> alamat_nasabah)
-> VALUES(3, 'Suparman', 'Jl.Hasanuddin 81');
Query OK, 1 row affected (0.054 sec)

MariaDB [perbankan]> INSERT INTO nasabah(
-> id_nasabah,
-> nama_nasabah,
-> alamat_nasabah)
-> VALUES(4, 'Kartika Padmasari', 'Jl.Manggis 15');
Query OK, 1 row affected (0.041 sec)
```

```
MariaDB [perbankan]> INSERT INTO nasabah(  
  -> id_nasabah,  
  -> nama_nasabah,  
  -> alamat_nasabah)  
  -> VALUES(5, 'Budi Eko Prayoga', 'Jl.Kantil 30');  
Query OK, 1 row affected (0.054 sec)  
  
MariaDB [perbankan]> INSERT INTO nasabah(  
  -> id_nasabah,  
  -> nama_nasabah,  
  -> alamat_nasabah)  
  -> VALUES(6, 'Satria Eka Jaya', 'Jl.Slamet Riyadi 45');  
Query OK, 1 row affected (0.042 sec)
```

 Select Command Prompt - mysql -u root -p

```
MariaDB [perbankan]> INSERT INTO nasabah(  
  -> id_nasabah,  
  -> nama_nasabah,  
  -> alamat_nasabah)  
  -> VALUES(7, 'Indri Hapsari', 'Jl.Sutoyo 5');  
Query OK, 1 row affected (0.059 sec)  
  
MariaDB [perbankan]> INSERT INTO nasabah(  
  -> id_nasabah,  
  -> nama_nasabah,  
  -> alamat_nasabah)  
  -> VALUES(8, 'Sari Murti', 'Jl.Pangandaran 11');  
Query OK, 1 row affected (0.039 sec)  
  
MariaDB [perbankan]> INSERT INTO nasabah(  
  -> id_nasabah,  
  -> nama_nasabah,  
  -> alamat_nasabah)  
  -> VALUES(9, 'Canka Lokananta', 'Jl.Tidar 86');  
Query OK, 1 row affected (0.044 sec)  
  
MariaDB [perbankan]> INSERT INTO nasabah(  
  -> id_nasabah,  
  -> nama_nasabah,  
  -> alamat_nasabah)  
  -> VALUE(10, 'Budi Martono', 'Jl.Merak 22');  
Query OK, 1 row affected (0.045 sec)
```

TABEL CABANG_BANK

Command Prompt - mysql -u root -p

```
MariaDB [perbankan]> INSERT INTO cabang_bank(  
  -> kode_cabang,  
  -> nama_cabang,  
  -> alamat_cabang)  
  -> VALUES('BRUS', 'Bank Rut Unit Surakarta', 'Jl.Slamet Riyadi 18');  
Query OK, 1 row affected (0.056 sec)
```

```
MariaDB [perbankan]> INSERT INTO cabang_bank(  
  -> kode_cabang,  
  -> nama_cabang,  
  -> alamat_cabang)  
  -> VALUES('BRUM', 'Bank Rut Unit Magelang', 'Jl.P.Tendean 63');  
Query OK, 1 row affected (0.058 sec)
```

```
MariaDB [perbankan]> INSERT INTO cabang_bank(  
  -> kode_cabang,  
  -> nama_cabang,  
  -> alamat_cabang)  
  -> VALUES('BRUB', 'Bank Rut Unit Boyolali', 'Jl.Ahmad Yani 45');  
Query OK, 1 row affected (0.028 sec)
```

```
MariaDB [perbankan]> INSERT INTO cabang_bank(  
  -> kode_cabang,  
  -> nama_cabang,  
  -> alamat_cabang)  
  -> VALUES('BRUK', 'Bank Rut Unit Klaten', 'Jl.Superman 23');  
Query OK, 1 row affected (0.036 sec)
```

```
MariaDB [perbankan]> INSERT INTO cabang_bank(  
  -> kode_cabang,  
  -> nama_cabang,  
  -> alamat_cabang)  
  -> VALUES('BRUY', 'Bank Rut Unit Yogyakarta', 'Jl.Anggrek 21');  
Query OK, 1 row affected (0.032 sec)
```

```
MariaDB [perbankan]> INSERT INTO cabang_bank(  
  -> kode_cabang,  
  -> nama_cabang,  
  -> alamat_cabang)  
  -> VALUES('BRUW', 'Bank Rut Unit Wonogiri', 'Jl.Untung Suropati 12');  
Query OK, 1 row affected (0.038 sec)
```

TABEL REKENING

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(101, 'BRUS', 1111, 500000);  
Query OK, 1 row affected (0.031 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(102, 'BRUS', 2222, 350000);  
Query OK, 1 row affected (0.046 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(103, 'BRUS', 333, 750000);  
Query OK, 1 row affected (0.038 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(104, 'BRUM', 4444, 900000);  
Query OK, 1 row affected (0.012 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(105, 'BRUM', 5555, 200000);  
Query OK, 1 row affected (0.025 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(106, 'BRUS', 6666, 3000000);  
Query OK, 1 row affected (0.014 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(107, 'BRUS', 7777, 1000000);  
Query OK, 1 row affected (0.032 sec)
```



```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(108, 'BRUB', 0000, 5000000);  
Query OK, 1 row affected (0.047 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(109, 'BRUB', 9999, 0);  
Query OK, 1 row affected (0.022 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(110, 'BRUY', 1234, 550000);  
Query OK, 1 row affected (0.018 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(111, 'BRUK', 4321, 150000);  
Query OK, 1 row affected (0.027 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(112, 'BRUK', 0123, 300000);  
Query OK, 1 row affected (0.023 sec)
```

```
MariaDB [perbankan]> INSERT INTO rekening(  
  -> no_rekening,  
  -> kode_cabangFK,  
  -> pin,  
  -> saldo)  
  -> VALUES(113, 'BRUY', 8888, 255000);  
Query OK, 1 row affected (0.025 sec)
```

TABEL nasabah_has_rekening

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
  -> id_nasabahFK,  
  -> no_rekeningFK)  
  -> VALUES(1, 104);
```

Query OK, 1 row affected (0.042 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
  -> id_nasabahFK,  
  -> no_rekeningFK)  
  -> VALUES(2, 103);
```

Query OK, 1 row affected (0.052 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
  -> id_nasabahFK,  
  -> no_rekeningFK)  
  -> VALUES(3, 105);
```

Query OK, 1 row affected (0.026 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
  -> id_nasabahFK,  
  -> no_rekeningFK)  
  -> VALUES(3, 106);
```

Query OK, 1 row affected (0.013 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
  -> id_nasabahFK,  
  -> no_rekeningFK)  
  -> VALUES(4, 101);
```

Query OK, 1 row affected (0.021 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
  -> id_nasabahFK,  
  -> no_rekeningFK)  
  -> VALUES(4, 107);
```

Query OK, 1 row affected (0.043 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
  -> id_nasabahFK,  
  -> no_rekeningFK)  
  -> VALUES(5, 102);
```

Query OK, 1 row affected (0.027 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
  -> id_nasabahFK,  
  -> no_rekeningFK)  
  -> VALUES(5, 107);
```

Query OK, 1 row affected (0.026 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
-> id_nasabahFK,  
-> no_rekeningFK)  
-> VALUES(7, 109);
```

Query OK, 1 row affected (0.030 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
-> id_nasabahFK,  
-> no_rekeningFK)  
-> VALUES(8, 111);
```

Query OK, 1 row affected (0.025 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
-> id_nasabahFK,  
-> no_rekeningFK)  
-> VALUES(9, 110);
```

Query OK, 1 row affected (0.016 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
-> id_nasabahFK,  
-> no_rekeningFK)  
-> VALUES(10, 113);
```

Query OK, 1 row affected (0.022 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
-> id_nasabahFK,  
-> no_rekeningFK)  
-> VALUES(8, 112);
```

Query OK, 1 row affected (0.011 sec)

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(  
-> id_nasabahFK,  
-> no_rekeningFK)  
-> VALUES(10, 108);
```

Query OK, 1 row affected (0.018 sec)

TABEL TRANSAKSI

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(1, 105, 3, 'debit', '2009-11-10', 50000);  
Query OK, 1 row affected (0.054 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(2, 103, 2, 'debit', '2009-11-10', 40000);  
Query OK, 1 row affected (0.038 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(3, 101, 4, 'kredit', '2009-11-12', 20000);  
Query OK, 1 row affected (0.016 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(4, 106, 3, 'debit', '2009-11-13', 50000);  
Query OK, 1 row affected (0.025 sec)
```



```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(5, 107, 5, 'kredit', '2009-11-13', 30000);  
Query OK, 1 row affected (0.024 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(6, 104, 1, 'kredit', '2009-11-15', 200000);  
Query OK, 1 row affected (0.024 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(7, 110, 9, 'kredit', '2009-11-15', 150000);  
Query OK, 1 row affected (0.038 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(8, 102, 5, 'debit', '2009-11-16', 20000);  
Query OK, 1 row affected (0.043 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(9, 105, 3, 'kredit', '2009-11-18', 50000);  
Query OK, 1 row affected (0.104 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(10, 107, 4, 'debit', '2009-11-19', 100000);  
Query OK, 1 row affected (0.117 sec)
```

```
Command Prompt - mysql -u root -p  
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(11, 103, 2, 'debit', '2009-11-19', 100000);  
Query OK, 1 row affected (0.129 sec)  
  
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(12, 104, 1, 'debit', '2009-11-19', 50000);  
Query OK, 1 row affected (0.061 sec)  
  
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(13, 107, 4, 'kredit', '2009-11-20', 200000);  
Query OK, 1 row affected (0.081 sec)
```

Select Command Prompt - mysql -u root -p

```
MariaDB [perbankan]> INSERT INTO transaksi(
-> no_transaksi,
-> no_rekeningFK,
-> id_nasabahFK,
-> jenis_transaksi,
-> tanggal,
-> jumlah)
-> VALUES(14, 105, 3, 'debit', '2009-11-21', 40000);
Query OK, 1 row affected (0.059 sec)

MariaDB [perbankan]> INSERT INTO transaksi(
-> no_transaksi,
-> no_rekeningFK,
-> id_nasabahFK,
-> jenis_transaksi,
-> tanggal,
-> jumlah)
-> VALUES(15, 104, 1, 'kredit', '2009-11-22', 100000);
Query OK, 1 row affected (0.060 sec)

MariaDB [perbankan]> INSERT INTO transaksi(
-> no_transaksi,
-> no_rekeningFK,
-> id_nasabahFK,
-> jenis_transaksi,
-> tanggal,
-> jumlah)
-> VALUES(16, 101, 4, 'kredit', '2009-11-22', 40000);
Query OK, 1 row affected (0.041 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(
-> no_transaksi,
-> no_rekeningFK,
-> id_nasabahFK,
-> jenis_transaksi,
-> tanggal,
-> jumlah)
-> VALUES(17, 103, 2, 'debit', '2009-11-22', 50000);
Query OK, 1 row affected (0.067 sec)

MariaDB [perbankan]> INSERT INTO transaksi(
-> no_transaksi,
-> no_rekeningFK,
-> id_nasabahFK,
-> jenis_transaksi,
-> tanggal,
-> jumlah)
-> VALUES(18, 102, 5, 'debit', '2009-11-25', 50000);
Query OK, 1 row affected (0.057 sec)

MariaDB [perbankan]> INSERT INTO transaksi(
-> no_transaksi,
-> no_rekeningFK,
-> id_nasabahFK,
-> jenis_transaksi,
-> tanggal,
-> jumlah)
-> VALUES(19, 108, 10, 'debit', '2009-11-26', 100000);
Query OK, 1 row affected (0.052 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(20, 106, 3, 'kredit', '2009-11-27', 50000);  
Query OK, 1 row affected (0.056 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(21, 103, 2, 'kredit', '2009-11-28', 200000);  
Query OK, 1 row affected (0.063 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(22, 105, 3, 'kredit', '2009-11-28', 100000);  
Query OK, 1 row affected (0.036 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(23, 102, 5, 'debit', '2009-11-30', 20000);  
Query OK, 1 row affected (0.042 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(  
  -> no_transaksi,  
  -> no_rekeningFK,  
  -> id_nasabahFK,  
  -> jenis_transaksi,  
  -> tanggal,  
  -> jumlah)  
  -> VALUES(24, 104, 1, 'debit', '2009-12-1', 50000);  
Query OK, 1 row affected (0.048 sec)
```



```

MariaDB [perbankan]> INSERT INTO transaksi(
  -> no_transaksi,
  -> no_rekeningFK,
  -> id_nasabahFK,
  -> jenis_transaksi,
  -> tanggal,
  -> jumlah)
  -> VALUES(25, 103, 2, 'debit', '2009-12-2', 40000);
Query OK, 1 row affected (0.061 sec)

MariaDB [perbankan]> INSERT INTO transaksi(
  -> no_transaksi,
  -> no_rekeningFK,
  -> id_nasabahFK,
  -> jenis_transaksi,
  -> tanggal,
  -> jumlah)
  -> VALUES(26, 101, 4, 'debit', '2009-12-4', 50000);
Query OK, 1 row affected (0.045 sec)

MariaDB [perbankan]> INSERT INTO transaksi(
  -> no_transaksi,
  -> no_rekeningFK,
  -> id_nasabahFK,
  -> jenis_transaksi,
  -> tanggal,
  -> jumlah)
  -> VALUES(27, 103, 2, 'kredit', '2009-12-5', 100000);
Query OK, 1 row affected (0.057 sec)

```

```

MariaDB [perbankan]> INSERT INTO transaksi(
  -> no_transaksi,
  -> no_rekeningFK,
  -> id_nasabahFK,
  -> jenis_transaksi,
  -> tanggal,
  -> jumlah)
  -> VALUES(28, 102, 5, 'kredit', '2009-12-5', 200000);
Query OK, 1 row affected (0.090 sec)

MariaDB [perbankan]> INSERT INTO transaksi(
  -> no_transaksi,
  -> no_rekeningFK,
  -> id_nasabahFK,
  -> jenis_transaksi,
  -> tanggal,
  -> jumlah)
  -> VALUES(29, 109, 7, 'debit', '2009-12-5', 100000);
Query OK, 1 row affected (0.043 sec)

MariaDB [perbankan]> INSERT INTO transaksi(
  -> no_transaksi,
  -> no_rekeningFK,
  -> id_nasabahFK,
  -> jenis_transaksi,
  -> tanggal,
  -> jumlah)
  -> VALUES(30, 110, 9, 'debit', '2009-12-6', 20000);
Query OK, 1 row affected (0.048 sec)

```

UPDATE KASUS

- 1) Nasabah dengan nama "Indri Hapsari" pindah alamat ke "Jl.Slamet Riyadi no 34"
- 2) Cabang dengan kode "BRUW" pindah ke alamat "Jl.Ahmad Yani no 23"

```
MariaDB [perbankan]> UPDATE nasabah
  -> SET alamat_nasabah = 'Jl.Slamet Riyadi No.34'
  -> WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.283 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank
  -> SET alamat_cabang = 'Jl.Ahmad Yani No.23'
  -> WHERE kode_cabangFK = 'BRUW';
ERROR 1054 (42S22): Unknown column 'kode_cabangFK' in 'where clause'
MariaDB [perbankan]> UPDATE cabang_bank
  -> SET alamat_cabang = 'Jl.Ahmad Yani No.23'
  -> WHERE kode_cabang = 'BRUW';
Query OK, 1 row affected (0.105 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

PENGHAPUSAN

- 1) Nasabah dengan id 7 menutup rekeningnya
- 2) Cabang dengan nama_cabang "Bank Rut Unit Magelang" menutup kantornya

```
MariaDB [perbankan]> DELETE FROM nasabah
  -> WHERE id_nasabah =7;
Query OK, 1 row affected (0.107 sec)

MariaDB [perbankan]> DELETE FROM cabang_bank
  -> WHERE nama_cabang = 'Bank Rut Unit Magelang';
Query OK, 1 row affected (0.082 sec)
```