

Nama : Muhammad Hilmy Raihan

Nim. : L200180029

latihan

JavaApplication10 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Projects Files Services

Start Page JavaApplication10.java kendaraan.java mobil.java pesawat.java demo.java

Source History

```
1 /* To change this license header, choose License Headers in Project Properties.
2 * To change this template file, choose Tools | Templates
3 * and open the template in the editor.
4 */
5 package javaapplication10;
6
7 /**
8 */
9 /**
10 * @author Fannisa RM
11 */
12 public class kendaraan {
13     int jmlkursi = 6;
14     String warna = "putih";
15     int roda = 4;
16 }
17
18 }
```

roda - Navigator

Members

kendaraan

- jmlkursi : int
- warna : string
- roda : int
- done() : Object
- equals(Object o) : boolean
- finalize()
- getClass() : Class<?>
- hashCode() : int
- notify()
- notifyAll()
- toString() : String
- wait(long l)

Output - JavaApplication10 (run) :

```
jmlpenumpang :0
jmlkursi :6
warna :putih
Pesawat
jmlroda :4
jml penumpang :50
jmlkursi :60
warna :putih
BUILD SUCCESSFUL (total time: 0 seconds)
```

15:13 21/11/2019

JavaApplication10 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Projects Files Services

Start Page JavaApplication10.java kendaraan.java mobil.java pesawat.java demo.java

Source History

```
6 package javaapplication10;
7
8 /**
9 */
10 /**
11 * @author Fannisa RM
12 */
13 public class mobil extends kendaraan{
14
15     int jmlpenumpang = 5;
16     int jmlkursi = 6;
17
18     public void mobil(){
19         System.out.println ("Mobil\n"+ "jmlroda :" + roda + "\njml penumpang :" + jmlpenumpang +"\njmlkursi :" + jmlkursi + "\nwarna :" + warna);
20     }
21
22 }
```

mobil - Navigator

Members

mobil :: kendaraan

- jmlpenumpang : int
- jmlkursi : int
- mobil()
- clone() : Object
- equals(Object o) : boolean
- finalize()
- getClass() : Class<?>
- hashCode() : int
- notify()
- notifyAll()
- toString() : String
- wait(long l)

Output - JavaApplication10 (run) :

```
jmlpenumpang :0
jmlkursi :6
warna :putih
Pesawat
jmlroda :4
jml penumpang :50
jmlkursi :60
warna :putih
BUILD SUCCESSFUL (total time: 0 seconds)
```

18:29 21/11/2019

JavaApplication10 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Projects Files Services

Start Page JavaApplication10.java kendaraan.java mobil.java pesawat.java demo.java

```

3 * To change this template file, choose Tools | Templates
4 * and open the template in the editor.
5 */
6 package javaapplication10;
7
8 /**
9 *
10 * @author Fannisa RM
11 */
12 public class pesawat extends kendaraan{
13
14     int jmlpenumpang = 50;
15     int jmlkursi = 60;
16
17     public void pesawat(){
18         System.out.println ("Pesawat\n"+jmlroda + " roda "+ "\n"+jml penumpang +
19             "\n"+ jmlpenumpang +"\njmlkursi :" + jmlkursi
20             + "\nwarna :" + warna);
21     }
22 }

```

Output - JavaApplication10 (run) :

```

jmlpenumpang :50
jmlkursi :60
warna :putih
Pesawat
jmlroda :4
jml penumpang :50
jmlkursi :60
warna :putih
BUILD SUCCESSFUL (total time: 0 seconds)

```

pesawat - Navigator

Members

- pesawat** :: kendaraan
 - jmlpenumpang : int
 - jmlkursi : int
 - pesanat**
 - clone() : Object
 - equals(Object o) : boolean
 - finalize()
 - getClass() : Class<?>
 - hashCode() : int
 - notify()
 - notifyAll()
 - toString() : String
 - wait()

Output - JavaApplication10 (run) :

```

jmlpenumpang :50
jmlkursi :60
warna :putih
Pesawat
jmlroda :4
jml penumpang :50
jmlkursi :60
warna :putih
BUILD SUCCESSFUL (total time: 0 seconds)

```

Windows Taskbar

JavaApplication10 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Projects Files Services

Start Page JavaApplication10.java kendaraan.java mobil.java pesawat.java demo.java

```

1 /*
2  * To change this license header, choose License Headers in Project Properties.
3  * To change this template file, choose Tools | Templates
4  * and open the template in the editor.
5  */
6 package javaapplication10;
7
8 /**
9 *
10 * @author Fannisa RM
11 */
12 public class demo {
13     public static void main (String[]args){
14         kendaraan a = new kendaraan();
15         mobil b = new mobil();
16         pesawat c = new pesawat();
17
18         b.mobil();
19         c.pesawat();
20     }
21 }

```

main - Navigator

Members

- demo**
 - main(String[] args)
 - clone() : Object
 - equals(Object o) : boolean
 - finalize()
 - getClass() : Class<?>
 - hashCode() : int
 - notify()
 - notifyAll()
 - toString() : String
 - wait(long l)
 - wait(long l, int i)
 - wait()


Output - JavaApplication10 (run) :

```


jmlpenumpang :50
jmlkursi :60
warna :putih
Pesawat
jmlroda :4
jml penumpang :50
jmlkursi :60
warna :putih
BUILD SUCCESSFUL (total time: 0 seconds)

```

Windows Taskbar



Tugas



The screenshot shows the NetBeans IDE interface with the following details:

- Project:** JavaApplication11
- Source Package:** javaapplication11
- Class:** persegi
- Code:**

```
3 * To change this template file, choose Tools | Templates
4 * and open the template in the editor.
5 */
6 package javaapplication11;
7
8 /**
9 *
10 * @author Fannisa RM
11 */
12 public class persegi extends bangundatar{
13     double sisi = 4;
14
15     void persegi(){
16         luas = sisi*sisi;
17         System.out.print("persegi");
18         keliling = 4*sisi;
19         System.out.println();
20     }
21
22 }
```

- Navigator:** Shows members of the persegi class, including sisi (double), persegi (void), and various Java object methods.
- System Bar:** Shows the date (11/11/2019), time (22:41), and other system icons.

The screenshot shows the NetBeans IDE interface with the following details:

- Project:** JavaApplication11 - NetBeans IDE 8.2
- Source Package:** javaapplication11
- Class:** persegipanjang
- Code:**

```
1 /*
2  * To change this license header, choose License Headers in Project Properties.
3  * To change this template file, choose Tools | Templates
4  * and open the template in the editor.
5  */
6 package javaapplication11;
7
8 /**
9 *
10 * @author Fannisa RM
11 */
12 public class persegipanjang extends bangundatar{
13     int panjang = 6;
14     double lebar = 8;
15
16     void persegipanjang(){
17         luas = panjang*lebar;
18         System.out.print("persegi panjang");
19         keliling = 2*(panjang+lebar);
20         System.out.println();
21     }
22 }
```

- Navigator:** Shows members of the persegipanjang class, including panjang (int), lebar (double), and various Java object methods.
- System Bar:** Shows the date (11/11/2019), time (22:42), and other system icons.

JavaApplication11 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Source History

Projects Files Services

...ave bangundatar.java persegipanjang.java persegi.java segitiga.java segitigasamakai.java segitigasamasasi.java d...

Source

```
1 /* To change this license header, choose License Headers in Project Properties.
2 * To change this template file, choose Tools | Templates
3 * and open the template in the editor.
4 */
5
6 package javaapplication11;
7
8 /**
9 * @author Fannisa RM
10 */
11
12 public class segitiga extends bangundatar{
13     double alas = 6;
14     double tinggi = 5;
15
16     void segitiga(){
17         luas = (alas*tinggi);
18         System.out.println();
19     }
20 }
```

segitiga - Navigator

Members

- segitiga :: bangundatar
 - alas : double
 - tinggi : double
 - segitiga0
- clone() : Object
- equals(Object o) : boolean
- finalize()
- getClass() : Class<?>
- hashCode() : int
- hitungkelling()
- hitungluas()
- notify()
- notifyAll()

segitiga0

17:28 11/11/2019

JavaApplication11 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Source History

Projects Files Services

...ave bangundatar.java persegipanjang.java persegi.java segitiga.java segitigasamakai.java segitigasamasasi.java d...

Source

```
1 /*
2 * To change this license header, choose License Headers in Project Properties.
3 * To change this template file, choose Tools | Templates
4 * and open the template in the editor.
5 */
6 package javaapplication11;
7
8 /**
9 * @author Fannisa RM
10 */
11
12 public class segitigasamakai extends segitiga{
13     double sisimiring = 7;
14
15     void segitigasamakai(){
16         keliling = 2*(alas+sisimiring);
17         System.out.println("segitiga sama kaki");
18     }
19 }
```

segitigasamakai - Navigator

Members

- segitigasamakai :: segitiga
 - sisimiring : double
 - segitigasamakai0
- clone() : Object
- equals(Object o) : boolean
- finalize()
- getClass() : Class<?>
- hashCode() : int
- hitungkelling()
- hitungluas()
- notify()
- notifyAll()
- segitiga0

17:28 11/11/2019

JavaApplication11 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Source History

Projects Files Services

...ave bangundatar.java persegipanjang.java persegi.java segitiga.java segitigasamakki.java segitigasamasasi.java d...

Search (Ctrl+F)

segitigasamasasi - Navigator

Members

segitigasamasasi :: segitiga
 sisi : double
 segitigasamasasi()
 clone() : Object
 equals(Object o) : boolean
 finalize()
 getClass() : Class<?>
 hashCode() : int
 hitungkelling()
 hitungluas()
 notify()
 notifyAll()
 segitiga()

javaapplication11 JavaApplication11.java bangundatar.java demo.java persegi.java persegipanjang.java segitiga.java segitigasamakki.java segitigasamasasi.java seninhascamasi.java

1 /* To change this license header, choose License Headers in Project Properties.
2 * To change this template file, choose Tools | Templates
3 * and open the template in the editor.
4 */
5
6 package javaapplication11;
7
8 /**
9 *
10 * @author Fannisa RM
11 */
12 public class segitigasamasasi extends segitiga{
13 double sisi = 5;
14 void segitigasamasasi(){
15 keliling = 3*sisi;
16 System.out.println("segitiga sama sisi");
17 }
18 }
19
20

16:47 22:43 11/11/2019

JavaApplication11 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Source History

Projects Files Services

...ave persegipanjang.java persegi.java segitiga.java segitigasamakki.java segitigasamasasi.java demo.java d...

Search (Ctrl+F)

main - Navigator

Members

demo :: demo
 main(String[] args)
 clone() : Object
 equals(Object o) : boolean
 finalize()
 getClass() : Class<?>
 hashCode() : int
 notify()
 notifyAll()
 toString() : String
 wait(long l)
 wait(long l, int i)
 wait()

javaapplication11 JavaApplication11.java bangundatar.java demo.java persegi.java persegipanjang.java segitiga.java segitigasamakki.java segitigasamasasi.java seninhascamasi.java

12 public class demo {
13 public static void main (String[]args){
14 persegi a = new persegi();
15 persegiapanjang b = new persegiapanjang();
16 segitiga c = new segitiga();
17 segitigasamakki d = new segitigasamakki();
18 segitigasamasasi e = new segitigasamasasi();
19 a.persegi();
20 a.hitungluas();
21 a.hitungkelling();
22 b.persegiapanjang();
23 b.hitungluas();
24 b.hitungkelling();
25 c.segitiga();
26 c.hitungluas();
27 c.hitungkelling();
28 d.segitigasamakki();
29 d.hitungkelling();
30 e.segitigasamasasi();
31 e.hitungluas();
32 e.hitungkelliing();
33 }
34 }

31:10 22:43 11/11/2019

