

Nama : Aisyah Goevara

NIM : L200180034

Kelas : A

Laporan Modul 3

```
Bochs for Windows - Console
Microsoft Windows [Version 10.0.18362.356]
(c) 2019 Microsoft Corporation. All rights reserved.

C:\Users\asus>cd..
C:\Users>cd..
C:\>cd [JAVA IDE]
C:\[JAVA IDE]>cd os..
C:\[JAVA IDE]\OS>setpath
C:\[JAVA IDE]\OS>Path=C:\OS\Dev-Cpp\bin;C:\OS\Bochs-2.3.5;c:\OS\Perl;C:\Windows;C:\Windows\System32
C:\[JAVA IDE]\OS>cd LAB/LAB3
C:\[JAVA IDE]\OS\LAB\LAB3>s.bat

C:\[JAVA IDE]\OS\LAB\LAB3>..\..\bochs-2.3.5\bochsrc.bxrc
00000000000i[APIC?] local apic in initialilzing
=====
                Bochs x86 Emulator 2.3.5
                Build from CVS snapshot, on September 16, 2007
=====
00000000000i[      ] reading configuration from bochsrc.bxrc
00000000000i[      ] installing win32 module as the Bochs GUI
00000000000i[      ] using log file bochs.log
Next at t=0
(0) [0xfffffff0] f000:fff0 (unk. ctxt): jmp far f000:e05b      ; ea5be00f0
<bochs:1> s
Next at t=1
(0) [0x000fe05b] f000:e05b (unk. ctxt): xor ax, ax              ; 31c0
<bochs:2> r
rax: 0x00000000:00000000 rcx: 0x00000000:00000000
rdx: 0x00000000:0000f20 rbx: 0x00000000:00000000
rsp: 0x00000000:00000000 rbp: 0x00000000:00000000
rsi: 0x00000000:00000000 rdi: 0x00000000:00000000
r8 : 0x00000000:00000000 r9 : 0x00000000:00000000
r10: 0x00000000:00000000 r11: 0x00000000:00000000
r12: 0x00000000:00000000 r13: 0x00000000:00000000
r14: 0x00000000:00000000 r15: 0x00000000:00000000
rip: 0x00000000:0000e05b
eflags 0x00000002
IOPL=0 id vip vif ac vm rf nt of df if tf sf zf af pf cf
<bochs:3> r
rax: 0x00000000:00000000 rcx: 0x00000000:00000000
rdx: 0x00000000:0000f20 rbx: 0x00000000:00000000
rsp: 0x00000000:00000000 rbp: 0x00000000:00000000
rsi: 0x00000000:00000000 rdi: 0x00000000:00000000
r8 : 0x00000000:00000000 r9 : 0x00000000:00000000
r10: 0x00000000:00000000 r11: 0x00000000:00000000
r12: 0x00000000:00000000 r13: 0x00000000:00000000
r14: 0x00000000:00000000 r15: 0x00000000:00000000
rip: 0x00000000:0000e05b
eflags 0x00000002
IOPL=0 id vip vif ac vm rf nt of df if tf sf zf af pf cf
<bochs:4> vb 0:0x7c00
<bochs:5> c
(2004901961) Breakpoint 10285608, in 0000:7c00 (0x00007c00)
Next at t=2082128
(0) [0x00007c00] 0000:7c00 (unk. ctxt): jmp .+0x003b (0x00007c3e) ; e93b00
<bochs:6> s
Next at t=2082129
(0) [0x00007c3e] 0000:7c3e (unk. ctxt): cli                      ; fa
<bochs:7> s
Next at t=2082130
(0) [0x00007c3f] 0000:7c3f (unk. ctxt): mov ax, 0x07c0          ; b8c007
<bochs:8> s
Next at t=2082131
(0) [0x00007c42] 0000:7c42 (unk. ctxt): mov ds, ax              ; 8ed8
<bochs:9> s
Next at t=2082132
(0) [0x00007c44] 0000:7c44 (unk. ctxt): mov es, ax              ; 8ec0
<bochs:10> s
Next at t=2082133
(0) [0x00007c46] 0000:7c46 (unk. ctxt): mov fs, ax              ; 8ee0
<bochs:11> h
h|help - show list of debugger commands
```

```
Bochs for Windows - Console
(0) [0x0007c46] 0000:7c46 (unk. ctxt): mov fs, ax          ; 8ee0
<bochs:11> h
h|help - show list of debugger commands
h|help command - show short command description
-- Debugger control --
  help, q|quit|exit, set, instrument, show, trace, trace-reg,
  record, playback, load-symbols, slist
-- Execution control --
  c|cont|continue, s|step|stepi, p|n|next, modebp
-- Breakpoint management --
  vb|vbreak, lb|lbreak, pb|pbreak|b|break, sb, sba, blist,
  bpe, bpd, d|del|delete
-- CPU and memory contents --
  x, xp, u|disasm|disassemble, r|reg|regs|registers, setpmem, crc, info,
  set, dump_cpu, set_cpu, ptime, print-stack, watch, unwatch, ?|calc
<bochs:12> q
# In bx_win32_gui_c::exit(void)!

Bochs is exiting. Press ENTER when you're ready to close this window.

C:\[JAVA IDE]\OS\LAB\LAB3>s

C:\[JAVA IDE]\OS\LAB\LAB3>..\..\bochs-2.3.5\bochsrc.bxrc
00000000000i[APIC?] local apic in  initializing
=====
          Bochs x86 Emulator 2.3.5
          Build from CVS snapshot, on September 16, 2007
=====
00000000000i[      ] reading configuration from bochsrc.bxrc
00000000000i[      ] installing win32 module as the Bochs GUI
00000000000i[      ] using log file bochs.log
Next at t=0
(0) [0xffffffff] f000:fff0 (unk. ctxt): jmp far f000:e05b      ; ea5be00f0
<bochs:1> vb 0x0100:0x0000
<bochs:2> c
(10264512) Breakpoint 10285608, in 0100:0000 (0x00001000)
Next at t=2945013
(0) [0x00001000] 0100:0000 (unk. ctxt): mov ax, 0x0100        ; b00001
<bochs:3> s
Next at t=2945014
```

```
Bochs for Windows - Console
          Bochs x86 Emulator 2.3.5
          Build from CVS snapshot, on September 16, 2007
=====
00000000000i[      ] reading configuration from bochsrc.bxrc
00000000000i[      ] installing win32 module as the Bochs GUI
00000000000i[      ] using log file bochs.log
Next at t=0
(0) [0xffffffff] f000:fff0 (unk. ctxt): jmp far f000:e05b      ; ea5be00f0
<bochs:1> vb 0x0100:0x0000
<bochs:2> c
(10264512) Breakpoint 10285608, in 0100:0000 (0x00001000)
Next at t=2945013
(0) [0x00001000] 0100:0000 (unk. ctxt): mov ax, 0x0100        ; b00001
<bochs:3> s
Next at t=2945014
(0) [0x00001003] 0100:0003 (unk. ctxt): mov ds, ax            ; 8ed8
<bochs:4> s
Next at t=2945015
(0) [0x00001005] 0100:0005 (unk. ctxt): mov es, ax            ; 8ec0
<bochs:5> s
Next at t=2945016
(0) [0x00001007] 0100:0007 (unk. ctxt): cli                      ; fa
<bochs:6> s
Next at t=2945017
(0) [0x00001008] 0100:0008 (unk. ctxt): mov ss, ax              ; 8ed0
<bochs:7> s
Next at t=2945018
(0) [0x0000100a] 0100:000a (unk. ctxt): mov sp, 0xffff          ; bcffff
<bochs:8> s
Next at t=2945019
(0) [0x0000100d] 0100:000d (unk. ctxt): sti                      ; fb
<bochs:9> s
Next at t=2945020
(0) [0x0000100e] 0100:000e (unk. ctxt): push dx                 ; 52
<bochs:10> s
Next at t=2945021
(0) [0x0000100f] 0100:000f (unk. ctxt): push es                 ; 06
<bochs:11> s
Next at t=2945022
(0) [0x00001010] 0100:0010 (unk. ctxt): xor ax, ax              ; 31c0
<bochs:12> s
```

Bochs for Windows - Console

```
0000000000i[ ] installing win32 module as the Bochs GUI
0000000000i[ ] using log file bochs.log
Next at t=0
(0) [0xffffffff] f000:fff0 (unk. ctxt): jmp far f000:e05b ; ea5be00f0
<bochs:1> vb 0x0100:0x0000
<bochs:2> c
(10264512) Breakpoint 10285608, in 0100:0000 (0x00001000)
Next at t=2945013
(0) [0x00001000] 0100:0000 (unk. ctxt): mov ax, 0x0100 ; b00001
<bochs:3> s
Next at t=2945014
(0) [0x00001003] 0100:0003 (unk. ctxt): mov ds, ax ; 8ed8
<bochs:4> s
Next at t=2945015
(0) [0x00001005] 0100:0005 (unk. ctxt): mov es, ax ; 8ec0
<bochs:5> s
Next at t=2945016
(0) [0x00001007] 0100:0007 (unk. ctxt): cli ; fa
<bochs:6> s
Next at t=2945017
(0) [0x00001008] 0100:0008 (unk. ctxt): mov ss, ax ; 8ed0
<bochs:7> s
Next at t=2945018
(0) [0x0000100a] 0100:000a (unk. ctxt): mov sp, 0xffff ; bcf0ff
<bochs:8> s
Next at t=2945019
(0) [0x0000100d] 0100:000d (unk. ctxt): sti ; fb
<bochs:9> s
Next at t=2945020
(0) [0x0000100e] 0100:000e (unk. ctxt): push dx ; 52
<bochs:10> s
Next at t=2945021
(0) [0x0000100f] 0100:000f (unk. ctxt): push es ; 06
<bochs:11> s
Next at t=2945022
(0) [0x00001010] 0100:0010 (unk. ctxt): xor ax, ax ; 31c0
<bochs:12> s
Next at t=2945023
(0) [0x00001012] 0100:0012 (unk. ctxt): mov es, ax ; 8ec0
<bochs:13>
```