Nama : Luqman Hanung Asidiq

NIM : L200180035

Kelas : B

## Laporan Tugas Praktikum Pemrograman Berorientasi Objek Modul 8

## Latihan

```
- □ X
modul8 - NetBeans IDE 8.2
io.java 🗴 🗷 Pet.java 🗴 🗷 Anjingku.java 🗴 🗷 Kucingku.java 🗴 🗷 TestPolymorphism.java 🗴 🗷 Elang.java 🗴 🗷 customerdata.java 🗴
            * To change this template file, choose Tools | Templates
             4 * 6 */
                 * and open the template in the editor.
             8
9
10  * */
                 * @author asus
                public class Pet {
             ⊚
12
                  public String nama;
             13
             14 public void beriNama (String beriNama) {
             15
                      this.nama = beriNama;
             16
                  public String panggilNama() {
            17 📮
             18
                    return this.nama;
             19

    □

                   public String perilaku(){
             21
                       return "Hewan Penurut";
             23
            24
            25
```

```
modul8 - NetBeans IDE 8.2
    File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

The State of t
 File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window

Prog. | Prog. | Prog. | Prog. | Prof. | P
                                                                                                               | 1 | /*
| * To change this license header, choose License Headers in Project Properties.
| * To change this template file, choose Tools | Templates
| * and open the template in the editor.
| */
                                                                                                                                                                                                                                                                                                                                                no. java × 🗷 Pet. java × 🖟 Anjingku. java × 🖟 Kucingku. java × 🐧 TestPolymorphism. java × 🗗 Elang. java × 🐧 customerdata. java ×
                                                                                                                            11 public class Anjingku extends Pet{
                                                                                                                                public String perilaku() {
                                                                                                                          return "Menyukai Daging dan Tulang";
                                                                                                                          void mengonggong() {
                                                                                                                                                                                              System.out.println("Guk...Guk...Guk...");
    ^ 🐿 (€. Ф)) ENG 6:48 PM 🔲
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              - A X
File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Total Team Services | Start Page | Hevanayan | Navigate Source Perfaces | Start Page | Hevanayan | Navigate Source Perfaces | Start Page | Hevanayan | Navigate Source Perfaces | Start Page | Hevanayan | Navigate Source Perfaces | Start Page | Hevanayan | Navigate Source Perfaces | Teat therains | Start Page | Hevanayan | Navigate Source Perfaces | Teat therains | Navigate Source Perfaces | Navig
    File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help
                                                                                                          | To change this license header, choose License Headers i
| To change this template file, choose Tools | Templates
| * and open the template in the editor.
| */
| * To change this template in the editor.
| */
| * To change this template in the editor.
| */
| * To change this template in the editor.
| */
                                                                                                                                                                                                                                                                                                                                        emo. java × 🕮 Pet. java × 🏙 Anjingku. java × 🗟 Kucingku. java × 🐧 TestPolymorphism. java × 🗟 Elang. java × 🚳 customerdata. java ×
                                                                                                                                                                      * To change this license header, choose License Headers in Project Properties.
                                                                                                                                                                                              System.out.println("meeoooww..meeooww");
                                                                                                                                                                                                              System.out.println("menyukai ikan");
                                                                                                                       23
```

```
modul8 - NetBeans IDE 8.2
File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

The State of t
           | Code but config | Code but c
                                                                                                                                                                                                                                                                                                                                                                                                    no, java 🗴 🗷 Pet. java 🗴 🖟 Anjingku, java 🗴 🎉 Kucingku, java 🗴 🐼 TestPolymorphism. java 🗴 🗟 Elang. java 🗴 🚳 customerdata. java 🗴
                                                                                                                                    public static void main(String[] args) {
                                                                                                                                                                                                                  Pet pr = new Pet();
Kucingku ku = new Kucingku();
                                                                                                                                    13
                                                                                                                                                                                                                kucingku ku = new Kucingku();
Anjingku an = new Anjingku();
pr.beriNama("TOM");
System.out.println(pr.panggilNama());
System.out.println(ku.perilaku());
ku.mengeong();
pr.beriNama("DOW");
                                                                                                                                        14
                                                                                                                                            15
                                                                                                                                              16
                                                                                                                                              17
                                                                                                                                              18
                                                                                                                                              19
                                                                                                                                            20
                                                                                                                                                                                                                                                             pr.beriNama("BULL");
                                                                                                                                                                                           System.out.println(pr.panggilNama());
                                                                                                                                              21
                                                                                                                                                                                               System.out.println(an.perilaku());
an.mengonggong();
                                                                                                                                            22
                                                                                                                                          23
                                                                                                                                          24
                                                                                                                                        25
```

## Tugas

1.

```
The fact two Navigues Source Refactor Run Debug Profile Team Took Window Hep

The fact two Navigues Source Refactor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Window Hep

The factor Run Debug Profile Team Took Run Debug Profile Team Took Run Debug Profile Team Took Run Debug
```

```
modul8 - NetBeans IDE 8.2
File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Refactor Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Debug Profile Team Tools Window Help

The Source Run Deb
                                                                                                                                                                                                                                                                         no, java 🗴 🗷 Pet. java 🗴 🚳 Anjingku, java 🗴 🎉 Kucingku, java 🗴 🐼 TestPolymorphism. java 🗴 🔞 Elang, java 🗴 💰 customerdata. java 🗴
                                                                                              * To change this license header, choose License Headers in Project Properties.
                                                                                                                                  * To change this template file, choose Tools | Templates
                                                                                                4 5
                                                                                                                                * and open the template in the editor.
                                                                                               5 - //
6 7 - /**
8 | *
9 | * (
                                                                                                                    *
* @author asus
                                                                                              10
                                                                                              11 public class Elang extends Hewan{
                                                                                                public void jalan() {
                                                                                              System.out.println("jalan dengan gagah");
                                                                                              15
                           Libraries
Test Libraries
> SElang Sel
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  90 (€. Ф)) ENG 6:52 PM 🔲
 o ×
  File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help
   mo. java × 🕮 Pet. Java × 🗟 Anjingku. java × 🗟 Kucingku. java × 🚳 TestPolymorphism. java × 🗟 Elang. java × 🗟 customerdata. java ×
                                                                                          The state of the s
                                                                                           4
5
                                                                                                6
                                                                                                7 🗏 /**
                                                                                               8
                                                                                                                                 * @author asus
                                                                                               10
                                                                                              11
                                                                                                                   public class Hewandemo {
                                                                                               12 public static void main(String[] args) {
                                                                                                                                                       Hewan h1 = new Hewan();
                                                                                              13
                                                                                                                                                                         Elang e1 = new Elang();
                                                                                              14
                                                                                              15
                                                                                                                    e1.jalan();
h1.jalan();
                                                                                                                                                                           el.jalan();
                                                                                              16
                                                                                              17
                                                                                                                                                  - }
                                                                                              18
                                                                                                                                emo > 🐞 main >
へ 🚾 🦟 切) ENG 6:52 PM 📮
```

2. Membuat class customer data

```
− □ ×
modul8 - NetBeans IDE 8.2
 File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help
  The second secon
                                                                                         o. java 🗴 🗷 Pet. java 🗴 🖟 Anjingku. java 🗴 🖟 Kucingku. java 🗴 🚳 TestPolymorphism. java 🗴 🗷 Elang. java 🗴 🚳 customerdata. java 🗴 🚳 customerdatademo. java 🗴
                                                                                                                             * @author asus
                                                                                         10
                                                                                                                public class customerdata {
                                                                                         11
                                                                                                                                          String nama;
                                                                                          12
  Test Libraries
odul7
Source Packages

- definult package

- definu
                                                                                          13
                                                                                                                                                 String alamat;
                                                                                          14
                                                                                                                                                 int tollahir:
                                                                                          15
                                                                                                                                      String pekerjaan;
                                                                                          16
                                                                                                                                              int gaji;
                                                                                            17
                                                                                                                                                public void overloading (String nama, String alamat,
                                                                                            18
                                                                                          19┌두
                                                                                                                                                                         int tgllahir, String pekerjaan, int gaji) (
                                                                                            20
                                                                                                                                                                        this.nama = nama;
                                                                                                                                                                        this.alamat = alamat;
                                                                                          22
                                                                                                                                                                        this.tgllahir = tgllahir;
                                                                                          23
                                                                                                                                                                        this.pekerjaan = pekerjaan;
                                                                                            24
                                                                                                                                                                        this.gaji = gaji;
                                                                                          25
                                                                                                                                                                        System.out.println("nama: "+ nama + "\nalamat: " + alamat + "\ntgllahir: " + tgllahir +
                                                                                          26
                                                                                                                                                                                                                       "\npekerjaan: " + pekerjaan + "\ngaji: " + gaji);
                                                                                          27
                                                                                         28
                                                                                                                        }
           braries > 🖄 customerdata > 🥚 overloading >
^ 90 (€ (1)) ENG 6:55 PM
```

3. Membuat class main()

```
modul8 - NetBeans IDE 8.2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Q Search (Ctrl+I)
 File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

** 

| Source Refactor Run Debug Profile Team Tools Window Help

| Source Refactor Run Debug Profile Team Tools Window Help
 | Prog. x | Fase | Services | - | Start | Page | X | Heran, Java | X | Exclusion | X | Exclusi
                                                                                                                                                                                                                        mo. java 🗴 🗟 Pet. java 🗴 🗟 Anjingku. java 🗴 🗟 Kucingku. java 🗴 🚳 TestPolymorphism. java 🗴 🗟 Elang. java 🗴 🗟 customerdata. java 🗴 🚳 cust
                                                                                public static void main(String[] args){
                                                                                                                                            customerdata ov = new customerdata();
                                                                                                                                              ov.overloading("budi", "sukoharjo", 12, "dokter", 120000);
                                                                                                                                             customerdata co = new customerdata();
                                                                              17
                                                                                                                                              co.overloading("veni", "sukoharjo", 14, "guru", 120000);
                                                                             18
   Surre Packages

defeut pechape

karyevan-java

karyevan-java

karyevan-java

karyevan-java

karyevan-java

karyevan-java

karyevan-java

karyevan-java

heven-java

karyevan-java

karyeva
                                                                              19
                                                                                                                                              customerdata op = new customerdata();
                                                                             20
                                                                                                                                              op.overloading("vara", "sukoharjo", 13, "pns", 1230000);
                                                                              21
                                                                               22
                                                                                                                                              customerdata po = new customerdata();
                                                                              23
                                                                                                                                            po.overloading("dias", "sukoharjo", 22, "pegawai", 120000);
                                                                              24
                                                                             25
                                                                                                                                              customerdata eo = new customerdata();
                                                                                                                                              eo.overloading("deni", "sukoharjo", 2, "dokter", 120000);
                                                                             26
                                                                              27
                                                                             28
                                                                                                                                              customerdata er = new customerdata();
                                                                              29
                                                                                                                                              er.overloading("reni", "sukoharjo", 12, "dokter", 120000);
                                                                             30
                                                                              31
                                                                                                                                              customerdata ple = new customerdata();
                                                                                                                                              ple.overloading("rudi", "sukoharjo", 14, "akuntan", 120000);
                                                                             32
                                                                             33
                                                                             34
                                                                                                                                                customerdata ove = new customerdata();
                                                                               35
                                                                                                                                                ove.overloading("deri", "sukoharjo", 21, "dokter", 120000);
                                        > <u>&</u> cus
                                                                                                          datademo > (i) main >
```

^ 900 (€; ₵1) ENG 6:56 PM

