


Nama : Guntur Jatmiko

NIM : L200180039

Kelas : B

TUGAS

Latihan



The image shows a screenshot of a Python IDE with two windows. The top window, titled '3.1a.py - C:/Users/Mr.G/AppData/Local/Programs/Python/Python37/3.1a.py (3.7.5)', contains a Python script. The script defines a function 'cekMatrik(matrix)' that checks if a matrix is square and contains only integers. It then tests this function on four matrices: m1, m2, m3, and m4. The bottom window, titled 'Python 3.7.5 Shell', shows the execution output of the script. The output indicates that m1 and m2 are square matrices of integers (True), while m3 and m4 are not (False).

```
#1a
def cekMatrik(matrix):
    panjang = len(matrix)
    hasil = True
    for x in matrix:
        lebar = len(x)
        if lebar != panjang:
            hasil = False
            break

        for i in x:
            if type(i) != int:
                hasil = False
                break
    return hasil

m1 = [[2,3],[4,5]]
m2 = [[10,20],[5,6]]
m3 = [[4,8,3],[2,"8",4],[3,6,8]]
m4 = [[6,2,7],[2,8]]

print("m1 =", cekMatrik(m1))
print("m2 =", cekMatrik(m2))
print("m3 =", cekMatrik(m3))
print("m4 =", cekMatrik(m4))
```

```
Python 3.7.5 (tags/v3.7.5:5c02a39a0b, Oct 15 2019, 00:11:34) [MSC v.1916 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: C:/Users/Mr.G/AppData/Local/Programs/Python/Python37/3.1a.py =====
m1 = True
m2 = True
m3 = False
m4 = False
```

TUGAS

1.

```
3.1a.py - C:/Users/Mr.G/AppData/Local/Programs/Python/Python37/3.1a.py (3.7.5)
File Edit Format Run Options Window Help

#1a
def cekMatrik(matrix):
    panjang = len(matrix)
    hasil = True
    for x in matrix:
        lebar = len(x)
        if lebar != panjang:
            hasil = False
            break

        for i in x:
            if type(i) != int:
                hasil = False
                break
    return hasil

m1 = [[2,3],[4,5]]
m2 = [[10,20],[5,6]]
m3 = [[4,8,3],[2,"8",4],[3,6,8]]
m4 = [[6,2,7],[2,8]]

print("m1 =", cekMatrik(m1))
print("m2 =", cekMatrik(m2))
print("m3 =", cekMatrik(m3))
print("m4 =", cekMatrik(m4))

Python 3.7.5 Shell
File Edit Shell Debug Options Window Help

Python 3.7.5 (tags/v3.7.5:5c02a39a0b, Oct 15 2019, 00:11:34) [MSC v.1916 64 bit
(AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: C:/Users/Mr.G/AppData/Local/Programs/Python/Python37/3.1a.py =====
m1 = True
m2 = True
m3 = False
m4 = False

3.1a.py - C:/Users/Mr.G/AppData/Local/Programs/Python/Python37/3.1a.py (3.7.5)
File Edit Format Run Options Window Help

m1 = [[2,3],[4,5]]
m2 = [[10,20],[5,6]]
m3 = [[4,8,3],[2,"8",4],[3,6,8]]
m4 = [[6,2,7],[2,8]]

print("m1 =", cekMatrik(m1))
print("m2 =", cekMatrik(m2))
print("m3 =", cekMatrik(m3))
print("m4 =", cekMatrik(m4))

#1b
def Ukuran(matrix):
    return ("Ukuran matrix = "+str(len(matrix))+" x "+str(len(matrix[0])))

m1 = [[2,3],[4,5]]
m2 = [[10,20],[5,6]]

print(Ukuran(m1))
print(Ukuran(m2))

Ln: 140 Col: 0

Ukuran matrix = 2 x 2
Ukuran matrix = 2 x 2
```

```

#1c
a = [[1,2],[3,4]]
b = [[7,2],[1,4]]
c = [[1,"a","b"],[3,4,"c"]]
d = [[2,1],[3,4],[6,5]]
e = [[3,2,1],[5,4,3]]
f = [[1,2,3],[4,5,6],[1,5,6]]

def jumlah(n,m):
    x,y = 0,0
    for i in range(len(n)):
        x+=1
        y = len(n[i])
    xy = [[0 for j in range(x)] for i in range(y)]

    z = 0
    if(len(n)==len(m)):
        for i in range(len(n)):
            if(len(n[i]) == len(m[i])):
                z+=1
        if(z==len(n) and z==len(m)):
            print("Ukuran sama")
            for i in range(len(n)):
                for j in range(len(n[i])):
                    xy[i][j] = n[i][j] + m[i][j]
            print(xy)
        else:
            print("Ukuran beda")

jumlah(a,b)
jumlah(a,d)

```

Ln: 50 Col: 47

```

Ukuran sama
[[8, 4], [4, 8]]
Ukuran beda

```

3.1a.py - C:/Users/Mr.G/AppData/Local/Programs/Python/Python37/3.1a.py (3.7.5)

File Edit Format Run Options Window Help

```

#1d
def kali(n,m):
    aa = 0
    x,y = 0,0
    for i in range(len(n)):
        x+=1
        y = len(n[i])
    v,w = 0,0
    for i in range(len(m)):
        v+=1
        w = len(m[i])

    if(y==v):
        print("Dapat Dikalikan")
        vwxy = [[0 for j in range(w)] for i in range(x)]
        for i in range(len(n)):
            for j in range(len(m[0])):
                for k in range(len(m)):
                    #print(n[i][k], m[k][j])
                    vwxy[i][j] += n[i][k] * m[k][j]
        print(vwxy)
    else:
        print("Tidak memenuhi syarat")

zz = [[1,2,3],[1,2,3]]
zx = [[1],[2],[3]]
kali(zz,zx)
kali(a,b)
kali(a,e)
kali(a,zx)

```

Ln: 41 Col: 0

```

Dapat Dikalikan
[[14], [14]]
Dapat Dikalikan
[[9, 10], [25, 22]]
Dapat Dikalikan
[[13, 10, 7], [29, 22, 15]]
Tidak memenuhi syarat

```

2.

```
#2A
def buatNol(m, n):
    """Menggunakan dua input"""
    matrix = [[0 for x in range(m)] for i in range(n)]
    print(matrix)

def buatNol2(m):
    """Menggunakan satu input"""
    n = m
    matrix = [[0 for x in range(m)] for i in range(n)]
    print(matrix)

#2B
def buatIdentitas(m):
    n = m
    matrix = [[1 if j == i else 0 for j in range(m)] for i in range(n)]
    print(matrix)

#2
buatNol(3,3)
buatNol2(3)
buatIdentitas(4)
```

Python 3.7.5 Shell

File Edit Shell Debug Options Window Help

Python 3.7.5 (tags/v3.7.5:5c02a39a0b, Oct 15 2019, 00:11:34) [MSC v.1916 64 bit (AMD64)] on win32

Type "help", "copyright", "credits" or "license()" for more information.

```
>>>
===== RESTART: C:/Users/Mr.G/AppData/Local/Programs/Python/Python37/3.2.py =====
[[0, 0, 0], [0, 0, 0], [0, 0, 0]]
[[0, 0, 0], [0, 0, 0], [0, 0, 0]]
[[1, 0, 0, 0], [0, 1, 0, 0], [0, 0, 1, 0], [0, 0, 0, 1]]
>>> |
```

3.

```
class Node:
    def __init__(self, data):
        self.data = data
        self.next = None

class LinkedList:
    def __init__(self):
        self.head = None
    def pushAw(self, new_data):
        new_node = Node(new_data)
        new_node.next = self.head
        self.head = new_node
    def pushAk(self, data):
        if (self.head == None):
            self.head = Node(data)
        else:
            current = self.head
            while (current.next != None):
                current = current.next
            current.next = Node(data)
        return self.head
    def insert(self, data, pos):
        node = Node(data)
        if not self.head:
            self.head = node
        elif pos==0:
            node.next = self.head
            self.head = node
        else:
            prev = None
            current = self.head
            current_pos = 0
            while (current_pos < pos) and current.next:
                prev = current
                current = current.next
                current_pos +=1
            prev.next = node
            node.next = current
        return self.head
    def deleteNode(self, position):
        if self.head == None:
            return
        temp = self.head
        if position == 0:
```

```

    if position == 0:
        self.head = temp.next
        temp = None
        return
    for i in range(position - 1):
        temp = temp.next
        if temp is None:
            break
    if temp is None:
        return
    if temp.next is None:
        return
    next = temp.next.next
    temp.next = None
    temp.next = next
def search(self, x):
    current = self.head
    while current != None:
        if current.data == x:
            return "True"
        current = current.next
    return "False"
def display(self):
    current = self.head
    while current is not None:
        print(current.data, end = ' ')
        current = current.next

l1list = LinkedList()
l1list.pushAw(21)
l1list.pushAw(22)
l1list.pushAw(12)
l1list.pushAw(14)
l1list.pushAw(2)
l1list.pushAw(19)
l1list.pushAw(9)
l1list.deleteNode(0)
l1list.insert(1,6)
print(l1list.search(21))
print(l1list.search(29))
l1list.display()

_
True
False
2 14 12 22 21 1 9
>>>

```

4.

```

class Node:
    def __init__(self, data):
        self.data = data
        self.prev = None
class DoublyLinkedList:
    def __init__(self):
        self.head = None
    def awal(self, new_data):
        print("Menambah pada Awal", new_data)
        new_node = Node(new_data)
        new_node.next = self.head
        if self.head is not None:
            self.head.prev = new_node
        self.head = new_node
    def akhir(self, new_data):
        print("Menambah pada Akhir", new_data)
        new_node = Node(new_data)
        new_node.next = None
        if self.head is None:
            new_node.prev = None
            self.head = new_node
        return
        last = self.head
        while (last.next is not None):
            last = last.next
        last.next = new_node
        new_node.prev = last
        return
    def printList(self, node):
        print("\nDari Depan :")
        while (node is not None):
            print(" % d" % (node.data))
            last = node
            node = node.next
        print("\nDari Belakang :")
        while (last is not None):
            print(" % d" % (last.data))
            last = last.prev
l1list = DoublyLinkedList()
l1list.awal(7)
l1list.awal(1)
l1list.akhir(6)
l1list.akhir(4)
l1list.printList(l1list.head)

```

```
Menambah pada Awal 7  
Menambah pada Awal 1  
Menambah pada Akhir 6  
Menambah pada Akhir 4
```

Dari Depan :

```
1  
7  
6  
4
```

Dari Belakang :

```
4  
6  
7  
1
```

>>> |