
Nama : Robby Novianto


NIM : L200180050


Kelas : B


## **Kegiatan 1:**

NB : Setiap Nomor PC, diberi IP Address sesuai Nomor PC (Contoh : 192.168.1."nomor pc")











Penjelasan : Ketika Lampu indikator merah, maka ada komponen yang masih kondisi OFF


Ketika Lampu indikator hijau, maka sudah berjalan Lancar!


## **Kegiatan 2:**






## **Kegiatan 3:**







Penjelasan : Semua PC bisa di Ping di 1 Switch, namun, jika berbeda IP pada bagian ke-3, maka harus disesuaikan dengan IP bagian ke-3. misal PC 3 ke PC 5

## **Kegiatan 4 (Wireless):**



```
Physical Config Desktop Programming Attributes

Command Prompt

C:\>ping 192.168.1.15

Pinging 192.168.1.15 with 32 bytes of data:

Request timed out.

Request timed out.

Ping statistics for 192.168.1.15:

Packets: Sent = 2, Received = 0, Lost = 2 (100% loss),

Control-C

-C

C:\>ping 192.168.1.15 with 32 bytes of data:

Reply from 192.168.1.15: bytes=32 time=25ms TTL=128

Reply from 192.168.1.15: bytes=32 time=11ms TTL=128

Reply from 192.168.1.15: bytes=32 time=11ms TTL=128

Reply from 192.168.1.15: bytes=32 time=14ms TTL=128

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 11ms, Maximum = 25ms, Average = 17ms

C:\>

Top
```