


Nama : Ari wibowo

Nim : L200180056

Kelas :B

Praktikum



```
C:\>ping 201.222.5.2

Pinging 201.222.5.2 with 32 bytes of data:

Reply from 201.222.5.2: bytes=32 time=160ms TTL=128
Reply from 201.222.5.2: bytes=32 time<1ms TTL=128
Reply from 201.222.5.2: bytes=32 time<1ms TTL=128
Reply from 201.222.5.2: bytes=32 time<1ms TTL=128

Ping statistics for 201.222.5.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 160ms, Average = 40ms

C:\>ping 201.222.5.9

Pinging 201.222.5.9 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 201.222.5.9:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 201.222.5.10

Pinging 201.222.5.10 with 32 bytes of data:


Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 201.222.5.10:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```


PC0 ketika di hubungkan dengan PC1 terhubung karena network addressnya sama, sedangkan PC0 dihubungkan ke PC3 atau ke PC4 tidak terhubung karena network addressnya berbeda.

Tugas

a. Desain jaring



- b. Melakukan ping dari PC Divisi 1 ke PC Divisi 1



```
Physical  Config  Desktop  Programming  Attributes

Command Prompt

Packet Tracer PC Command Line 1.0
C:\>ipconfig

FastEthernet0 Connection: (default port)

    Link-local IPv6 Address . . . . . : FE80::201:C7FF:FE69:D14
    IP Address. . . . . : 202.155.19.1
    Subnet Mask . . . . . : 255.255.255.224
    Default Gateway . . . . . : 0.0.0.0

C:\>ping 202.155.19.2

Pinging 202.155.19.2 with 32 bytes of data:


Reply from 202.155.19.2: bytes=32 time=275ms TTL=128
Reply from 202.155.19.2: bytes=32 time=5ms TTL=128
Reply from 202.155.19.2: bytes=32 time<1ms TTL=128
Reply from 202.155.19.2: bytes=32 time<1ms TTL=128

Ping statistics for 202.155.19.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 275ms, Average = 70ms

C:\>
```

Dapat terhubung karena network addressnya sama.

- c. Melakukan ping dari PC Divisi 1 ke PC Divisi 2



```
C:\>ping 202.155.19.33

Pinging 202.155.19.33 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.33:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request Timed Out karena network addressnya berbeda.

- d. Melakukan ping dari PC Divisi 1 ke PC Divisi 3

```
C:\>ping 202.155.19.65

Pinging 202.155.19.65 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.65:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request

Timed Out karena network addressnya berbeda.

- e. Melakukan ping dari PC Divisi 1 ke PC Divisi 4

```
C:\>ping 202.155.19.97

Pinging 202.155.19.97 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.97:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request Timed Out karena network addressnya berbeda.

- f. Melakukan ping PC Devisi 1 ke PC Devisi 5

```
C:\>ping 202.155.19.129

Pinging 202.155.19.129 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.129:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request Timed Out karena network addressnya berbeda.