


Nama : Tomy Satmoko Aji

Nim : L200180057

Kelas : B

Praktikum



```
C:\>ping 201.222.5.2

Pinging 201.222.5.2 with 32 bytes of data:

Reply from 201.222.5.2: bytes=32 time=160ms TTL=128
Reply from 201.222.5.2: bytes=32 time<1ms TTL=128
Reply from 201.222.5.2: bytes=32 time<1ms TTL=128
Reply from 201.222.5.2: bytes=32 time<1ms TTL=128

Ping statistics for 201.222.5.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 160ms, Average = 40ms

C:\>ping 201.222.5.9

Pinging 201.222.5.9 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 201.222.5.9:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 201.222.5.10

Pinging 201.222.5.10 with 32 bytes of data:


Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 201.222.5.10:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```


PC0 ketika di hubungkan dengan PC1 terhubung karena network addressnya sama, sedangkan PC0 dihubungkan ke PC3 atau ke PC4 tidak terhubung karena network addressnya berbeda.

Tugas

a. Desain jaring



b. Melakukan ping dari PC Divisi 1 ke PC Divisi 1



```
Physical Config Desktop Programming Attributes
Command Prompt X

Packet Tracer PC Command Line 1.0
C:\>ipconfig

FastEthernet0 Connection: (default port)

    Link-local IPv6 Address . . . . . : FE80::201:C7FF:FE69:D14
    IP Address. . . . . : 202.155.19.1
    Subnet Mask . . . . . : 255.255.255.224
    Default Gateway . . . . . : 0.0.0.0

C:\>ping 202.155.19.2

Pinging 202.155.19.2 with 32 bytes of data:


Reply from 202.155.19.2: bytes=32 time=275ms TTL=128
Reply from 202.155.19.2: bytes=32 time=5ms TTL=128
Reply from 202.155.19.2: bytes=32 time<1ms TTL=128
Reply from 202.155.19.2: bytes=32 time<1ms TTL=128

Ping statistics for 202.155.19.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 275ms, Average = 70ms

C:\>
```

Dapat terhubung karena network addressnya sama.

c. Melakukan ping dari PC Divisi 1 ke PC Divisi 2



```
C:\>ping 202.155.19.33

Pinging 202.155.19.33 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.33:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request Timed Out karena network addressnya berbeda.

- d. Melakukan ping dari PC Divisi 1 ke PC Divisi 3

```
C:\>ping 202.155.19.65

Pinging 202.155.19.65 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.65:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request

Timed Out karena network addressnya berbeda.

- e. Melakukan ping dari PC Divisi 1 ke PC Divisi 4

```
C:\>ping 202.155.19.97

Pinging 202.155.19.97 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.97:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request Timed Out karena network addressnya berbeda.

- f. Melakukan ping PC Devisi 1 ke PC Devisi 5

```
C:\>ping 202.155.19.129

Pinging 202.155.19.129 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 202.155.19.129:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Terjadi Request Timed Out karena network addressnya berbeda.