


Nama : Wahyu Setyaji Rama Dwijaya  
Nim : L200180065  
Kelas : B


## Tugas Modul 6

### 1. Git

Install:




Tampilan:




Git adalah merupakan pengontrol versi yang bertugas mencatat setiap perubahan pada file proyek yang dikerjakan oleh banyak orang maupun sendiri.

2. Gedit

Install:




Tampilan:




Gedit merupakan aplikasi text editor ringan untuk Linux.

3. FTP

Install:




Tampilan:




File Transfer Protocol (FTP) adalah suatu protokol yang berfungsi untuk tukar-menukar file dalam suatu network yang menggunakan TCP koneksi bukan UDP.

4. DNS Map

Install:




Tampilan:




DNS Map adalah sebuah aplikasi atau tool yang berfungsi untuk melakukan port scanning. Aplikasi ini digunakan untuk meng-audit jaringan yang ada.

5. Fake Root

Install:



Tampilan:



Fake Root adalah tool yang berfungsi untuk mestimulasikan ases root dan berhubung distro saya kali jadi otomatis root dan tidak terjadi perubahan, ehe 😊

6. Exploit DB

Install:

```
Applications  Places  Mon Nov 11 14:23:21  root@Aezo27 ~
root@Aezo27:~# apt install exploitdb
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following NEW packages will be installed:
  exploitdb
0 upgraded, 1 newly installed, 0 to remove and 536 not upgraded.
Need to get 26.6 MB of archives.
After this operation, 180 MB of additional disk space will be used.
Get:1 https://h1zmel.famg.org.nz/kali kali-rolling/main amd64 exploitdb all 20191024-0kali1 [26.6 MB]
Fetched 26.6 MB in 2min 37s (169 kB/s)
Selecting previously unselected package exploitdb.
(Reading database ... 440002 files and directories currently installed.)
Preparing to unpack .../exploitdb_20191024-0kali1_all.deb ...
Unpacking exploitdb (20191024-0kali1) ...
Setting up exploitdb (20191024-0kali1) ...
Processing triggers for man-db (2.8.7-3) ...
root@Aezo27:~#
```

Tampilan:

```
Applications  Places  Mon Nov 11 14:58:50  root@Aezo27 ~
root@Aezo27:~# searchsploit
Usage: searchsploit [options] term1 [term2] ... [termN]

=====
Examples
=====
searchsploit afd windows local
searchsploit -t oracle windows
searchsploit -p 39446
searchsploit linux kernel 3.2 --exclude="(PoC)|dos/"
searchsploit linux reverse password

For more examples, see the manual: https://www.exploit-db.com/searchsploit

=====
Options
=====
-c, --case      [Term]      Perform a case-sensitive search (Default is inSEnsITive).
-e, --exact    [Term]      Perform an EXACT match on exploit title (Default is AND) [Implies "-t"].
-h, --help                               Show this help screen.
-j, --json     [Term]      Show result in JSON format.
-m, --mirror   [EDB-ID]    Mirror (aka copies) an exploit to the current working directory.
-o, --overflow [Term]      Exploit titles are allowed to overflow their columns.
-p, --path     [EDB-ID]    Show the full path to an exploit (and also copies the path to the clipboard if possible).
-t, --title    [Term]      Search JUST the exploit title (Default is title AND the file's path).
-u, --update                               Check for and install any exploitdb package updates (deb or git).
-w, --www      [Term]      Show URLs to Exploit-DB.com rather than the local path.
-x, --examine  [EDB-ID]    Examine (aka opens) the exploit using SPAGER.
--colour                               Disable colour highlighting in search results.
--id                               Display the EDB-ID value rather than local path.
--nmap [file.xml]          Checks all results in Nmap's XML output with service version (e.g.: nmap -sV -oX file.xml).
                               Use "-v" (verbose) to try even more combinations
--exclude="term"              Remove values from results. By using "|" to separate, you can chain multiple values.
                               e.g. --exclude="term1|term2|term3".

=====
Notes =====
=====
```


Exploit DB merupakan tool yang berguna untuk mengeksplorasi celah keamanan pada suatu database.

7. Evince

Install:

```
Applications  Places  Mon Nov 11 14:32:26 ● root@Aezo27:~  
  
root@Aezo27:~# apt install evince  
Reading package lists... Done  
Building dependency tree  
Reading state information... Done  
The following additional packages will be installed:  
  evince-common gnome-desktop3-data libevdocument3-4 libevview3-3 libgnome-desktop-3-18  
Suggested packages:  
  nautilus-sendto  
The following NEW packages will be installed:  
  libgnome-desktop-3-18  
The following packages will be upgraded:  
  evince evince-common gnome-desktop3-data libevdocument3-4 libevview3-3  
3 upgraded, 1 newly installed, 0 to remove and 532 not upgraded.  
Need to get 2,139 kB of archives.  
After this operation, 445 kB of additional disk space will be used.  
Do you want to continue? [Y/n] Y  
Get:1 https://hlmel.fsmg.org.nz/kali kali-rolling/main amd64 evince amd64 3.34.1-1 [270 kB]  
Get:2 https://hlmel.fsmg.org.nz/kali kali-rolling/main amd64 evince-common all 3.34.1-1 [989 kB]  
Get:3 https://hlmel.fsmg.org.nz/kali kali-rolling/main amd64 libevdocument3-4 amd64 3.34.1-1 [213 kB]  
Get:4 https://hlmel.fsmg.org.nz/kali kali-rolling/main amd64 libevview3-3 amd64 3.34.1-1 [142 kB]  
Get:5 https://hlmel.fsmg.org.nz/kali kali-rolling/main amd64 gnome-desktop3-data all 3.34.1-1 [389 kB]  
Get:6 https://hlmel.fsmg.org.nz/kali kali-rolling/main amd64 libgnome-desktop-3-18 amd64 3.34.1-1 [136 kB]  
Fetched 2,139 kB in 12s (172 kB/s)  
Reading changelogs... Done  
(Reading database ... 483137 files and directories currently installed.)  
Preparing to unpack .../0-evince_3.34.1-1_amd64.deb ...  
Unpacking evince (3.34.1-1) over (3.30.2-3) ...  
Preparing to unpack .../1-evince-common_3.34.1-1_all.deb ...  
Unpacking evince-common (3.34.1-1) over (3.30.2-3) ...  
Preparing to unpack .../2-libevdocument3-4_3.34.1-1_amd64.deb ...  
Unpacking libevdocument3-4:amd64 (3.34.1-1) over (3.30.2-3) ...  
Preparing to unpack .../3-libevview3-3_3.34.1-1_amd64.deb ...  
Unpacking libevview3-3:amd64 (3.34.1-1) over (3.30.2-3) ...  
Preparing to unpack .../4-gnome-desktop3-data_3.34.1-1_all.deb ...  
Unpacking gnome-desktop3-data (3.34.1-1) over (3.34.0-2) ...  
Selecting previously unselected package libgnome-desktop-3-18:amd64.  
Preparing to unpack .../5-libgnome-desktop-3-18_3.34.1-1_amd64.deb ...  
Unpacking libgnome-desktop-3-18:amd64 (3.34.1-1) ...  
Setting up evince-common (3.34.1-1) ...  
Setting up gnome-desktop3-data (3.34.1-1) ...  
Setting up libevdocument3-4:amd64 (3.34.1-1) ...  
Setting up libgnome-desktop-3-18:amd64 (3.34.1-1) ...  
Setting up libevview3-3:amd64 (3.34.1-1) ...  
Setting up evince (3.34.1-1) ...
```


Tampilan:




Evince merupakan aplikasi untuk membuka dan membaca file pdf dan sangat ringan.

8. Wireshark

Install:



Tampilan:




Wireshark merupakan salah satu dari tool Network Analyzer yang biasa digunakan oleh Network Administrator pemecahan masalah jaringan, analisis, perangkat lunak dan pengembangan protokol komunikasi, dan pendidikan.




9. Unrar

Install:




Tampilan:




Unrar merupakan sebuah tool untuk mengesktrak file arsip berekstensi rar.

10. VLC

Install:



Tampilan:



VLC merupakan aplikasi yang berguna untuk memutar video maupun musik.