Nama: Huan Wendy Ariono

Nim: L200180086

Kelas: C


MODUL 6


C. KEGIATAN PRAKTIKUM

1. Kegiatan 1. Topologi 1

1. a,b,c

- Letakan 3 switch 2950-24 dan 3 pc
- > Kemudian susun seperti gambar
- Hubungkan antar switch dengan kabel cross
- > Hubungkan antara switch dengan kabel straight





SW0

No	Variable	Nilai
1	Root ID	000A.F347.0A61
2	Priority	32769
3	MAC Adrress	000D.BDOC.2594
4	Bridge ID	000D.BDOC.2594
5	Cost(0/1;0/2;0/3)	19/19/19
6	Hello Time	2 sec
7	MaxAge	20 sec
8	Forward Delay	15

SW1

No	Variable	Nilai
1	Root ID	000A.F347.0A61
2	Priority	32769
3	MAC Adrress	000A.F347.0A61
4	Bridge ID	000A.F347.0A61
5	Cost(0/1;0/2;0/3)	19/19/19
6	Hello Time	2 sec
7	MaxAge	20 sec
8	Forward Delay	15

SW2

No	Variable	Nilai
1	Root ID	000A.F347.0A61
2	Priority	32769
3	MAC Adrress	000C.CF60.65AB
4	Bridge ID	000C.CF60.65AB
5	Cost(0/1;0/2;0/3)	19/19/19
6	Hello Time	2 sec
7	MaxAge	20 sec
8	Forward Delay	15

4. C

Root bridge : SW1

Designated bridge: SW2


Root port : SW2 (Fa0/1), SW3(Fa0/1)

Designated port : SW1(Fa0/1;Fa0/2;Fa0/3), SW2(Fa0/2;Fa0/3), SW3(Fa0/3)

4. D

Forwarding: SW1(Fa0/1;Fa0/2;Fa0/3), SW2(Fa0/1;Fa0/2;Fa0/3), SW3(Fa0/1;Fa0/3) Blocking: SW3(Fa0/3)

5. A



Masuk ke PC >> Desktop >> Command Prompt

Lalu ketik "ping 172.21.1.3"

6. A

Lakukan ini untuk setiap switch

SW1>en


SW1#write

Building configuration...


[OK]


2. Kegiatan 2. Topologi 2

а



b.





SW 0

No	Variable	Nilai
1	Root ID	000A.F347.0A61
2	Priority	32769
3	MAC Adrress	000D.BDOC.2594
4	Bridge ID	000D.BDOC.2594
5	Cost(0/1;0/2;0/3)	19/19/19
6	Hello Time	2 sec
7	MaxAge	20 sec
8	Forward Delay	15

SW1

No	Variable	Nilai
1	Root ID	000A.F347.0A61
2	Priority	32769
3	MAC Adrress	000A.F347.0A61
4	Bridge ID	000A.F347.0A61
5	Cost(0/1;0/2;0/3)	19/19/19
6	Hello Time	2 sec
7	MaxAge	20 sec
8	Forward Delay	15

SW2

No	Variable	Nilai
1	Root ID	000A.F347.0A61
2	Priority	32769
3	MAC Adrress	000C.CF60.65AB
4	Bridge ID	000C.CF60.65AB
5	Cost(0/1;0/2;0/3)	19/19/19
6	Hello Time	2 sec
7	MaxAge	20 sec

	E I B. I.	4.5
8	Forward Delay	15

Menentukan:

- Root bridge : SW1

Designated bridge : SW3

Root Port : SW2 (Fa0/1), SW3(Fa0/1)

- Designated Port : SW1 (Fa0/1, Fa0/2), SW2 (Fa0/2), SW3 (Fa0/2, Fa0/3)

Menentukan:

- Keadaan forwarding :
 - SW1 (Fa0/1, Fa0/2)
 - SW2 (Fa0/1, Fa0/2)
 - SW3 (Fa0/1, Fa0/2, Fa0/3)
- Keadaan blocking : tidak ada

